









Gas

Vitreous Matt Black	2.2
Vitreous Gloss Black	2.6
Flex & Fittings	2.11
Gas Flue Boxes	2.13
IL	2.15
Gas Flue Boxes	2.17
ICID Plus	2.20
ICID Plus Matt Black	2.27


Vitreous Matt Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil









Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✓	1 Year













Product Description	Diameter	Part No.	Price	
Adaptors				
	Economy Adaptor To Flex Liner	100mm	2504063	£70.45
	Enables connection to flexible liner	125mm	2505063	£76.47
	Liner pushes in to socket	150mm	2506063	£80.91
		175mm	2507063	£104.44
		200mm	2508063	£91.22
	Increasing Adaptor To Flex Liner	100 – 125mm	2505096	£77.05
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2506096	£82.89
	Cut Length Adaptor	100mm	2504097	£67.20
	Enables connection of cut vitreous lengths.	125mm	2505097	£67.20
	Replaces socket on the cut end	150mm	2506097	£67.20
		175mm	2507097	£75.59
		200mm	2508097	£78.44
	Increasing Spun Adaptor	100 – 125mm	2504081	£64.84
	Enables an increase in diameter of the vitreous length	125 – 150mm	2505081	£65.89
		150 – 175mm	2506081	£70.33
		175 – 200mm	2507081	£86.11
	Tapered Adaptor	100 – 125mm	2504090	£80.70
	Adaptor from Vitreous to Flex Liner	125 – 150mm	2505090	£82.07
		150 – 175mm	2506090	£94.44
		175 – 200mm	2507090	£106.28
	Double Socket Adaptor	100mm	2504603	£63.85
	Enables female to female end connection in one length	125mm	2505603	£67.86
		150mm	2506603	£73.91
		175mm	2507603	£75.89
		200mm	2508603	£77.86
	Double Spigot Adaptor	100mm	2504604	£63.85
	Enables male to male end connection in one length	125mm	2505604	£67.86
		150mm	2506604	£73.91
		175mm	2507604	£75.89
		200mm	2508604	£77.86
	Continental Adaptor	117– 125mm	2505094	£76.01
	Allows for continental appliance spigot sizes	135 – 150mm	2506094	£80.05

Product Description	Diameter	Part No.	Price	
Lengths				
	150mm Straight Pipe	125mm	2505006	£64.45
	Standard length 150mm	150mm	2506006	£76.72
	300mm Straight Pipe	100mm	2504012	£59.61
	260mm installed length	125mm	2505012	£70.01
		150mm	2506012	£82.82
		175mm	2507012	£94.86
		200mm	2508012	£110.55
	300mm Straight Pipe With Door	100mm	2504015	£85.33
	Standard length	125mm	2505015	£95.79
	300mm with provision for inspection and cleaning	150mm	2506015	£108.48
		175mm	2507015	£120.59
		200mm	2508015	£136.35
	500mm Straight Pipe	125mm	2505009	£87.05
	Installed length 460mm	150mm	2506009	£98.96
	500mm Straight Pipe With Door	125mm	2505011	£121.44
	Installed length 460mm with provision for inspection and cleaning	150mm	2506011	£133.28
	600mm Straight Pipe	100mm	2504005	£85.75
	Installed length 560mm	125mm	2505005	£87.05
		150mm	2506005	£98.96
		175mm	2507005	£114.85
		200mm	2508005	£131.65
	600mm Straight Pipe With Door	100mm	2504010	£119.00
	Installed length 560mm with provision for inspection and cleaning	125mm	2505010	£121.44
		150mm	2506010	£133.28
		175mm	2507010	£149.25
		200mm	2508010	£165.90
	900mm Straight Pipe	100mm	2504003	£114.74
	Installed length 860mm	125mm	2505003	£118.65
		150mm	2506003	£131.78
		175mm	2507003	£151.04
		200mm	2508003	£182.89




Product Description	Diameter	Part No.	Price	
	900mm Straight Pipe With Door	100mm	2504004	£149.09
	Installed length 125mm	125mm	2505004	£153.03
	860mm with provision for inspection and cleaning	150mm	2506004	£166.03
		175mm	2507004	£203.99
		200mm	2508004	£217.23
	1000mm Straight Pipe	125mm	2505002	£118.65
	Installed length 960mm	150mm	2506002	£131.78
	1000mm Straight Pipe With Door	125mm	2505001	£153.03
	Installed length 960mm with provision for inspection and cleaning	150mm	2506001	£166.03
	1200mm Straight Pipe	100mm	2504007	£149.00
	Installed length 1160mm	125mm	2505007	£157.12
		150mm	2506007	£173.66
		175mm	2507007	£190.39
		200mm	2508007	£234.98
	1200mm Straight Pipe With Door	100mm	2504014	£183.38
	Installed length 1160mm with provision for inspection and cleaning	125mm	2505014	£191.55
		150mm	2506014	£207.98
		175mm	2507014	£224.73
		200mm	2508014	£269.28
	350 – 550mm Adj Pipe No Door	100mm	2504016	£119.13
	Adjustable pipe used to achieve specific flue lengths.	125mm	2505016	£139.92
		150mm	2506016	£154.74
		175mm	2507016	£189.84
		200mm	2508016	£221.12
	600 – 900mm Adj Pipe With Door	100mm	2504017	£145.88
	Adjustable pipe used to achieve specific flue lengths	125mm	2505017	£165.32
	Provision for inspection and cleaning	150mm	2506017	£184.67
		175mm	2507017	£207.89
		200mm	2508017	£231.10
	600 – 1020mm Adj Pipe No Door	125mm	2505013	£144.49
	Adjustable pipe used to achieve specific flue lengths	150mm	2506013	£163.63
	900 – 1450mm Adj Pipe With Door	100mm	2504018	£242.50
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018	£272.73
	Provision for inspection and cleaning	150mm	2506018	£290.62
		175mm	2507018	£343.27
		200mm	2508018	£378.37
	900 – 1600mm Adj Pipe No Door	125mm	2505018N	£242.78
	Adjustable pipe used to achieve specific flue lengths	150mm	2506018N	£272.81
		175mm	2507018N	£293.25
	Damper Unit	100mm	2504008	£111.57
	Reduces the adverse effects of a strong flue up draught, 75mm installed length	125mm	2505008	£118.14
		150mm	2506008	£130.09
		175mm	2507008	£159.68

Product Description	Diameter	Part No.	Price	
Bends / Tees				
	165° / 15° Mitred Bend	100mm	2504025	£98.44
	Enables angling of flue run if necessary	125mm	2505025	£110.99
		150mm	2506025	£127.95
		175mm	2507025	£151.04
		200mm	2508025	£184.20
	165° / 15° Mitred Bend With Door	100mm	2504027	£133.93
	Enables angling of flue run if necessary	125mm	2505027	£148.03
	Provision for inspection and cleaning	150mm	2506027	£160.20
		200mm	2508027	£216.13
	150° / 30° Mitred Bend	100mm	2504024	£98.44
	Enables angling of flue run if necessary	125mm	2505024	£110.99
		150mm	2506024	£127.95
		175mm	2507024	£151.04
		200mm	2508024	£184.20
	150° / 30° Mitred Bend With Door	100mm	2504026	£133.93
	Enables angling of flue run if necessary	125mm	2505026	£148.03
	Provision for inspection and cleaning	150mm	2506026	£160.20
		175mm	2507026	£182.71
		200mm	2508026	£216.23
	135° / 45° Swept Bend	100mm	2504022	£98.44
	Enables angling of flue run if necessary	125mm	2505022	£110.99
		150mm	2506022	£127.95
		175mm	2507022	£151.04
		200mm	2508022	£184.20
	135° / 45° Swept Bend With Door	100mm	2504020	£133.93
	Enables angling of flue run if necessary	125mm	2505020	£148.03
	Provision for inspection and cleaning	150mm	2506020	£160.20
		175mm	2507020	£182.71
		200mm	2508020	£216.23
	90° Swept Bend	100mm	2504019	£117.81
	Enables angling of flue run if necessary	125mm	2505019	£129.77
		150mm	2506019	£141.96
		175mm	2507019	£165.72
		200mm	2508019	£194.60
	90° Swept Bend With Door	100mm	2504021	£156.64
	Enables angling of flue run if necessary	125mm	2505021	£169.60
	Provision for inspection and cleaning	150mm	2506021	£182.47
		175mm	2507021	£206.47
		200mm	2508021	£233.04
	90° Bend with Debris Trap	125mm	2505021DT	£216.71
	Bend with debris trap and cap, for cleaning and inspection	150mm	2506021DT	£229.68

Product Description	Diameter	Part No.	Price
 135° Long Tail Bend with Door Used when the install requires a greater distance between the appliance and flue than usual Door on short vertical section Provides 480mm offset	125mm	2505122	£242.70
	150mm	2506122	£267.93
 Offset Section Enables connection of chimney to appliance without joints 100mm offset, 520mm installed length	125mm	2505028	£222.90
	150mm	2506028	£229.93
 Offset Section with Door 100mm Offset Section with door placed 250mm up from base 520mm installed length	125mm	2505029	£249.85
	150mm	2506029	£278.31
 Adjustable Height Offset Section 100mm Offset Section minimum total height 415mm maximum 520mm	125mm	2505030	£285.66
	150mm	2506030	£327.83
 90° Tee Without Cap (Type D) Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2504043	£152.76
	125mm	2505043	£162.71
	150mm	2506043	£171.49
	175mm	2507043	£182.91
 90° Stabiliser Tee (Type B) Standard 90 Tee used to accept stabilizer in branch	200mm	2508043	£277.99
	100mm	2504042	£152.76
	125mm	2505042	£162.71
	150mm	2506042	£171.49
 135° Tee Without Cap Angled tee with branch spigot	175mm	2507042	£182.91
	200mm	2508042	£277.99
	100mm	2504044	£168.10
	125mm	2505044	£178.92
 Tee Cap (Stainless Steel) Enables closure of tee piece at bottom of system Enables cleaning and inspection	150mm	2506044	£188.59
	175mm	2507044	£272.29
	200mm	2508044	£306.81
	100mm	2504053	£41.27
	125mm	2505053	£41.27
	150mm	2506053	£43.59
	175mm	2507053	£48.88
	200mm	2508053	£58.49

Product Description	Diameter	Part No.	Price
Accessories			
 Maintenance Clip Enables connection of cut lengths to provide a means of manual inspection and cleaning	100mm	2504508	£39.34
	125mm	2505508	£39.34
	150mm	2506508	£39.34
	175mm	2507508	£52.79
 Painted Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	200mm	2508508	£52.79
	125mm	2505067	£55.06
	150mm	2506067	£56.30
 Enamel Pole Type Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	175mm	2507067	£59.39
	100mm	2504088	£74.48
	125mm	2505088	£74.48
	150mm	2506088	£74.48
 Ceiling Trim Ring Fits around pipe as it enters ceiling or wall 1 piece	175mm	2507088	£74.48
	200mm	2508088	£77.51
	100mm	2504085	£38.59
	125mm	2505085	£38.59
 45° Angled Trim Ring Fits around pipe as it enters ceiling or wall at an angle 2 piece	150mm	2506085	£38.59
	175mm	2507085	£50.41
	200mm	2508085	£50.41
	100mm	2504085A	£84.14
 Flush Trim Ring Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	125mm	2505085A	£84.31
	150mm	2506085A	£95.61
	175mm	2507085A	£95.61
	200mm	2508085A	£100.22
 Split Trim Ring Fits around pipe as it enters ceiling or wall 2 piece	125mm	2506085F	£83.99
	150mm	2506085F	£83.99
 1D5 Gasket MK1 Door Gasket for 125mm swept bend	100mm	2504085S	£85.80
	125mm	2505085S	£88.63
	150mm	2506085S	£88.63
	175mm	2507085S	£90.08
	200mm	2508085S	£91.22
 1D6 Gasket MK1 Door Gasket for 150mm swept bend	125mm	2500104	£8.05
	150mm	2500105	£8.05
 MK2 Gasket 100 – 150mm Oval Door Gasket	2500107	£8.36	
	2500108	£7.99	
 MK3 Gasket 130 – 190mm Oval Door Gasket	2500109	£8.36	
	2500109	£8.36	
 MK4 Gasket 200 – 240mm Square Door Gasket	2500109	£8.36	
	2500109	£8.36	

Product Description	Diameter	Part No.	Price
 1D5 Door – Matt Black MK1 Replacement Swept Bend Door for 125mm	125mm	2505MK1	£17.07
 1D6 Door – Matt Black MK1 Replacement Swept Bend Door for 150mm	150mm	2506MK1	£24.02
 MK2 Door – Matt Black Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2504MK2	£24.23
	125mm	2505MK2	£24.23
	150mm	2506MK2	£24.23
 MK3 Door – Matt Black Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2505MK3	£24.23
	150mm	2506MK3	£24.23
	175mm	2507MK3	£24.23
	200mm	2508MK3	£24.23
 MK4 Door – Matt Black Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2505MK4	£29.81
	150mm	2506MK4	£29.81
	175mm	2507MK4	£29.81
	200mm	2508MK4	£28.32
 MK2 Door – Stainless Steel Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£10.27

Product Description	Diameter	Part No.	Price
 MK3 Door – Stainless Steel Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£12.22
 MK4 Door – Stainless Steel Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£14.31
 8mm Universal Test Point Can be retro fitted to allow draught reading to be taken		34UTP	£13.39

Do you need?

Fire Cement, Glass Fibre Cord or Sealant Adhesive

See the Installation Essentials section on page 5.13










Vitreous Gloss Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil













Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✓	1 Year

Product Description	Diameter	Part No.	Price	
Adaptors				
	Economy Adaptor To Flex Liner Liner pushes in to socket	100mm	2304063	£70.45
		125mm	2305063	£76.47
		150mm	2306063	£80.91
		175mm	2307063	£104.44
		200mm	2308063	£91.22
	Increasing Adaptor To Flex Liner Enables connection to flexible liner with an increase in diameter	100 – 125mm	2305096	£77.05
		125 – 150mm	2306096	£82.89
	Cut Length Adaptor Enables connection of cut vitreous lengths. Replaces socket on the cut end	100mm	2304097	£67.20
		125mm	2305097	£67.20
		150mm	2306097	£67.20
		175mm	2307097	£75.59
		200mm	2308097	£78.44
	Increasing Spun Adaptor Enables an increase in diameter of the vitreous length	100 – 125mm	2304081	£64.84
		125 – 150mm	2305081	£65.89
		150 – 175mm	2306081	£70.33
		175 – 200mm	2307081	£86.11
	Tapered Adaptor Enables smooth connection to flex liner Increases diameter by one step over 300mm taper	100 – 125mm	2304090	£80.70
		125 – 150mm	2305090	£82.07
		150 – 175mm	2306090	£94.44
		175 – 200mm	2307090	£106.28
	Double Socket Adaptor Enables female to female end connection in one length	100mm	2304603	£63.85
		125mm	2305603	£67.86
		150mm	2306603	£73.91
		200mm	2308603	£77.86
	Double Spigot Adaptor Enables male to male end connection in one length	100mm	2304604	£63.85
		125mm	2305604	£67.86
		150mm	2306604	£73.91
		175mm	2307604	£75.89
		200mm	2308604	£77.86

Product Description	Diameter	Part No.	Price	
Lengths				
	300mm Straight Pipe 260mm installed length	100mm	2304012	£59.61
		125mm	2305012	£70.01
		150mm	2306012	£82.82
		175mm	2307012	£94.86
		200mm	2308012	£110.55
	300mm Straight Pipe With Door Installed length 260mm with provision for inspection and cleaning	100mm	2304015	£85.33
		125mm	2305015	£95.79
		150mm	2306015	£108.48
		175mm	2307015	£120.59
	200mm	2308015	£136.27	
	600mm Straight Pipe Installed length 560mm	100mm	2304005	£85.75
		125mm	2305005	£87.05
		150mm	2306005	£98.96
		175mm	2307005	£114.85
		200mm	2308005	£131.65
	600mm Straight Pipe With Door Installed length 560mm with provision for inspection and cleaning	100mm	2304010	£119.00
		125mm	2305010	£121.44
		150mm	2306010	£133.28
		175mm	2307010	£149.25
	200mm	2308010	£165.90	
	900mm Straight Pipe Installed length 860mm	100mm	2304003	£114.74
		125mm	2305003	£118.65
		150mm	2306003	£131.78
		175mm	2307003	£151.04
	200mm	2308003	£182.89	
	900mm Straight Pipe With Door Installed length 860mm with provision for inspection and cleaning	100mm	2304004	£149.09
		125mm	2305004	£153.03
		150mm	2306004	£166.03
		175mm	2307004	£203.99
	200mm	2308004	£217.23	
	1200mm Straight Pipe Installed length 1160mm	100mm	2304007	£149.00
		125mm	2305007	£157.12
		150mm	2306007	£173.66
		175mm	2307007	£190.39
	200mm	2308007	£234.98	

Product Description	Diameter	Part No.	Price	
	1200mm Straight Pipe With Door	100mm	2304014	£183.38
	Installed length 1160mm with provision for inspection and cleaning	125mm	2305014	£191.55
		150mm	2306014	£207.98
		175mm	2307014	£224.73
		200mm	2308014	£269.28
	350 – 550mm Adj Pipe No Door	100mm	2304016	£119.13
	Adjustable pipe used to achieve specific flue lengths.	125mm	2305016	£139.92
		150mm	2306016	£165.71
		175mm	2307016	£189.84
		200mm	2308016	£221.12
	600 – 900mm Adj Pipe With Door	100mm	2304017	£145.88
	Adjustable pipe used to achieve specific flue lengths	125mm	2305017	£165.32
	Provision for inspection and cleaning	150mm	2306017	£184.67
	600 – 1020mm Adj Pipe No Door	150mm	2306013	£144.49
Adjustable pipe used to achieve specific flue lengths				
	900 – 1450mm Adj Pipe With Door	150mm	2306018	£290.62
	Adjustable pipe used to achieve specific flue lengths			
Provision for inspection and cleaning				
	900 – 1600mm Adj Pipe No Door	150mm	2306018N	£272.81
	Adjustable pipe used to achieve specific flue lengths			
	Damper Unit	100mm	2304008	£111.55
	Reduces the adverse affects of a strong flue up draught	125mm	2305008	£118.14
		150mm	2306008	£130.09
	75mm installed length	175mm	2307008	£159.68
Elbows / Tees				
	165° / 15° Mitred Bend	100mm	2304025	£98.44
	Enables angling of flue run if necessary	125mm	2305025	£110.99
		150mm	2306025	£127.95
	165° / 15° Mitred Bend With Door	100mm	2304027	£133.93
	Enables angling of flue run if necessary	125mm	2305027	£148.03
	Provision for inspection and cleaning	150mm	2306027	£160.20
	150° / 30° Mitred Bend	100mm	2304024	£98.44
	Enables angling of flue run if necessary	125mm	2305024	£110.99
		150mm	2306024	£127.95
		175mm	2307024	£151.04
		200mm	2308024	£184.20

Product Description	Diameter	Part No.	Price	
	150° / 30° Mitred Bend With Door	100mm	2304026	£133.93
	Enables angling of flue run if necessary	125mm	2305026	£148.03
		150mm	2306026	£160.20
	Provision for inspection and cleaning	175mm	2307026	£182.71
	200mm	2308026	£216.23	
	135° / 45° Swept Bend	100mm	2304022	£98.44
	Enables angling of flue run if necessary	125mm	2305022	£110.99
		150mm	2306022	£127.95
		175mm	2307022	£151.04
		200mm	2308022	£184.20
	135° / 45° Swept Bend With Door	100mm	2304020	£133.93
	Enables angling of flue run if necessary	125mm	2305020	£148.03
		150mm	2306020	£160.20
	Provision for inspection and cleaning	175mm	2307020	£182.71
	200mm	2308020	£216.23	
	90° Swept Bend	100mm	2304019	£117.81
	Enables angling of flue run if necessary	125mm	2305019	£129.77
		150mm	2306019	£141.96
		175mm	2307019	£165.72
		200mm	2308019	£194.60
	90° Swept Bend With Door	100mm	2304021	£156.64
	Enables angling of flue run if necessary	125mm	2305021	£169.60
		150mm	2306021	£182.47
	Provision for inspection and cleaning	175mm	2307021	£206.47
	200mm	2308021	£233.04	
	Offset Section	100mm	2304028	£202.92
	Enables connection of chimney to appliance without joints	125mm	2305028	£222.90
	100mm offset, 520mm installed length	150mm	2306028	£229.85
	90° Tee Without Cap (Type D)	100mm	2304043	£152.76
	Enables connection at rear of appliance with horizontal connection (spigot branch)	125mm	2305043	£162.71
		150mm	2306043	£171.49
		175mm	2307043	£182.91
		200mm	2308043	£277.99
	90° Stabiliser Tee (Type B)	100mm	2304042	£152.76
	Standard 90° tee with socket branch	125mm	2305042	£162.71
		150mm	2306042	£171.45
		175mm	2307042	£182.91
		200mm	2308042	£277.99
	135° Tee Without Cap	100mm	2304044	£168.10
	Angled tee with branch spigot	125mm	2305044	£178.92
		150mm	2306044	£188.59
		175mm	2307044	£272.29
	Tee Cap (Stainless Steel)	100mm	2504053	£41.27
	Enables closure of tee piece at bottom of system	125mm	2505053	£41.27
		150mm	2506053	£43.59
		175mm	2507053	£48.88
	Enables cleaning and inspection	200mm	2508053	£58.49

Product Description	Diameter	Part No.	Price
Accessories			
 Painted Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	150mm	2306067	£55.28
 Enamel Pole Type Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	100mm	2304088	£74.48
	125mm	2305088	£74.48
	150mm	2306088	£74.48
 Ceiling Trim Ring Fits around pipe as it enters ceiling or wall 1 piece	100mm	2304085	£38.59
	125mm	2305085	£38.59
	150mm	2306085	£38.59
	175mm	2307085	£50.41
 45° Angled Trim Ring Fits around pipe as it enters ceiling or wall at an angle 2 piece	100mm	2304085A	£84.14
	125mm	2305085A	£84.31
	150mm	2306085A	£95.61
 Flush Trim Ring Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	100mm	2304085F	£81.50
	125mm	2305085F	£83.99
 Split Trim Ring Fits around pipe as it enters ceiling or wall 2 piece	100mm	2304085S	£85.80
	125mm	2305085S	£88.63
	150mm	2306085S	£88.63
	175mm	2307085S	£90.08
 1D5 Gasket MK1 Door Gasket for 125mm swept bend	125mm	2500104	£8.05
 1D6 Gasket MK1 Door Gasket for 150mm swept bend	150mm	2500105	£8.05
 MK2 Gasket 100 – 150mm Oval Door Gasket		2500107	£8.36
 MK3 Gasket 130 – 190mm Oval Door Gasket		2500108	£7.99
 MK4 Gasket 200 – 240mm Square Door Gasket		2500109	£8.36
 MK2 Door – Stainless Steel Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£10.27

Product Description	Diameter	Part No.	Price
 MK3 Door – Stainless Steel Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£12.22
 MK4 Door – Stainless Steel Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£14.31
 1D5 Door – Gloss Black MK1 Replacement Swept Bend Door for 125mm	125mm	2305MK1	£17.07
 1D6 Door – Gloss Black MK1 Replacement Swept Bend Door for 150mm	150mm	2306MK1	£24.02
 MK2 Door – Gloss Black Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2304MK2	£24.23
	125mm	2305MK2	£24.23
	150mm	2306MK2	£24.23
 MK3 Door – Gloss Black Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2305MK3	£24.23
	150mm	2306MK3	£24.23
	175mm	2307MK3	£24.23
	200mm	2308MK3	£23.10
 MK4 Door – Gloss Black Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2305MK4	£29.81
	150mm	2306MK4	£29.81
	175mm	2307MK4	£29.81
	200mm	2308MK4	£28.32
 8mm Universal Test Point Can be retro fitted to allow draught reading to be taken		34UTP	£13.39



Do you need?

Fire Cement, Glass Fibre Cord or Sealant Adhesive







See the Installation Essentials section on page 5.13



Suitable for: Woodburning, Solid Fuel, Gas & Oil

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	0.9mm Mild Steel, 1 Coat Enamel	N/A	Pennine	✔	1 Year

Product Description	Diameter	Part No.	Price
Adaptors			
	Double Socket Adaptor Enables female to female end connection	125mm 2105603	£42.67
		150mm 2106603	£43.96
	Double Spigot Adaptor Enables male to male end connection	125mm 2105604	£42.67
		150mm 2106604	£43.96
Lengths			
	Length 250mm 205mm installed length	125mm 2105012	£43.82
		150mm 2106012	£45.17
	Length 500mm 455mm installed length	125mm 2105009	£56.97
		150mm 2106009	£58.62
	Length 1000mm 955mm installed length	125mm 2105002	£87.66
		150mm 2106002	£90.25
	Length 330mm c/w Soot Door 285mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105015	£102.34
		150mm 2106015	£105.70
	Length 500mm c/w Soot Door 455mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105011	£108.77
		150mm 2106011	£111.48

Product Description	Diameter	Part No.	Price
	Length 1000mm c/w Soor Door 955mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105001	£139.51
		150mm 2106001	£145.02
	Damper Unit Reduces the adverse affects of a strong flue up draught, 205mm installed length	125mm 2105008	£115.71
		150mm 2106008	£128.32
	Adjustable Length 1 Piece Max 275mm Telescopic length used to extend a standard length up to 275mm	125mm 2105016	£98.91
		150mm 2106016	£107.51
	Offset Section 100mm offset in a one piece 515mm installed length	125mm 2105028	£221.98
		150mm 2106028	£228.94
	Offset Section with Door 100mm offset in a one piece 515mm installed length with access door (271mm up from base)	125mm 2105029	£273.21
		150mm 2106029	£286.02
	Adjustable Offset Section 100mm offset one piece 395mm installed length, used with another fixed length to telescope with	125mm 2105030	£276.29
		150mm 2106030	£290.46


? Did you know?

Specvit now comes in Super Matt Black as standard

#designedtobebetter

Product Description	Diameter	Part No.	Price	
Elbows / Tees				
	30° Bend No Door	125mm	2105024	£90.54
	Used for changing flue direction	150mm	2106024	£93.45
	45° Bend No Door	125mm	2105022	£90.54
	Used for changing flue direction	150mm	2106022	£93.45
	45° Bend c/w Soot Door	125mm	2105020	£142.48
	Used for changing flue direction with provision for inspection and cleaning	150mm	2106020	£151.24
	90° Bend No Door	125mm	2105019	£90.54
	Used for changing flue direction	150mm	2106019	£93.14
	90° Bend c/w Soot Door	125mm	2105021	£142.10
	Used for changing flue direction with provision for inspection and cleaning	150mm	2106021	£150.84
	90° Tee Piece	125mm	2105043	£191.26
	Enables connection at rear of appliance with horizontal connection Cap included	150mm	2106043	£193.07

Specvit Mitred Bend Dimensions



30° Elbow		
Diameter	125mm	150mm
A	63	90
B	83	130
C	73	90
D	273	381

45° Elbow		
Diameter	125mm	150mm
A	105	110
B	120	150
C	122	140
D	336	383

90° Elbow		
Diameter	125mm	150mm
A	75	110
B	165	175
C	303	357
D	348	402




? Did you know?


Specvit is friction fit so only needs fire cement or sealant adhesive used at the appliance connection


#designedtobebetter

Flex & Fittings


Product Description	Diameter	Part No.	Price
Flexible Liner			
 Gas & 28 Sec. Oil Liner Single wall stainless steel flexible flue liner designed for atmospheric gas and kerosene appliances where the flue gas temperature does not exceed 260°C. T300 N1 W V2 L50010 O	100mm	9904111	£42.93
	125mm	9905111	£42.93
	150mm	9906111	£65.57
	180mm	9907111	£81.36
	200mm	9908111	£90.44


Fittings			
 Plate & Clamp (Combined) Lightweight combined plate clamp seal used to support the liner at the top of the stack.	100mm	9904112	£8.09
	125mm	9905112	£8.09
	150mm	9906112	£12.10
	180mm	9907112	£64.92
 FGC Economy Gas Terminal Fixed over the top of the liner, secure with self tapping screws	100mm	9904072	£23.61
	125mm	9905072	£24.51
	150mm	9906072	£42.63
 Universal Terminal (BS5440) Fixed over the top of the liner, secure with self tapping screws	180mm	9907075	£299.86
	200mm	9908075	£319.42
 Uniterm Type A Terminal (For Pot Less Chimneys) Gas terminal attached to a circular plate designed to support the liner at the top of the stack.	125mm	9905073	£103.37
 Uniterm Type B Terminal (For Chimneys With Pots) Gas terminal attached to a pothanger designed to support liner from the existing chimney pot with fixing strap for legs.	125mm	9905073B	£125.37
 Adaptor to Flex (1mm Thick) Pushfit adaptor from connecting flue to flexible liner	100mm	1304090	£70.20
	125mm	1305090	£70.20
	155mm	1306090	£70.20
	180mm	1307090	£91.09
	200mm	1308090	£93.83
 Adaptor to Flex (Extended) Pushfit adaptor from connecting flue to flexible liner with 195mm tail	125mm	1305090T	£95.78
	155mm	1306090T	£105.40
	180mm	1307090T	£134.18
	200mm	1308090T	£148.56


Product Description	Diameter	Part No.	Price
 Increasing Adaptor to Flex Pushfit adaptor from connecting flue to flexible liner allowing an increase in diameter	100 – 125mm	1305097	£105.58
	100 – 155mm	1306096	£146.64
	125 – 155mm	1306097	£105.58
	155 – 180mm	1307097	£124.18
	180 – 200mm	1308097	£124.18


 Ali Nose Cone and Cord (Lightweight) Lightweight nose cone used to help pull the liner down the stack	100mm	9504105F	£17.04
	125mm	9505105F	£21.32
	155mm	9506105F	£21.32
	180mm	9507105F	£21.32
	200mm	9508105F	£21.32


Flexible Liner Packs (Includes Plate / Clamp and Terminal)

 5 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904005	£248.73
	125mm	9905005	£249.70
	150mm	9906005	£386.44

 6 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904006	£291.67
	125mm	9905006	£292.63
	150mm	9906006	£452.01

 7 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904007	£334.63
	125mm	9905007	£335.58
	150mm	9906007	£517.58

 8 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904008	£377.59
	125mm	9905008	£378.58
	150mm	9906008	£583.13

 9 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904009	£420.53
	125mm	9905009	£421.51
	150mm	9906009	£648.68









Do you need?

K-Wrap or Foil Tape

See the Insulation section on page 5.9



Product Description	Diameter	Part No.	Price
 10 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904010	£463.48
	125mm	9905010	£464.44
	150mm	9906010	£714.25
 11 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904011	£506.45
	125mm	9905011	£507.40
	150mm	9906011	£779.84
 12 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904012	£549.39
	125mm	9905012	£550.34
	150mm	9906012	£845.37
 13 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904013	£592.35
	125mm	9905013	£593.36
	150mm	9906013	£910.92
 14 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904014	£635.29
	125mm	9905014	£636.28
	150mm	9906014	£976.49
 15 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & FGC Economy Terminal	100mm	9904015	£678.25
	125mm	9905015	£679.20
	150mm	9906015	



Do you need?

Silicone Adhesive

See the Installation Essentials section on page 5.13



Can't find what you're looking for?

Send us a drawing and we can get a quote to get it especially made for you.

#designedtobebetter

Product Description	Diameter	Part No.	Price
Gas Flue Boxes for Flexible Liner			
 Standard with Gas Flex Spigot (0182) For use with radiant & decorative gas fires Internal dimensions H 560mm x W 406mm x D 165mm	125mm	1805055	£382.96
 Recessed with Gas Flex Spigot (0183) For use with larger radiant and decorative gas fires, spigot is closer to the rear 100mm from back Internal dimensions H 560mm x W 406mm x D 305mm.	125mm	1805056	£438.47
 ILFE with Gas Flex Spigot (0188) For use with inset live fuel effect (ILFE) gas fires with a heat output not exceeding 7kw Internal dimensions H 565mm x W 437mm x D 565mm.	125mm	1805057	£715.00
 VRV Single Skin with Gas Flex Spigot (7T91) For use with fires complying with BS7977-1 Fits most popular radiant gas fires Internal dimensions H 500mm x W 380mm x D 280mm.	125mm	1805091	£214.27
 VRV Double Skin with Gas Flex Spigot (7T95) As the VRV Single Skin but twinwall construction for reduced condensation Internal dimensions H 500mm x W 380mm x D 280mm.	125mm	1805095	£369.45
 SFL Flue Gas Collector with Gas Flex Spigot (0405705) Designed to accommodate a gas fire fitted to a masonry chimney it is a collector not a gas box Internal dimension H 525mm x W 380mm x D 305mm.	125mm	0505056	£201.88

Gas Flue Boxes

Specflue Part Number 1805055




Image courtesy of Schiedel

Specflue Part Number 1805056




Image courtesy of Schiedel

Specflue Part Number 1805057




Image courtesy of Schiedel

Specflue Part Number 1805095




Image courtesy of Schiedel

Specflue Part Number 1805091




Image courtesy of Schiedel

Specflue Part Number 0505056






Image courtesy of SFL

Gas Flue Boxes


Specflue Part Number 1805048



Specflue Part Number 1805049



Specflue Part Number 1805054



Gas Terminations for B-Vent







Image courtesy of Schiedel

Suitable for: Gas								
Designation Number: T250 N1 D Vm L11030 050								
Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	50mm	Aluminium / ZaluTite	6mm air gap	SFL	✓	10 years





Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

Starting Components				
	Draughthood Connector	100mm	2804093	£26.60
	Adaptor between appliance spigot and flue system	125mm	2805093	£28.51
		150mm	2806093 [†]	£30.27
	Disconnecter Section	100mm	2804508	£153.85
	Located immediately above an appliance connector to provide maintenance access	125mm	2805508	£155.79
		150mm	2806508 [†]	£158.37
	Flex To IL Connector	125mm	2805210	£51.24
	Secures to the top of a flexible liner to continue the chimney system where a masonry stack ends before termination	150mm	2806210 [†]	£52.24






Lengths			
---------	--	--	--








	1524mm Straight Length	125mm	2805001	£162.89
	Standard flue pipe installed length	150mm	2806001 [†]	£174.93
	914mm Straight Length	125mm	2805003	£106.76
	Standard flue pipe installed length	150mm	2806003 [†]	£122.49
	457mm Straight Length	125mm	2805011	£57.71
	Standard flue pipe installed length	150mm	2806011 [†]	£71.44
	305mm Straight Length	125mm	2805012	£54.43
	Standard flue pipe installed length	150mm	2806012 [†]	£64.60
	152mm Straight Length	125mm	2805013	£37.60
	Standard flue pipe installed length	150mm	2806013 [†]	£40.74
	305mm Adjustable Length	125mm	2805015	£65.95
	Telescopic one piece pipe to be used with standard length to give extra height 75mm–203mm	150mm	2806015 [†]	£83.05
	457mm Adjustable Length	125mm	2805016	£96.00
	Telescopic one piece pipe to be used with standard length to give extra height 75mm–356mm	150mm	2806016 [†]	£106.70

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

Elbows / Tees				
	90° Tee (Including Cap)	125mm	2805043	£160.30
	Used to provide a 90° connection in a system or for draught stabiliser location in branch including tee cap	150mm	2806043 [†]	£166.90
	135° Tee (Including Cap)	125mm	2805044	£199.57
	Used to provide a 45° connection in a system or as a chimney entry point.	150mm	2806044 [†]	£223.30
	Tee Cap	125mm	2805053	£14.97
	Tee piece end cap supplied with standard tees but separate for reducing tee	150mm	2806053 [†]	£16.53
	0 – 90° Adjustable Elbow	125mm	2805021	£79.10
	Adjustable segmented bend to allow variable angles or an offset to be made	150mm	2806021 [†]	£99.15

[†]150mm is special order only. 3–4 weeks lead time.

Product Description	Diameter	Part No.	Price
Support Components			
 Support Plate Support Plate with Support Flange to allow support at floor level	125mm	2805032	£39.85
	150mm	2806032 [†]	£41.20
 Wall Band Galvanised wall band for lateral support, if used outside would require weather proofing 50mm clearance from wall	125mm	2805088	£34.87
	150mm	2806088 [†]	£44.25
 Stand Off Wall Bracket Galvanised wall band for lateral support, if used outside would require weather proofing 80 – 237mm from wall.	125mm	2805298	£33.85
	150mm	2806298 [†]	£37.46
 Firestop Spacer Used at floor or ceiling penetration or with support plate to maintain required clearance to combustibles of 50mm	125mm	2805087	£27.48
	150mm	2806087 [†]	£28.16
Terminations			
 Gas Vent Terminal Aluminium terminal with punched square mesh for bird protection	125mm	2805073	£83.93
	150mm	2806073 [†]	£112.29
 Ridge Tile Adaptor (RTA) Adaptor from IL chimney system to a Ridge Tile Vent, gasket not included code R190477	125mm	2805018	£85.31
	100mm	R190477	£21.84
 Ridge Tile Adaptor Gasket Gasket seal from RTA to Ridge Tile Vent to prevent gas leakage	125mm	2805516	£51.24
	150mm	2806516 [†]	£52.24
 Adaptor To Flex / Fibre Cement Adaptor from IL to flexible flue liner or fits over fibre cement flue liner	125mm	2805038	£59.94
	150mm	2806038 [†]	£83.79
 Flat Flashing Aluminium flashing for flat roof (storm collar not included)	125mm	2805035	£59.94
	150mm	2806035 [†]	£83.79
 5 – 30° Adjustable Flashing Aluminium flashing suitable for pitches between 5 – 30° (storm collar not included)	125mm	2805035	£59.94
	150mm	2806035 [†]	£83.79

Product Description	Diameter	Part No.	Price
 32–45° Adjustable Flashing Aluminium flashing suitable for pitches between 32–45° (storm collar not included)	125mm	2805036	£73.34
	150mm	2806036	£78.88
 Storm Collar Aluminium collar used around pipe at top of flashing for preventing rain ingress	125mm	2805041	£24.98
	150mm	2806041 [†]	£27.36
Increasesers			
 Increaser Used to increase the flue diameter IL to IL	100 – 125mm	2805081	£73.00
	100 – 150mm	2806181 [†]	£84.07
	125 – 150mm	2806081 [†]	£77.39
Gas Boxes			
 Freestanding with IL Spigot (0404805) Suitable for Radiant & ILFE gas fires Internal dimensions H 560mm x W 407mm x D 200mm	125mm	0505048	£396.05
	125mm	0505049	£396.05
 Recessed with IL Spigot (0404905) As Freestanding Box with a 317mm depth. Can also be used with a lined chimney due to it being a deeper box Adaptor for flex not included, 28**516 would be required	125mm	0505048	£396.05
	125mm	0505051	£277.88
 Back Boiler Box (0405105) Designed as an enclosure for gas fired back boiler units which comply with BS 7977-2: 2003 H 475-635mm, W 524mm, D 390mm	125mm	0505051	£277.88
	125mm	0505050	£683.82
 LFE With IL Spigot (0405905) Designed for use with ILFE gas fires Must only be used with modular one piece appliances not decorative gas fires H 585mm x W 480mm x D 379mm Internal dimensions	125mm	0505050	£683.82

[†]150mm is special order only. 3–4 weeks lead time.

Gas Flue Boxes

Specflue Part Number 0505048




Image courtesy of SFL

Specflue Part Number 0505049




Image courtesy of SFL

Specflue Part Number 0505050




Image courtesy of SFL

Specflue Part Number 0505051










Image courtesy of SFL










Schiedel US

Suitable for: Woodburning, Solid Fuel, Gas & Oil









Designation Number: T400 N1 W V3 L50040 G200, T200 H1 V2 L50040 050 (Condensing)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓	✓	✗	T200 – 50mm T400 – 200mm	0.4mm 316/304	Air Gap – 7.5mm	Ontop	✗	2 years

Product Description	Diameter	Part No.	Price
Starting Components			
 Increasing Adaptor – USAD 10 Starting component from appliance, increasing in diameter	80/150 – 100/ 150mm	1404095	£83.10
 Adaptor – USA Appliance adaptor, 100mm high	100/ 150mm	1404094	£69.01
	130/ 200mm	1405094	£87.33
 Adaptor Long – USAA Appliance adaptor, 940mm high	100/ 150mm	1404101	£214.08
	130/ 200mm	1405101	£264.80
 Adaptor KAL-FIRE – USAAK Appliance adaptor, 965mm high	100/ 153mm	1404094K	£214.08
	130/ 203mm	1405101K	£264.80
 Adaptor KAL-FIRE – USAAK 2 Appliance adaptor, 965mm high	100/ 150mm	1404101K2	£214.08
	130/ 200mm	1405101K2	£264.80
 Adaptor KAL-FIRE – USAK 2 Appliance adaptor, 90/ 120mm high	100/ 150.5mm	1404094K2	£69.01
	130/ 200mm	1405094K2	£87.33
 Reducer – USVK 10 150mm high	150/200 – 100/ 150mm	1405082	£202.81
 Increaser – USVG 10 150mm high	100/150 – 130/ 200mm	1404098	£202.81
 Renovation Set – USSAN Used when flex is required in the middle of the system	100/ 150mm	1404090	£377.46
	130/ 200mm	1405090	£499.99
 Renovation Set Top – USSAN 1 Used to go from US to flex	100/ 150mm	1404089	£221.13
	150/ 200mm	1405089	£290.15
 Renovation Set Bottom – USSAN 2 Used to go from flex to US	100/ 150mm	1404091	£221.13
	130/ 200mm	1405091	£290.15

Product Description	Diameter	Part No.	Price
Lengths			
 960mm Straight Length – US 100 965mm installed length	100/ 150mm	1404001	£214.08
	130/ 200mm	1405001	£264.80
 500mm Straight Length – US 50 460mm installed length	100/ 150mm	1404005	£163.38
	130/ 200mm	1405005	£235.91
 250mm Straight Length – US 25 220mm installed length	100/ 150mm	1404012	£138.02
	130/ 200mm	1405012	£177.47
 Adjustable Length – USPP To be used in conjunction with straight length to provide adjustment from 60mm – 250mm	100/ 150mm	1404018	£199.30
	130/ 200mm	1405018	£232.39
 Probe Length – USEM 150mm length with test point, closed via a 3/4" BSP	100/ 150mm	1404009	£297.18
	130/ 200mm	1405009	£333.80
Elbows / Tees			
 90° Tee – UST 90 Equal tee – used to connect multiple systems	100/ 150mm	1404043	£419.00
	130/ 200mm	1405043	£471.82
 15° Elbow – USB 15 To change flue direction – measured from vertical	100/ 150mm	1404025	£214.08
	130/ 200mm	1405025	£286.63
 30° Elbow – USB 30 To change flue direction – measured from vertical	100/ 150mm	1404024	£214.08
	130/ 200mm	1405024	£286.63
 45° Elbow – USB 45 To change flue direction – measured from vertical	100/ 150mm	1404022	£214.08
	130/ 200mm	1405022	£286.63
 90° Elbow – USB 90 To change flue direction – measured from vertical	100/ 150mm	1404021	£268.31
	130/ 200mm	1405021	£362.67
 90° Inspection Elbow – USBI To change flue direction – with inspection cover	100/ 150mm	1404019	£436.62
	130/ 200mm	1405019	£545.76

Product Description	Diameter	Part No.	Price
Support / Penetration Components			
 Locking Band – USKB Required for each joint	100/ 150mm	1404086	£21.83
	130/ 200mm	1405086	£36.26
 Wall Band Band – USEB 50mm stand off	100/ 150mm	1404088	£32.75
	130/ 200mm	1405088	£36.26
 Adjustable Wall Band – USMB 50 – 90mm stand off	100/ 150mm	1404088A	£79.57
	130/ 200mm	1405088A	£87.33
 Support band for USOL – USMO Band forming part of wall support	100/ 150mm	1404032	£72.53
	130/ 200mm	1405032	£79.57
 Support for USMO 50 – 90mm – USOL 1 Pair of support brackets forming part of wall support.	100/ 150mm	1404994	£97.41
	130/ 200mm	1405994	£97.41
 Support for USMO 90 – 200mm – USOL 2 Pair of support brackets forming part of wall support.	100/ 150mm	1404995	£97.89
	130/ 200mm	1405995	£128.41
 Roof Support – USDQ To secure the flue passing through a roof	100/ 150mm	1404029	£109.17
	130/ 200mm	1405029	£119.71
 Wall Plate – USMPG Square plate	100/ 150mm	1404084	£65.49
	130/ 200mm	1405084	£94.35
 Rosette – USR Circular plate	100/ 150mm	1404105	£36.26
	130/ 200mm	1405105	£48.94


Product Description	Diameter	Part No.	Price
Terminals / Flashings			
 Horizontal Terminal with Small Wall Plate – USDHC1 500mm internal and 180mm external length, includes protection band	100/ 150mm	1404DHC1	£275.35
 Horizontal Terminal with Drop Plate – USDHC4 Grey cast iron with tear drop shaped plate, includes protection band. 180mm external, 500mm internal	130/ 200mm	1405DHC4	£566.88
 Horizontal Terminal – USDHC5 475mm internal and 200mm external length, includes protection band	100/ 150mm	1404DHC5	£275.35
 Snorkel Terminal – USDSC L Shaped terminal, 865mm high	100/ 150mm	1404DSC	£1,161.96
 Vertical Terminal – USDVC2 375mm high, includes locking band	100/ 150mm	1404DVC2	£482.39
 Vertical Terminal – USDVC 400mm high	130/ 200mm	1405DVC	£707.73
 Storm Collar – USSR Required with every flashing to prevent ingress of water into the property	100/ 150mm	1404041	£47.18
	130/ 200mm	1405041	£61.97
 Lead Slope Flashing (45 – 60°) – USLE 750 x 1000mm base	100/ 150mm	1404037	£362.67
	130/ 200mm	1405037	£406.33
 Lead Slope Flashing (20 – 45°) – USLS 600 x 750mm / 750 x 1000mm base	100/ 150mm	1404036	£261.26
	130/ 200mm	1405036	£319.00

ICID Plus

Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T200 P1 W V2 L50050 000 (wet systems), T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance

Product Description	Diameter	Part No.	Price
Starting Components			
 36.8504 pt	125mm	0905093	£88.73
	150mm	0906093	£94.25
	180mm	0907093	£116.45
	200mm	0908093	£138.62
 SW-DW Connector (Open Uninsulated) For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094	£49.89
	150mm	0906094	£55.46
	180mm	0907094	£72.08
	200mm	0908094	£77.62
 Insulated Appliance Connector For connecting directly on to appliance	125mm	0905101	£141.77
	150mm	0906101	£146.18
	180mm	0907101	£171.23
	200mm	0908101	£185.35
 Adaptor From B/K Vent Adaptor to connect from B/K Vent to twinwall	125mm	0905095	£196.60
	150mm	0906095	£206.44
 Increasing S/W – ICID Adaptor With Case (Insulated) Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	125mm	0905098	£99.80
	150mm	0906098	£110.88
	180mm	0907098	£133.08
	200mm	0908098	£147.80
 Increasing S/W – ICID Adaptor Closed (Uninsulated For Use On Rear Outlets) Increasing adaptor from single wall/appliance. Uninsulated and increasing step shown – best for rear outlet installations	125mm	0905097	£110.88
	150mm	0906097	£121.99

Product Description	Diameter	Part No.	Price
 SW-DW Starter Pipe 473mm (Short) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905102	£188.50
	150mm	0906102	£199.62
 SW-DW Increasing Starter Pipe 1018mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125 – 150mm	0906104	£277.23
 SW-DW Starter Pipe 973mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905202	£310.95
	150mm	0906202	£339.47
 Prima Smooth to ICID Starter Pipe 1200mm Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201	£408.21
	150mm	0906201	£432.93
 Anchor Plate (Plain) For use on top of a firechest or the top of an existing cut off stack	125mm	0905089	£250.28
	150mm	0906089	£262.76
	180mm	0907089	£314.67
	200mm	0908089	£334.55
 Anchor Plate (Screw Type) For use on top of a firechest or top of an existing cut off stack For use with Technoflex Liner	125mm	0905089S	£202.44
	150mm	0906089S	£202.44
	180mm	0907089S	£234.42
	200mm	0908089S	£266.34


Product Description	Diameter	Part No.	Price	
	Prima Smooth to ICID Starter Adaptor (Slip In Adaptor)	125mm	0905099	£152.87
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	150mm	0906099	£162.75
		180mm	0907099	£172.22
		200mm	0908099	£220.05
	Increasing Prima Smooth Starter Adaptor (Slip In Adaptor)	125 – 150mm	0906100	£212.95
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall			
	Adjustable Starter Section 1035mm	125mm	0905014	£310.95
	Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906014	£339.47
	Adjustable Starter Section 890mm	180mm	0907014	£408.21
	Designed for ease of use when installing and disconnecting a stove for inspection	200mm	0908014	£432.93
	Adjustable Starter Section 600mm	125mm	0905999	£235.88
	Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906999	£247.56
		180mm	0907999	£314.67
		200mm	0908999	£334.55
Pipes				
	1460mm Straight Length	125mm	0905001	£340.54
	Standard straight length of flue	150mm	0906001	£360.29
	960mm Straight Length	125mm	0905002	£184.09
	Standard straight length of flue	150mm	0906002	£208.49
		180mm	0907002	£266.14
		200mm	0908002	£277.23
	750mm Straight Length	125mm	0905004	£166.34
	Standard straight length of flue	150mm	0906004	£182.98
		180mm	0907004	£221.79
		200mm	0908004	£243.96
	460mm Straight Length	125mm	0905005	£139.70
	Standard straight length of flue	150mm	0906005	£153.03
		180mm	0907005	£177.42
		200mm	0908005	£182.98
	293mm Straight Length	125mm	0905012	£100.92
	Standard straight length of flue	150mm	0906012	£108.69
		180mm	0907012	£138.62
		200mm	0908012	£144.15
	160mm Straight Length	125mm	0905006	£89.82
	Standard straight length of flue	150mm	0906006	£97.60
		180mm	0907006	£110.88
		200mm	0908006	£116.45









Product Description	Diameter	Part No.	Price	
	50 – 230mm Telescopic Length (1 Piece)	125mm	0905015	£161.90
	1 Piece section used to add length to a standard length	150mm	0906015	£166.34
	350 – 570mm Adjustable Length	125mm	0905016	£227.31
	2 Piece adjustable sliding length	150mm	0906016	£232.86
		180mm	0907016	£277.23
		200mm	0908016	£304.96
	215 – 310mm Adjustable Length	125mm	0905018	£205.15
	2 Piece adjustable sliding length	150mm	0906018	£210.70
		180mm	0907018	£249.51
		200mm	0908018	£277.23
	Inspection Pipe with Test Point (Condensing Only)	125mm	0905013C	£396.44
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm	0906013C	£445.88
	Inspection Pipe with Test Point (Dry Applications Only)	125mm	0905013D	£370.98
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm	0906013D	£427.53
		180mm	0907013D	£535.03
		200mm	0908013D	£500.70
	Stabiliser Section	125mm	0905007	£148.12
	Stabiliser Section which can be fitted to a tee branch	150mm	0906007	£170.15
		180mm	0907007	£250.53
		200mm	0908007	£309.59
	Locking Band	125mm	0905086	£11.08
	Standard fastening for joints, included as standard on all ICID Plus parts with a female collar/socket joint	150mm	0906086	£11.08
		180mm	0907086	£19.41
		200mm	0908086	£19.41
Elbows / Tees				
	15° Bend	125mm	0905025	£150.81
	Used for changing flue direction	150mm	0906025	£175.21
		180mm	0907025	£199.62
		200mm	0908025	£205.15
	30° Bend	125mm	0905023	£150.81
	Used for changing flue direction	150mm	0906023	£175.21
		180mm	0907023	£199.62
		200mm	0908023	£205.15
	45° Bend	125mm	0905022	£150.81
	Used for changing flue direction	150mm	0906022	£175.21
		180mm	0907022	£199.62
		200mm	0908022	£205.15








Product Description	Diameter	Part No.	Price
 90° Bend Used for changing flue direction	125mm	0905021	£200.71
	150mm	0906021	£219.58
	180mm	0907021	£304.96
	200mm	0908021	£321.60
 90° Inspection Bend Used for changing flue direction with facility for inspection via door	125mm	0905019	£283.90
	150mm	0906019	£313.82
	200mm	0908019	£414.98
 90° Tee Including Cap (Cap Suitable For Tee Only) Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	125mm	0905043	£422.48
	150mm	0906043	£461.31
	180mm	0907043	£499.01
	200mm	0908043	£526.72
 135° Tee Including Cap (Cap Suitable For Tee Only) Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	125mm	0905044	£394.76
	150mm	0906044	£461.31
	180mm	0907044	£526.72
	200mm	0908044	£554.47
 Tee Cap Standard tee cap for tee – fits base of tee only	125mm	0905091	£55.46
	150mm	0906091	£55.46
	180mm	0907091	£66.54
	200mm	0908091	£77.62
 Tee Cap & Drain Tee cap with drain off fitting – fits base of tee only	125mm	0905532	£66.54
	150mm	0906532	£66.54
	180mm	0907532	£77.62
	200mm	0908532	£88.73
 Insulated Tee Cap (Fits Wall Support Top Plate) Tee cap designed to fit onto tee or any ICID fitting	125mm	0905053	£163.57
	150mm	0906053	£173.27
 Insulated Tee Cap & Drain (Fits Wall Support Top Plate) Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	125mm	0905533	£166.34
	150mm	0906533	£177.42
	180mm	0907533	£188.50
	200mm	0908533	£194.06
 H&S Stabiliser Adaptor Used with 90° tee to connect H&S stabiliser.	125mm	09050999	£82.94
	150mm	09060999	£88.01
	200mm	09080999	£98.15
Support / Penetration Components			
 135° Wall Sleeve (Combustible Wall) Mitred sleeve used to protect the building where the flue passes through	125mm	0905050	£69.87
	150mm	0906050	£105.69
	180mm	0907050	£105.69
	200mm	0908050	£105.69













Product Description	Diameter	Part No.	Price
 135° Wall Sleeve (Non Combustible Wall) Mitred sleeve used to protect the building where the flue passes through	125mm	0905051	£69.87
	150mm	0906051	£69.87
	180mm	0907051	£69.87
	200mm	0908051	£69.87
 90° Wall Sleeve (Non Combustible Wall) Sleeve used to protect the building where the flue passes through	125mm	0905052	£33.26
	150mm	0906052	£33.26
 Top Plate Supporting plate with Socket above and spigot below Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066	£144.15
	150mm	0906066	£155.25
	180mm	0907066	£194.06
	200mm	0908066	£199.62
 Wall Support Side Plates Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994	£127.52
	150mm	0906994	£138.62
	180mm	0907994	£144.15
	200mm	0908994	£155.25
 Standard Wall Support 60mm Stand Off Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998	£271.67
	150mm	0906998	£293.86
	180mm	0907998	£338.24
	200mm	0908998	£354.84
 Adj Wall Support 100mm Stand Off (Type 325 Arms) Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325	£321.60
	150mm	0906325	£332.67
	180mm	0907325	£371.49
	200mm	0908325	£370.60
 Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms) Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475	£338.24
	150mm	0906475	£349.31
	180mm	0907475	£387.54
	200mm	0908475	£393.66
 Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms) Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570	£393.66
	150mm	0906570	£404.78
	180mm	0907570	£443.57
	200mm	0908570	£449.12



Product Description	Diameter	Part No.	Price
 Retrofit Wall Support Band with triangular side plates providing 60–200mm stand off	125mm	0905200	£157.79
	150mm	0906200	£159.88
 Wall Band 60mm Standard lateral support wall band (suitable for internal & external application)	125mm	0905088	£34.48
	150mm	0906088	£34.48
	180mm	0907088	£38.82
	200mm	0908088	£44.36
 Adjustable Wall Band 60 – 300mm (Band & Bracket) 09**088 & 09**067 combined as an extension band and bracket kit	125mm	0905067	£94.25
	150mm	0906067	£99.80
	180mm	0907067	£110.88
	200mm	0908067	£121.99
 Wall Band Extension 50 – 100mm Back bracket allowing extension of flue when using 09**088	125mm	0905064	£16.80
	150mm	0906064	£17.99
 Retrofit Wall Band 60mm Can be used on their own or combined with extension brackets for further adjustment.	125mm	0905088RF	£60.92
	150mm	0906088RF	£66.00
	180mm	0907088RF	£76.16
	200mm	0908088RF	£81.26
 Retrofit Wall Band Extension W1 – 130mm Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001	£47.16
 Retrofit Wall Band Extension L1 – 300mm Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002	£152.46
 Retrofit Wall Band Extension L2 – 450mm Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003	£166.34
 Guy Wire Bracket Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092	£45.15
	150mm	0906092	£45.61
	180mm	0907092	£49.89
	200mm	0908092	£49.89
 Flue Enclosure Kit 2400mm (Mesh, Bands & Fittings) 2 x 1200mm long galvanised mesh enclosures with bands and fittings, designed to be used within a loft space to ensure distance & ventilation around chimney system	125mm	0905559	£408.45
	150mm	0906559	£408.45
	180mm	0907557	£408.45
	200mm	0908557	£408.45

Product Description	Diameter	Part No.	Price
 Roof (Rafter) Support Flue band with side gimble plates comes as a kit for fixing to the roof trusses, offering lateral support	125mm	0905029	£112.39
	150mm	0906029	£117.74
	180mm	0907029	£123.06
	200mm	0908029	£133.74
 Ceiling / Joist Support Plate With 700mm Arms Ventilated support plate for use where chimney systems passes through ceiling joists, complete with joist arms for support	125mm	0905033	£182.85
	150mm	0906033	£182.69
	180mm	0907033	£212.85
	200mm	0908033	£213.15
 Extended / Structural Locking Band Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086E	£37.47
	150mm	0906086E	£39.38
	180mm	0907086E	£44.64
	200mm	0908086E	£48.24
 Structural Locking Band For Bend As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086EB	£16.63
	150mm	0906086EB	£16.63
	180mm	0907086EB	£22.17
	200mm	0908086EB	£22.17
 Ceiling / Joist Support Plate (Non-Combustible Floor) Used where the chimney system passes through a non-combustible floor for weight bearing support	125mm	0905032	£55.46
	150mm	0906032	£55.46
	180mm	0907032	£83.17
	200mm	0908032	£88.73
 Firestop Spacer Two Piece (Non-Combustible Floor) Two piece plate for use where chimney system passes through a non combustible ceiling / floor.	125mm	0905082	£16.63
	150mm	0906082	£16.63
	180mm	0907082	£27.73
	200mm	0908082	£38.82
 90° Trim Collar One Piece To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111	£56.50
	150mm	0906111	£57.49
	180mm	0907105	£67.92
	200mm	0908105	£78.47


Product Description	Diameter	Part No.	Price
 135° Trim Collar One Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113	£68.92
	150mm	0906113	£70.40
	180mm	0907106	£99.66
	200mm	0908106	£102.19
 135° Trim Collar Two Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114	£59.44
	150mm	0906114	£65.03
	180mm	0907107	£88.61
	200mm	0908107	£93.77
 135° Trim Collar Two Piece (White) To cover when chimney system passes through the wall at 135° Covers 75mm around external diameter of flue	125mm	0905107W	£79.30
	150mm	0906107W	£87.06
	180mm	0907107W	£114.19
	200mm	0908107W	£121.68
 0 – 20° Trim Collar Two Piece Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245	£69.29
	150mm	0906245	£69.29
	180mm	0907245	£85.29
	200mm	0908245	£95.96
 20 – 35° Trim Collar Two Piece Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246	£69.29
	150mm	0906246	£69.29
	180mm	0907246	£85.29
	200mm	0908246	£95.96
 35 – 45° Trim Collar Two Piece Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247	£69.29
	150mm	0906247	£69.29
	180mm	0907247	£85.29
	200mm	0908247	£95.96
 Ventilated Firestop Two Piece Rectangular (Combustible Floor) To be used where the chimney passes through a combustible floor or ceiling	125mm	0905087	£72.08
	150mm	0906087	£72.08
	180mm	0907087	£94.25
	200mm	0908087	£99.80
 Ventilated Firestop Support Plate 1 Piece (Combustible Floor) To be used where the chimney passes through a combustible floor or ceiling	125mm	0905028	£129.60
	150mm	0906028	£135.61
	180mm	0907028	£142.58
	200mm	0908028	£158.41

Product Description	Diameter	Part No.	Price
 Ventilated Firestop Round One Piece Steel (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083S	£72.08
	150mm	0906083S	£77.62
	180mm	0907083S	£88.73
	200mm	0908083S	£99.80
 Ventilated Firestop Round One Piece White (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083W	£98.54
	150mm	0906083W	£98.54
	180mm	0907083W	£110.12
	200mm	0908083W	£121.74
 Ventilated Firestop Round Two Piece Steel (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084S	£83.17
	150mm	0906084S	£88.73
	180mm	0907084S	£99.80
	200mm	0908084S	£110.88
 Ventilated Firestop Round Two Piece White (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084W	£98.54
	150mm	0906084W	£104.33
	180mm	0907084W	£121.74
	200mm	0908084W	£127.53
 Bungalow Circular Firestop One Piece Steel (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183S	£34.73
	150mm	0906183S	£35.79
	180mm	0907183S	£41.21
	200mm	0908183S	£42.78
 Bungalow Circular Firestop One Piece White (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183W	£61.73
	150mm	0906183W	£66.13
	180mm	0907183W	£75.65
	200mm	0908183W	£81.14
 Bungalow Circular Firestop Two Piece Steel (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184G	£85.95

Product Description	Diameter	Part No.	Price
 Bungalow Circular Firestop Two Piece White (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184W	£89.86
 Magnetic Cover Ring White Optional decorative addition to ventilated firestop plate	125mm	0905110W	£69.01
	150mm	0906110W	£69.01
	180mm	0907110W	£79.62
	200mm	0908110W	£79.62
Terminals / Flashings			
 Insulated Tapered Terminal Open tapered terminal, terminates chimney system	125mm	0905073	£177.42
	150mm	0906073	£194.06
	180mm	0907073	£199.62
	200mm	0908073	£205.15
 Rain Cap With Mesh Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076	£121.99
	150mm	0906076	£127.52
	180mm	0907076	£138.62
	200mm	0908076	£144.15
 Round Terminal Terminal offering extra protection in excessive rain	125mm	0905079	£237.12
	150mm	0906079	£246.17
 Adaptor To Flex Twinwall chimney system to flexible liner adaptor.	125mm	0905090	£89.82
	150mm	0906090	£92.04
	180mm	0907090	£99.80
	200mm	0908090	£110.88
 Adaptor To B/K Vent From ICID Twinwall chimney system to B/K Vent adaptor	125mm	0905096	£196.60
	150mm	0906096	£164.09
 Adaptor To Prima Plus From ICID Twinwall to Prima Plus adaptor	125mm	0905063	£89.82
	150mm	0906063	£92.04
	180mm	0907063	£105.35
	200mm	0908063	£116.45
 Top Adaptor for Kevington Allows connection to prefabricated Kevington chimney	125mm	0905078	£106.95
	150mm	0906078	£107.57
	180mm	0907078	£125.87
	200mm	0908078	£129.74
 Flat Flashing (Including Storm Collar) Aluminium flat roof flashing including storm collar	125mm	0905038	£164.86
	150mm	0906038	£177.50
	180mm	0907038	£199.62
	200mm	0908038	£205.15
 Angled Flashing 5 - 45° (Including Storm Collar) Aluminium angled roof flashing including storm collar	125mm	0905035	£166.35
	150mm	0906035	£177.50
	180mm	0907035	£199.62
	200mm	0908035	£205.15
 Storm Collar Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041	£66.41
	150mm	0906041	£68.62
	180mm	0907041	£66.54
	200mm	0908041	£66.54

Product Description	Diameter	Part No.	Price
Seals			
 Female Viton Lip Seal Kit Must be used on every joint for condensing applications, ensure lubricated before installation	120mm	0905832	£5.95
	150mm	0906832	£7.35
	180mm	0907832	£8.51
	200mm	0908832	£9.12
 Adjustable Pipe Seal Kit Must be used on adjustable pipes for condensing applications	125mm	0905833	£31.14
	150mm	0906833	£39.02
	180mm	0907833	£36.23
	200mm	0908833	£38.48

ICID Mitred Bend Dimensions




15° Elbow				
Diameter	125	150	180	200
A	63	63	63	64
B	55	56	56	57
C	31	31	31	31
D	232	234	234	238

30° Elbow				
Diameter	125	150	180	200
A	66	70	73	77
B	57	61	64	68
C	62	66	69	73
D	230	244	256	271


45° Elbow				
Diameter	125	150	180	200
A	79	83	91	95
B	70	74	82	86
C	105	111	122	128
D	254	268	295	309

Typical ICID Plus Installations


INTERNAL HOUSE Combustible Floors



INTERNAL HOUSE Non Combustible Floors



INTERNAL BUNGALOW (VENTILATED LOFT SPACE) Combustible and Non-Combustible floors



EXTERNAL System Chimney






Image courtesy of Schiedel

ICID Plus Matt Black













Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T200 P1 W V2 L50050 000 (wet systems), T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance

Product Description	Diameter	Part No.	Price
Starting Components			
 SW-DW Connector Closed Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905093MB	£106.66
	150mm	0906093MB	£114.01
 SW-DW Connector (Open Uninsulated) For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094MB	£59.98
	150mm	0906094MB	£66.67
 Insulated Appliance Connector For connecting directly on to appliance	125mm	0905101MB	£171.23
	150mm	0906101MB	£176.16
 Increasing S/W – ICID Adaptor With Case (Insulated) Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	125mm	0905098MB	£131.23
	150mm	0906098MB	£133.32
 Increasing Appliance Connector Closed (Insulated) Closed around base for connecting to stove pipe or directly onto appliance. Must be sealed for a gas tight joint	100 – 125mm	0905097MB	£133.32
	125 – 150mm	0906097MB	£146.66
 SW-DW Starter Pipe 473mm (Short) Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	125mm	0905103	£216.79
	150mm	0906103	£229.55
 SW-DW Starter Pipe 973mm (Long) Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	125mm	0905203	£274.18
	150mm	0906203	£286.91

Product Description	Diameter	Part No.	Price
 SW-DW Increasing Starter Pipe 1018mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe not directly onto appliance	125 – 150mm	0906104MB	£347.79
 Prima Smooth to ICID Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	150mm	0906099MB	£229.94
 Increasing Prima Smooth Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 – 150mm	0906100MB	£244.18
 Prima Smooth to ICID Starter Pipe 1200mm Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201MB	£427.75
	150mm	0906201MB	£457.56
 Adjustable Starter Section 1035mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905014MB	£508.43
	150mm	0906014MB	£350.27
 Adjustable Starter Section 600mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905999MB	£252.97
	150mm	0906999MB	£272.43

Product Description	Diameter	Part No.	Price
Lengths			
	1460mm Straight Length	125mm 0905001MB	£411.87
	Standard straight length of flue	150mm 0906001MB	£432.93
	960mm Straight Length	125mm 0905002MB	£221.31
	Standard straight length of flue	150mm 0906002MB	£250.69
	750mm Straight Length	125mm 0905004MB	£199.98
	Standard straight length of flue	150mm 0906004MB	£220.28
	460mm Straight Length	125mm 0905005MB	£167.98
	Standard straight length of flue	150mm 0906005MB	£184.53
	293mm Straight Length	125mm 0905012MB	£121.31
	Standard straight length of flue	150mm 0906012MB	£130.91
	160mm Straight Length	125mm 0905006MB	£108.00
	Standard straight length of flue	150mm 0906006MB	£117.39
	50 - 230mm Telescopic Length (1 Piece)	125mm 0905015MB	£248.30
	1 Piece section used to add length to a standard length	150mm 0906015MB	£199.98
	350 - 570mm Adjustable Length	125mm 0905016MB	£273.34
	2 Piece adjustable sliding length	150mm 0906016MB	£280.01
	215 - 310mm Adjustable Length	125mm 0905018MB	£246.63
	2 Piece adjustable sliding length	150mm 0906018MB	£253.31
	585 - 885mm Adjustable Length	125mm 0905017MB	£296.10
	2 piece adjustable sliding length	150mm 0906017MB	£315.16
	Locking Band	125mm 0905086MB	£13.32
	Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	150mm 0906086MB	£13.51
	Inspection Pipe with Test Point (Dry Applications Only)	125mm 0905013 DMB	£414.46
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm 0906013 DMB	£466.14









Product Description	Diameter	Part No.	Price
Elbows / Tees			
	15° Elbow	125mm 0905025MB	£181.31
	Used for changing flue direction	150mm 0906025MB	£210.65
	30° Elbow	125mm 0905023MB	£181.31
	Used for changing flue direction	150mm 0906023MB	£210.61
	45° Elbow	125mm 0905022MB	£181.31
	Used for changing flue direction	150mm 0906022MB	£210.61
	90° Elbow	150mm 0906021MB	£263.96
	Used for changing flue direction		
	90° Tee Including Cap (Cap Suitable For Tee Only)	125mm 0905043MB	£507.97
	Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	150mm 0906043MB	£554.55
	135° Tee Including Cap (Cap Suitable For Tee Only)	125mm 0905044MB	£474.63
	Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	150mm 0906044MB	£554.55
	Tee Cap	150mm 0906091MB	£66.67
	Standard tee cap for tee – fits base of tee only		
	Insulated Tee Cap (Fits Wall Support Top Plate)	125mm 0905053MB	£196.67
	Tee cap designed to fit onto tee or any ICID fitting	150mm 0906053MB	£208.32
	Insulated Tee Cap & Drain (Fits Wall Support Top Plate)	125mm 0905533MB	£195.92
	Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	150mm 0906533MB	£213.51










Do you need?





Guy Wire, Grips and Strainers or Rigid Roof Stays





See the Fixings section on page 5.10





Product Description	Diameter	Part No.	Price
Support / Penetration Components			
 Top Plate Supporting plate with socket above and spigot below. Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066MB	£177.81
	150mm	0906066MB	£186.63
 Wall Support Side Plates Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994MB	£153.32
	150mm	0906994MB	£166.68
 Standard Wall Support 60mm Stand Off Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998MB	£326.63
	150mm	0906998MB	£353.30
 Adj Wall Support 100mm Stand Off (Type 325 Arms) Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325MB	£391.30
	150mm	0906325MB	£399.97
 Adj Wall Support 100 - 250mm Stand Off (Type 475 Arms) Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475MB	£410.73
	150mm	0906475MB	£419.96
 Adj Wall Support 100 - 350mm Stand Off (Type 570 Arms) Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570MB	£473.28
	150mm	0906570MB	£486.92
 Retrofit Wall Support Band with triangular side plates providing 60-200mm stand off	125mm	0905200MB	£164.97
	150mm	0906200MB	£167.16
 Wall Band 60mm Standard lateral support wall band (suitable for internal & external application)	125mm	0905088MB	£46.01
	150mm	0906088MB	£47.81

Product Description	Diameter	Part No.	Price
 Wall Band Extension 50 - 100mm Back bracket allowing extension of flue when using 09**088MB	125mm	0905064MB	£14.36
	150mm	0906064MB	£28.89
 Adjustable Wall Band 60 - 300mm (Band & Bracket) 09**088MB & 09**067MB combined as an extension band and bracket kit	125mm	0905067MB	£104.76
	150mm	0906067MB	£141.21
 Retrofit Wall Band 60mm Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088 RFMB	£99.39
	150mm	0906088 RFMB	£104.45
 Structural Wall Band Extension W1 - 130mm Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001MB	£63.91
 Structural Wall Band Extension L1 - 300mm Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002MB	£187.56
 Structural Wall Band Extension L2 - 450mm Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003MB	£199.98
 Guy Wire Bracket Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092MB	£54.36
	150mm	0906092MB	£50.86
 Extended / Structural Locking Band Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086 EMB	£45.05
	150mm	0906086 EMB	£47.02
 Structural Locking Band For Bend As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086 EBMB	£20.01
	150mm	0906086 EBMB	£20.00








Product Description	Diameter	Part No.	Price
 90° Trim Collar One Piece To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111B	£70.53
	150mm	0906111B	£71.58
	180mm	0907105B	£87.19
	200mm	0908105B	£99.82
 135° Trim Collar One Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113B	£82.64
	150mm	0906113B	£91.74
	180mm	0907106B	£126.62
	200mm	0908106B	£131.49
 135° Trim Collar Two Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114B	£77.99
	150mm	0906114B	£85.64
	180mm	0907107B	£103.57
	200mm	0908107B	£121.68
 0 – 20° Trim Collar Two Piece Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245B	£91.30
	150mm	0906245B	£83.59
	180mm	0907245B	£105.90
	200mm	0908245B	£111.48



Product Description	Diameter	Part No.	Price
 20 – 35° Trim Collar Two Piece Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246B	£83.59
	150mm	0906246B	£83.59
	180mm	0907246B	£105.90
	200mm	0908246B	£111.48
 35 – 45° Trim Collar Two Piece Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247B	£83.59
	150mm	0906247B	£83.59
	180mm	0907247B	£105.90
	200mm	0908247B	£110.72
 Ventilated Firestop Round One Piece Black (Combustible Floor) To be used where chimney passes through a combustible floor or ceiling	125mm	0905083B	£98.54
	150mm	0906083B	£98.54
	180mm	0907083B	£110.12
	200mm	0908083B	£121.74
 Ventilated Firestop Round Two Piece Black (Combustible Floor) To be used where chimney passes through a combustible floor or ceiling	125mm	0905084B	£98.54
	150mm	0906084B	£104.33
	180mm	0907084B	£121.74
	200mm	0908084B	£127.53



Product Description	Diameter	Part No.	Price
 Bungalow Circular Firestop One Piece Black (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183B	£61.73
	150mm	0906183B	£66.13
	180mm	0907183B	£75.65
	200mm	0908183B	£81.14
 Magnetic Cover Ring Black Optional decorative addition to ventilated firestop plate	125mm	0905110B	£69.01
	150mm	0906110B	£69.01
	180mm	0907110B	£79.62
	200mm	0908110B	£79.62

Terminals / Flashings

 Rain Cap No Mesh Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074MB	£120.03
	150mm	0906074MB	£126.56
 Rain Cap With Mesh Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076MB	£146.65
	150mm	0906076MB	£153.31
 Anti Splash Terminal (Without Mesh) Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	150mm	0906075MB	£373.36
 Insulated Tapered Terminal Open tapered terminal, terminates chimney system	125mm	0905073MB	£213.31
	150mm	0906073MB	£255.13
 Round Terminal Terminal offering extra protection in excessive rain	125mm	0905079MB	£258.34
	150mm	0906079MB	£275.99
 Angled Flashing 5 – 45° (Including Storm Collar) Aluminium angled roof flashing including storm collar	150mm	0906035MB	£378.89
 Storm Collar Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041MB	£79.73
	150mm	0906041MB	£79.73

Product Description	Diameter	Part No.	Price
Seals			
 Female Viton Lip Seal Kit Must be used on every joint for condensing applications	125mm	0905832	£5.95
	150mm	0906832	£7.35
	180mm	0907832	£8.51
	200mm	0908832	£9.12
 Adjustable Pipe Seal Kit Must be used on adjustable pipes for condensing applications	125mm	0905833	£31.14
	150mm	0906833	£39.02
	180mm	0907833	£36.23
	200mm	0908833	£38.48

