

Oil









Vitreous Gloss Black	3.2
Flex & Fittings	3.5
ICID Plus	3.6
ICID Plus Matt Black	3.13

Vitreous Gloss Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil














Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✔	1 Year

Product Description	Diameter	Part No.	Price	
Adaptors				
	Economy Adaptor To Flex Liner	100mm	2304063	£70.45
	Enables connection to flexible liner	125mm	2305063	£76.47
		150mm	2306063	£80.91
	Liner pushes in to socket	175mm	2307063	£104.44
		200mm	2308063	£91.22
	Increasing Adaptor To Flex Liner	100 – 125mm	2305096	£77.05
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2306096	£82.89
	Cut Length Adaptor	100mm	2304097	£67.20
	Enables connection of cut vitreous lengths.	125mm	2305097	£67.20
	Replaces socket on the cut end	150mm	2306097	£67.20
		175mm	2307097	£75.59
		200mm	2308097	£78.44
	Increasing Spun Adaptor	100 – 125mm	2304081	£64.84
	Enables an increase in diameter of the vitreous length	125 – 150mm	2305081	£65.89
		150 – 175mm	2306081	£70.33
		175 – 200mm	2307081	£86.11
	Tapered Adaptor	100 – 125mm	2304090	£80.70
	Enables smooth connection to flex liner	125 – 150mm	2305090	£82.07
	Increases diameter by one step over 300mm taper	150 – 175mm	2306090	£94.44
		175 – 200mm	2307090	£106.28
	Double Socket Adaptor	100mm	2304603	£63.85
	Enables female to female end connection in one length	125mm	2305603	£67.86
		150mm	2306603	£73.91
		200mm	2308603	£77.86
	Double Spigot Adaptor	100mm	2304604	£63.85
	Enables male to male end connection in one length	125mm	2305604	£67.86
		150mm	2306604	£73.91
		175mm	2307604	£75.89
		200mm	2308604	£77.86

Product Description	Diameter	Part No.	Price	
Pipes				
	300mm Straight Pipe	100mm	2304012	£59.61
	260mm installed length	125mm	2305012	£70.01
		150mm	2306012	£82.82
		175mm	2307012	£94.86
		200mm	2308012	£110.55
	300mm Straight Pipe With Door	100mm	2304015	£85.33
	Installed length 260mm with provision for inspection and cleaning	125mm	2305015	£95.79
		150mm	2306015	£108.48
		175mm	2307015	£120.59
		200mm	2308015	£136.27
	600mm Straight Pipe	100mm	2304005	£85.75
	Installed length 560mm	125mm	2305005	£87.05
		150mm	2306005	£98.96
		175mm	2307005	£114.85
		200mm	2308005	£131.65
	600mm Straight Pipe With Door	100mm	2304010	£119.00
	Installed length 560mm with provision for inspection and cleaning	125mm	2305010	£121.44
		150mm	2306010	£133.28
		175mm	2307010	£149.25
		200mm	2308010	£165.90
	900mm Straight Pipe	100mm	2304003	£114.74
	Installed length 860mm	125mm	2305003	£118.65
		150mm	2306003	£131.78
		175mm	2307003	£151.04
		200mm	2308003	£182.89
	900mm Straight Pipe With Door	100mm	2304004	£149.09
	Installed length 860mm with provision for inspection and cleaning	125mm	2305004	£153.03
		150mm	2306004	£166.03
		175mm	2307004	£203.99
		200mm	2308004	£217.23
	1200mm Straight Pipe	100mm	2304007	£149.00
	Installed length 1160mm	125mm	2305007	£157.12
		150mm	2306007	£173.66
		175mm	2307007	£190.39
		200mm	2308007	£234.98
	1200mm Straight Pipe With Door	100mm	2304014	£183.38
	Installed length 1160mm with provision for inspection and cleaning	125mm	2305014	£191.55
		150mm	2306014	£207.98
		175mm	2307014	£224.73
		200mm	2308014	£269.28

Product Description	Diameter	Part No.	Price
 350 – 550mm Adj Pipe No Door Adjustable pipe used to achieve specific flue lengths.	100mm	2304016	£119.13
	125mm	2305016	£139.92
	150mm	2306016	£165.71
	175mm	2307016	£189.84
	200mm	2308016	£221.12
 600 – 900mm Adj Pipe With Door Adjustable pipe used to achieve specific flue lengths Provision for inspection and cleaning	100mm	2304017	£145.88
	125mm	2305017	£165.32
	150mm	2306017	£184.67
 600 – 1020mm Adj Pipe No Door Adjustable pipe used to achieve specific flue lengths	150mm	2306013	£144.49
 900 – 1450mm Adj Pipe With Door Adjustable pipe used to achieve specific flue lengths Provision for inspection and cleaning	150mm	2306018	£290.62
 900 – 1600mm Adj Pipe No Door Adjustable pipe used to achieve specific flue lengths	150mm	2306018N	£272.81
 Damper Unit Reduces the adverse affects of a strong flue up draught	100mm	2304008	£111.55
	125mm	2305008	£118.14
	150mm	2306008	£130.09
	75mm installed length	175mm	2307008
Elbows / Tees			
 165° / 15° Mitred Bend Enables angling of flue run if necessary	100mm	2304025	£98.44
	125mm	2305025	£110.99
	150mm	2306025	£127.95
 165° / 15° Mitred Bend With Door Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304027	£133.93
	125mm	2305027	£148.03
	150mm	2306027	£160.20
 150° / 30° Mitred Bend Enables angling of flue run if necessary	100mm	2304024	£98.44
	125mm	2305024	£110.99
	150mm	2306024	£127.95
	175mm	2307024	£151.04
	200mm	2308024	£184.20
 150° / 30° Mitred Bend With Door Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304026	£133.93
	125mm	2305026	£148.03
	150mm	2306026	£160.20
	175mm	2307026	£182.71
	200mm	2308026	£216.23

Product Description	Diameter	Part No.	Price
 135° / 45° Swept Bend Enables angling of flue run if necessary	100mm	2304022	£98.44
	125mm	2305022	£110.99
	150mm	2306022	£127.95
	175mm	2307022	£151.04
	200mm	2308022	£184.20
 135° / 45° Swept Bend With Door Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304020	£133.93
	125mm	2305020	£148.03
	150mm	2306020	£160.20
	175mm	2307020	£182.71
	200mm	2308020	£216.23
 90° Swept Bend Enables angling of flue run if necessary	100mm	2304019	£117.81
	125mm	2305019	£129.77
	150mm	2306019	£141.96
	175mm	2307019	£165.72
	200mm	2308019	£194.60
 90° Swept Bend With Door Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304021	£156.64
	125mm	2305021	£169.60
	150mm	2306021	£182.47
	175mm	2307021	£206.47
	200mm	2308021	£233.04
 Offset Section Enables connection of chimney to appliance without joints 100mm offset, 520mm installed length	100mm	2304028	£202.92
	125mm	2305028	£222.90
	150mm	2306028	£229.85
 90° Tee Without Cap (Type D) Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2304043	£152.76
	125mm	2305043	£162.71
	150mm	2306043	£171.49
	175mm	2307043	£182.91
	200mm	2308043	£277.99
 90° Stabiliser Tee (Type B) Standard 90° tee with socket branch	100mm	2304042	£152.76
	125mm	2305042	£162.71
	150mm	2306042	£171.45
	175mm	2307042	£182.91
	200mm	2308042	£277.99
 135° Tee Without Cap Angled tee with branch spigot	100mm	2304044	£168.10
	125mm	2305044	£178.92
	150mm	2306044	£188.59
	175mm	2307044	£272.29
 Tee Cap (Stainless Steel) Enables closure of tee piece at bottom of system Enables cleaning and inspection	100mm	2504053	£41.27
	125mm	2505053	£41.27
	150mm	2506053	£43.59
	175mm	2507053	£48.88
	200mm	2508053	£58.49

Product Description	Diameter	Part No.	Price
Accessories			
 Painted Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	150mm	2306067	£55.28
 Enamel Pole Type Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	100mm	2304088	£74.48
	125mm	2305088	£74.48
	150mm	2306088	£74.48
 Ceiling Trim Ring Fits around pipe as it enters ceiling or wall 1 piece	100mm	2304085	£38.59
	125mm	2305085	£38.59
	150mm	2306085	£38.59
	175mm	2307085	£50.41
 45° Angled Trim Ring Fits around pipe as it enters ceiling or wall at an angle 2 piece	100mm	2304085A	£84.14
	125mm	2305085A	£84.31
	150mm	2306085A	£95.61
 Flush Trim Ring Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	100mm	2304085F	£81.50
	125mm	2305085F	£83.99
 Split Trim Ring Fits around pipe as it enters ceiling or wall 2 piece	100mm	2304085S	£85.80
	125mm	2305085S	£88.63
	150mm	2306085S	£88.63
	175mm	2307085S	£90.08
 1D5 Gasket MK1 Door Gasket for 125mm swept bend	100mm	2308085S	£91.22
	200mm	2308085S	£91.22
 1D6 Gasket MK1 Door Gasket for 150mm swept bend	125mm	2500104	£8.05
 1D6 Gasket MK1 Door Gasket for 150mm swept bend	150mm	2500105	£8.05
 MK2 Gasket 100 – 150mm Oval Door Gasket		2500107	£8.36
 MK3 Gasket 130 – 190mm Oval Door Gasket		2500108	£7.99
 MK4 Gasket 200 – 240mm Square Door Gasket		2500109	£8.36
 MK2 Door – Stainless Steel Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£10.27


Product Description	Diameter	Part No.	Price
 MK3 Door – Stainless Steel Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£12.22
 MK4 Door – Stainless Steel Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£14.31
 1D5 Door – Gloss Black MK1 Replacement Swept Bend Door for 125mm	125mm	2305MK1	£17.07
 1D6 Door – Gloss Black MK1 Replacement Swept Bend Door for 150mm	150mm	2306MK1	£24.02
 MK2 Door – Gloss Black Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2304MK2	£24.23
	125mm	2305MK2	£24.23
	150mm	2306MK2	£24.23
 MK3 Door – Gloss Black Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2305MK3	£24.23
	150mm	2306MK3	£24.23
	175mm	2307MK3	£24.23
	200mm	2308MK3	£23.10
 MK4 Door – Gloss Black Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2305MK4	£29.81
	150mm	2306MK4	£29.81
	175mm	2307MK4	£29.81
	200mm	2308MK4	£28.32
 8mm Universal Test Point Can be retro fitted to allow draught reading to be taken		34UTP	£13.39




Do you need?








Fire Cement, Glass Fibre Cord or Sealant Adhesive












See the Installation Essentials section on page 5.13



Flex & Fittings

Product Description	Diameter	Part No.	Price
Flexible Liner			
 Gas & 28 Sec. Oil Liner Single wall stainless steel flexible flue liner designed for atmospheric gas and kerosene appliances where the flue gas temperature does not exceed 260°C. T300 N1 W V2 L50010 O	100mm	9904111	£42.93
	125mm	9905111	£42.93
	150mm	9906111	£65.57
	180mm	9907111	£81.36
	200mm	9908111	£90.44

Fittings			
 Plate & Clamp (Combined) Lightweight combined plate clamp seal used to support the liner at the top of the stack.	100mm	9904112	£8.09
	125mm	9905112	£8.09
	150mm	9906112	£12.10
	180mm	9907112	£64.92
 Cone Cap for Oil (Meshed) Oil Terminal suitable to fit on flexible liner Fix with self tapping screws	100mm	9904074	£102.43
	125mm	9905074	£96.47
	150mm	9906074	£113.01
	180mm	9907074	£111.69
 Oil Term Type B Terminal (For Chimneys With Pots) Oil Terminal with spun base and strap to support liner from an existing pot	100mm	9904074B	£155.01
	125mm	9905074B	£155.40
	150mm	9906074B	£166.53
 Adaptor to Flex (1mm Thick) Pushfit adaptor from connecting flue to flexible liner	100mm	1304090	£70.20
	125mm	1305090	£70.20
	155mm	1306090	£70.20
	180mm	1307090	£91.09
 Adaptor to Flex (Extended) Pushfit adaptor from connecting flue to flexible liner with 195mm tail	200mm	1308090	£93.83
	125mm	1305090T	£95.78
	155mm	1306090T	£105.40
	180mm	1307090T	£134.18
 Increasing Adaptor to Flex Pushfit adaptor from connecting flue to flexible liner allowing an increase in diameter	200mm	1308090T	£148.56
	100 – 125mm	1305097	£105.58
	100 – 155mm	1306096	£146.64
	125 – 155mm	1306097	£105.58
	155 – 180mm	1307097	£124.18
 Ali Nose Cone and Cord (Lightweight) Lightweight nose cone used to help pull the liner down the stack	180 – 200mm	1308097	£124.18
	100mm	9504105F	£17.04
	125mm	9505105F	£21.32
	155mm	9506105F	£21.32
	180mm	9507105F	£21.32
200mm	9508105F	£21.32	








Product Description	Diameter	Part No.	Price
Flexible Liner Packs (Includes Plate / Clamp and Terminal)			
 5 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904005A	£275.28
	125mm	9905005A	£269.15
	150mm	9906005A	£403.29
 6 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904006A	£318.24
	125mm	9905006A	£322.88
	150mm	9906006A	£468.83
 7 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904007A	£361.22
	125mm	9905007A	£365.81
	150mm	9906007A	£534.39
 8 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904008A	£404.17
	125mm	9905008A	£408.77
	150mm	9906008A	£599.94
 9 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904009A	£447.11
	125mm	9905009A	£451.75
	150mm	9906009A	£665.51
 10 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904010A	£490.07
	125mm	9905010A	£494.67
	150mm	9906010A	£731.07
 11 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904011A	£533.00
	125mm	9905011A	£537.63
	150mm	9906011A	£796.61
 12 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904012A	£576.00
	125mm	9905012A	£580.59
	150mm	9906012A	£862.17
 13 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904013A	£618.92
	125mm	9905013A	£623.53
 14 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904014A	£661.86
	125mm	9905014A	£666.48
 15 Metre Length Pack Triplelock Gas & Oil Liner length complete with Clamp Plate Seal & Cone Cap	100mm	9904015A	£704.84
	125mm	9905015A	£709.44

ICID Plus












Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T200 P1 W V2 L50050 000 (wet systems), T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance

Product Description	Diameter	Part No.	Price
Starting Components			
 36.8504 pt	125mm	0905093	£88.73
	150mm	0906093	£94.25
	180mm	0907093	£116.45
	200mm	0908093	£138.62
 SW-DW Connector (Open Uninsulated) For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094	£49.89
	150mm	0906094	£55.46
	180mm	0907094	£72.08
	200mm	0908094	£77.62
 Insulated Appliance Connector For connecting directly on to appliance	125mm	0905101	£141.77
	150mm	0906101	£146.18
	180mm	0907101	£171.23
	200mm	0908101	£185.35
 Adaptor From B/K Vent Adaptor to connect from B/K Vent to twinwall	125mm	0905095	£196.60
	150mm	0906095	£206.44
 Increasing S/W – ICID Adaptor With Case (Insulated) Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	125mm	0905098	£99.80
	150mm	0906098	£110.88
	180mm	0907098	£133.08
	200mm	0908098	£147.80
 Increasing S/W – ICID Adaptor Closed (Uninsulated For Use On Rear Outlets) Increasing adaptor from single wall / appliance. Uninsulated and increasing step shown – best for rear outlet installations	125mm	0905097	£110.88
	150mm	0906097	£121.99
 SW-DW Starter Pipe 473mm (Short) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905102	£188.50
	150mm	0906102	£199.62

Product Description	Diameter	Part No.	Price
 SW-DW Increasing Starter Pipe 1018mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125 – 150mm	0906104	£277.23
 SW-DW Starter Pipe 973mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905202	£238.42
	150mm	0906202	£249.51
 Prima Smooth to ICID Starter Pipe 1200mm Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201	£348.66
	150mm	0906201	£374.46
 Anchor Plate (Plain) For use on top of a firechest or the top of an existing cut off stack.	125mm	0905089	£188.50
	150mm	0906089	£188.50
	180mm	0907089	£221.79
	200mm	0908089	£255.06
 Anchor Plate (Screw Type) For use on top of a firechest or top of an existing cut off stack. For use with Tecnoflex Liner	125mm	0905089S	£218.86
	150mm	0906089S	£218.86
	180mm	0907089S	£253.43
	200mm	0908089S	£287.94
 Prima Smooth to ICID Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905099	£165.27
	150mm	0906099	£175.95
	180mm	0907099	£186.19
	200mm	0908099	£237.89









Product Description	Diameter	Part No.	Price
 Increasing Prima Smooth Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 –	0906100	£230.21
	150mm		
 Adjustable Starter Section 1035mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905014	£310.95
	150mm	0906014	£339.47
 Adjustable Starter Section 890mm Designed for ease of use when installing and disconnecting a stove for inspection	180mm	0907014	£408.21
	200mm	0908014	£432.93
 Adjustable Starter Section 600mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905999	£235.88
	150mm	0906999	£247.56
	180mm	0907999	£314.67
	200mm	0908999	£334.55
Lengths			
 1460mm Straight Length Standard straight length of flue	125mm	0905001	£340.54
	150mm	0906001	£360.29
 960mm Straight Length Standard straight length of flue	125mm	0905002	£184.09
	150mm	0906002	£208.49
	180mm	0907002	£266.14
	200mm	0908002	£277.23
 750mm Straight Length Standard straight length of flue	125mm	0905004	£166.34
	150mm	0906004	£182.98
	180mm	0907004	£221.79
	200mm	0908004	£243.96
 460mm Straight Length Standard straight length of flue	125mm	0905005	£139.70
	150mm	0906005	£153.03
	180mm	0907005	£177.42
	200mm	0908005	£182.98
 293mm Straight Length Standard straight length of flue	125mm	0905012	£100.92
	150mm	0906012	£108.69
	180mm	0907012	£138.62
 160mm Straight Length Standard straight length of flue	125mm	0905006	£89.82
	150mm	0906006	£97.60
	180mm	0907006	£110.88
	200mm	0908006	£116.45
 50 – 230mm Telescopic Length (1 Piece) 1 Piece section used to add length to a standard length	125mm	0905015	£161.90
	150mm	0906015	£166.34

Product Description	Diameter	Part No.	Price
 350 – 570mm Adjustable Length 2 Piece adjustable sliding length	125mm	0905016	£227.31
	150mm	0906016	£232.86
	180mm	0907016	£277.23
	200mm	0908016	£304.96
 215 – 310mm Adjustable Length 2 Piece adjustable sliding length	125mm	0905018	£205.15
	150mm	0906018	£210.70
	180mm	0907018	£249.51
	200mm	0908018	£277.23
 Inspection Pipe with Test Point (Condensing Only) Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	125mm	0905013C	£396.44
	150mm	0906013C	£445.88
 Inspection Pipe with Test Point (Dry Applications Only) Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	125mm	0905013D	£370.98
	150mm	0906013D	£427.53
	180mm	0907013D	£535.03
	200mm	0908013D	£500.70
 Stabiliser Section Stabiliser Section which can be fitted to a tee branch	125mm	0905007	£148.12
	150mm	0906007	£170.15
	180mm	0907007	£250.53
	200mm	0908007	£309.59
 Locking Band Standard fastening for joints, included as standard on all ICID Plus parts with a female collar/socket joint	125mm	0905086	£11.08
	150mm	0906086	£11.08
	180mm	0907086	£19.41
	200mm	0908086	£19.41
Elbows / Tees			
 15° Bend Used for changing flue direction	125mm	0905025	£150.81
	150mm	0906025	£175.21
	180mm	0907025	£199.62
	200mm	0908025	£205.15
 30° Bend Used for changing flue direction	125mm	0905023	£150.81
	150mm	0906023	£175.21
	180mm	0907023	£199.62
	200mm	0908023	£205.15
 45° Bend Used for changing flue direction	125mm	0905022	£150.81
	150mm	0906022	£175.21
	180mm	0907022	£199.62
	200mm	0908022	£205.15
 90° Bend Used for changing flue direction	125mm	0905021	£200.71
	150mm	0906021	£219.58
	180mm	0907021	£304.96
	200mm	0908021	£321.60








Product Description	Diameter	Part No.	Price
 90° Inspection Bend Used for changing flue direction with facility for inspection via door	125mm	0905019	£283.90
	150mm	0906019	£313.82
	200mm	0908019	£414.98
 90° Tee Including Cap (Cap Suitable For Tee Only) Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	125mm	0905043	£422.48
	150mm	0906043	£461.31
	180mm	0907043	£499.01
	200mm	0908043	£526.72
 135° Tee Including Cap (Cap Suitable For Tee Only) Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	125mm	0905044	£394.76
	150mm	0906044	£461.31
	180mm	0907044	£526.72
	200mm	0908044	£554.47
 Tee Cap Standard tee cap for tee – fits base of tee only	125mm	0905091	£55.46
	150mm	0906091	£55.46
	180mm	0907091	£66.54
	200mm	0908091	£77.62
 Tee Cap & Drain Tee cap with drain off fitting – fits base of tee only	125mm	0905532	£66.54
	150mm	0906532	£66.54
	180mm	0907532	£77.62
	200mm	0908532	£88.73
 Insulated Tee Cap (Fits Wall Support Top Plate) Tee cap designed to fit onto tee or any ICID fitting	125mm	0905053	£163.57
	150mm	0906053	£173.27
 Insulated Tee Cap & Drain (Fits Wall Support Top Plate) Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	125mm	0905533	£166.34
	150mm	0906533	£177.42
	180mm	0907533	£188.50
	200mm	0908533	£194.06
 H&S Stabiliser Adaptor Used with 90° tee to connect H&S stabiliser.	125mm	0905099	£82.94
	150mm	0906099	£88.01
	200mm	0908099	£98.15









Support / Penetration Components








 135° Wall Sleeve (Combustible Wall) Mitred sleeve used to protect the building where the flue passes through	125mm	0905050	£69.87
	150mm	0906050	£105.69
	180mm	0907050	£105.69
	200mm	0908050	£105.69
 135° Wall Sleeve (Non-Combustible Wall) Mitred sleeve used to protect the building where the flue passes through	125mm	0905051	£69.87
	150mm	0906051	£69.87
	180mm	0907051	£69.87
	200mm	0908051	£69.87


Product Description	Diameter	Part No.	Price
 90° Wall Sleeve (Non Combustible Wall) Sleeve used to protect the building where the flue passes through	125mm	0905052	£33.26
	150mm	0906052	£33.26
 Top Plate Supporting plate with Socket above and spigot below Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066	£144.15
	150mm	0906066	£155.25
	180mm	0907066	£194.06
	200mm	0908066	£199.62
 Wall Support Side Plates Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994	£127.52
	150mm	0906994	£138.62
	180mm	0907994	£144.15
	200mm	0908994	£155.25
 Standard Wall Support 60mm Stand Off Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998	£271.67
	150mm	0906998	£293.86
	180mm	0907998	£338.24
	200mm	0908998	£354.84
 Adj Wall Support 100mm Stand Off (Type 325 Arms) Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325	£321.60
	150mm	0906325	£332.67
	180mm	0907325	£371.49
	200mm	0908325	£370.60
 Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms) Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475	£338.24
	150mm	0906475	£349.31
	180mm	0907475	£387.54
	200mm	0908475	£393.66
 Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms) Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570	£393.66
	150mm	0906570	£404.78
	180mm	0907570	£443.57
	200mm	0908570	£449.12
 Retrofit Wall Support Band with triangular side plates providing 60-200mm stand off	125mm	0905200	£157.79
	150mm	0906200	£159.88

Product Description	Diameter	Part No.	Price
 Wall Band 60mm Standard lateral support wall band (suitable for internal & external application)	125mm	0905088	£34.48
	150mm	0906088	£34.48
	180mm	0907088	£38.82
	200mm	0908088	£44.36
 Adjustable Wall Band 60 – 300mm (Band & Bracket) 09**088 & 09**067 combined as an extension band and bracket kit	125mm	0905067	£94.25
	150mm	0906067	£99.80
	180mm	0907067	£110.88
	200mm	0908067	£121.99
 Wall Band Extension 50 – 100mm Back bracket allowing extension of flue when using 09**088	125mm	0905064	£16.80
	150mm	0906064	£17.99
 Retrofit Wall Band 60mm Can be used on their own or combined with extension brackets for further adjustment.	125mm	0905088RF	£60.92
	150mm	0906088RF	£66.00
	180mm	0907088RF	£76.16
	200mm	0908088RF	£81.26
 Retrofit Wall Band Extension W1 – 130mm Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001	£47.16
 Retrofit Wall Band Extension L1 – 300mm Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002	£152.46
 Retrofit Wall Band Extension L2 – 450mm Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003	£166.34
 Guy Wire Bracket Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092	£45.15
	150mm	0906092	£45.61
	180mm	0907092	£49.89
	200mm	0908092	£49.89
 Flue Enclosure Kit 2400mm (Mesh, Bands & Fittings) 2 x 1200mm long galvanised mesh enclosures with bands and fittings, designed to be used within a loft space to ensure distance & ventilation around chimney system	125mm	0905559	370.48
	150mm	0906559	370.48
	180mm	0907557	£408.45
	200mm	0908557	£408.45









Product Description	Diameter	Part No.	Price
 Roof (Rafter) Support Flue band with side gimble plates comes as a kit for fixing to the roof trusses, offering lateral support	125mm	0905029	£112.39
	150mm	0906029	£117.74
	180mm	0907029	£123.06
	200mm	0908029	£133.74
 Ceiling / Joist Support Plate With 700mm Arms Ventilated support plate for use where chimney systems passes through ceiling joists, complete with joist arms for support	125mm	0905033	£182.85
	150mm	0906033	£182.69
	180mm	0907033	£212.85
	200mm	0908033	£213.15
 Extended / Structural Locking Band Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086E	£37.47
	150mm	0906086E	£39.38
	180mm	0907086E	£44.64
	200mm	0908086E	£48.24
 Structural Locking Band For Bend As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086EB	£16.63
	150mm	0906086EB	£16.63
	180mm	0907086EB	£22.17
	200mm	0908086EB	£22.17
 Ceiling / Joist Support Plate (Non-Combustible Floor) Used where the chimney system passes through a non-combustible floor for weight bearing support	125mm	0905032	£55.46
	150mm	0906032	£55.46
	180mm	0907032	£83.17
	200mm	0908032	£88.73
 Firestop Spacer Two Piece (Non-Combustible Floor) Two piece plate for use where chimney system passes through a non combustible ceiling / floor.	125mm	0905082	£16.63
	150mm	0906082	£16.63
	180mm	0907082	£27.73
	200mm	0908082	£38.82
 90° Trim Collar One Piece To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111	£56.50
	150mm	0906111	£57.49
	180mm	0907105	£67.92
	200mm	0908105	£78.47



Product Description	Diameter	Part No.	Price
 135° Trim Collar One Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113	£68.92
	150mm	0906113	£70.40
	180mm	0907106	£99.66
	200mm	0908106	£102.19
 135° Trim Collar Two Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114	£59.44
	150mm	0906114	£65.03
	180mm	0907107	£88.61
	200mm	0908107	£93.77
 135° Trim Collar Two Piece (White) To cover when chimney system passes through the wall at 135° Covers 75mm around external diameter of flue	125mm	0905107W	£79.30
	150mm	0906107W	£87.06
	180mm	0907107W	103.57
	200mm	0908107W	£121.68
 0 – 20° Trim Collar Two Piece Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245	£69.29
	150mm	0906245	£69.29
	180mm	0907245	£85.29
	200mm	0908245	£95.96
 20 – 35° Trim Collar Two Piece Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246	£69.29
	150mm	0906246	£69.29
	180mm	0907246	£85.29
	200mm	0908246	£95.96
 35 – 45° Trim Collar Two Piece Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247	£69.29
	150mm	0906247	£69.29
	180mm	0907247	£85.29
	200mm	0908247	£95.96
 Ventilated Firestop Two Piece Rectangular (Combustible Floor) To be used where the chimney passes through a combustible floor or ceiling	125mm	0905087	£72.08
	150mm	0906087	£72.08
	180mm	0907087	£94.25
	200mm	0908087	£99.80
 Ventilated Firestop Support Plate 1 Piece (Combustible Floor) To be used where the chimney passes through a combustible floor or ceiling	125mm	0905028	£129.60
	150mm	0906028	£135.61
	180mm	0907028	£142.58
	200mm	0908028	£158.41

Product Description	Diameter	Part No.	Price
 Ventilated Firestop Round One Piece Steel (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083S	£72.08
	150mm	0906083S	£77.62
	180mm	0907083S	£88.73
	200mm	0908083S	£99.80
 Ventilated Firestop Round One Piece White (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083W	£98.54
	150mm	0906083W	£98.54
	180mm	0907083W	£110.12
	200mm	0908083W	£121.74
 Ventilated Firestop Round Two Piece Steel (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084S	£83.17
	150mm	0906084S	£88.73
	180mm	0907084S	£99.80
	200mm	0908084S	£110.88
 Ventilated Firestop Round Two Piece White (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084W	£98.54
	150mm	0906084W	£104.33
	180mm	0907084W	£121.74
	200mm	0908084W	£127.53
 Bungalow Circular Firestop One Piece Steel (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183S	£34.73
	150mm	0906183S	£35.79
	180mm	0907183S	£41.21
	200mm	0908183S	£42.78
 Bungalow Circular Firestop One Piece White (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183W	£61.73
	150mm	0906183W	£66.13
	180mm	0907183W	£75.65
	200mm	0908183W	£81.14
 Bungalow Circular Firestop Two Piece Steel (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184G	£85.95


Product Description	Diameter	Part No.	Price
 Bungalow Circular Firestop Two Piece White (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184W	£89.86
 Magnetic Cover Ring White Optional decorative addition to ventilated firestop plate	125mm	0905110W	£69.01
	150mm	0906110W	£69.01
	180mm	0907110W	£79.62
	200mm	0908110W	£79.62

Terminals / Flashings

 Rain Cap With Mesh Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076	£121.99
	150mm	0906076	£127.52
	180mm	0907076	£138.62
	200mm	0908076	£144.15
 Insulated Tapered Terminal Open tapered terminal, terminates chimney system	125mm	0905073	£177.42
	150mm	0906073	£194.06
	180mm	0907073	£199.62
	200mm	0908073	£205.15
 Adaptor To Flex Twinwall chimney system to flexible liner adaptor	125mm	0905090	£89.82
	150mm	0906090	£92.04
	180mm	0907090	£99.80
	200mm	0908090	£110.88
 Adaptor To Prima Plus From ICID Twinwall to Prima Plus adaptor	125mm	0905063	£89.82
	150mm	0906063	£92.04
	180mm	0907063	£105.35
	200mm	0908063	£116.45
 Top Adaptor for Kevington Allows connection to prefabricated Kevington chimney	125mm	0905078	£106.95
	150mm	0906078	£107.57
	180mm	0907078	£125.87
	200mm	0908078	£129.74
 Flat Flashing (Including Storm Collar) Aluminium flat roof flashing including storm collar	125mm	0905038	£164.86
	150mm	0906038	£177.50
	180mm	0907038	£199.62
	200mm	0908038	£205.15
 Angled Flashing 5 - 45° (Including Storm Collar) Aluminium angled roof flashing including storm collar	125mm	0905035	£166.35
	150mm	0906035	£177.50
	180mm	0907035	£199.62
	200mm	0908035	£205.15
 Storm Collar Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041	£66.41
	150mm	0906041	£68.62
	180mm	0907041	£66.54
	200mm	0908041	£66.54

Product Description	Diameter	Part No.	Price
Seals			
 Female Viton Lip Seal Kit Must be used on every joint for condensing applications	125mm	0905832	£5.95
	150mm	0906832	£7.35
	180mm	0907832	£8.51
	200mm	0908832	£9.12
 Adjustable Pipe Seal Kit Must be used on adjustable pipes for condensing applications	125mm	0905833	£31.14
	150mm	0906833	£39.02
	180mm	0907833	£36.23
	200mm	0908833	£38.48

ICID Mitred Bend Dimensions




15° Elbow				
Diameter	125	150	180	200
A	63	63	63	64
B	55	56	56	57
C	31	31	31	31
D	232	234	234	238

30° Elbow				
Diameter	125	150	180	200
A	66	70	73	77
B	57	61	64	68
C	62	66	69	73
D	230	244	256	271


45° Elbow				
Diameter	125	150	180	200
A	79	83	91	95
B	70	74	82	86
C	105	111	122	128
D	254	268	295	309

Typical ICID Plus Installations


INTERNAL HOUSE Combustible Floors



INTERNAL HOUSE Non Combustible Floors



INTERNAL BUNGALOW (VENTILATED LOFT SPACE) Combustible and Non-Combustible floors



EXTERNAL System Chimney








Image courtesy of Schiedel

ICID Plus Matt Black













Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T200 P1 W V2 L50050 000 (wet systems), T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance

Product Description	Diameter	Part No.	Price
Starting Components			
 SW-DW Connector Closed Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905093MB	£106.66
	150mm	0906093MB	£114.01
 SW-DW Connector (Open Uninsulated) For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094MB	£59.98
	150mm	0906094MB	£66.67
 Insulated Appliance Connector For connecting directly on to appliance	125mm	0905101MB	£171.23
	150mm	0906101MB	£176.16
 Increasing S/W – ICID Adaptor With Case (Insulated) Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	125mm	0905098MB	£131.23
	150mm	0906098MB	£133.32
 Increasing Appliance Connector Closed (Insulated) Closed around base for connecting to stove pipe or directly onto appliance. Must be sealed for a gas tight joint	100 – 125mm	0905097MB	£133.32
	125 – 150mm	0906097MB	£146.66
	125mm	0905103	£216.79
 SW-DW Starter Pipe 473mm (Short) Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	150mm	0906103	£229.55
	125mm	0905203	£274.18
 SW-DW Starter Pipe 973mm (Long) Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	150mm	0906203	£286.91

Product Description	Diameter	Part No.	Price
 SW-DW Increasing Starter Pipe 1018mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe not directly onto appliance	125 – 150mm	0906104MB	£347.79
	150mm	0906099MB	£229.94
 Prima Smooth to ICID Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 – 150mm	0906100MB	£244.18
	125mm	0905201MB	£427.75
 Prima Smooth to ICID Starter Pipe 1200mm Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	150mm	0906201MB	£457.56
	125mm	0905014MB	£508.43
 Adjustable Starter Section 1035mm Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906014MB	£350.27
	125mm	0905999MB	£252.97
 Adjustable Starter Section 600mm Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906999MB	£272.43

Product Description	Diameter	Part No.	Price
Lengths			
	1460mm Straight Length	125mm 0905001MB	£411.87
	Standard straight length of flue	150mm 0906001MB	£432.93
	960mm Straight Length	125mm 0905002MB	£221.31
	Standard straight length of flue	150mm 0906002MB	£250.69
	750mm Straight Length	125mm 0905004MB	£199.98
	Standard straight length of flue	150mm 0906004MB	£220.28
	460mm Straight Length	125mm 0905005MB	£167.98
	Standard straight length of flue	150mm 0906005MB	£184.53
	293mm Straight Length	125mm 0905012MB	£121.31
	Standard straight length of flue	150mm 0906012MB	£130.91
	160mm Straight Length	125mm 0905006MB	£108.00
	Standard straight length of flue	150mm 0906006MB	£117.39
	50 – 230mm Telescopic Length (1 Piece)	125mm 0905015MB	£248.30
	1 Piece section used to add length to a standard length	150mm 0906015MB	£199.98
	350 – 570mm Adjustable Length	125mm 0905016MB	£273.34
	2 Piece adjustable sliding length	150mm 0906016MB	£280.01
	215 – 310mm Adjustable Length	125mm 0905018MB	£246.63
	2 Piece adjustable sliding length	150mm 0906018MB	£253.31
	585 – 885mm Adjustable Length	125mm 0905017MB	£296.10
	2 piece adjustable sliding length	150mm 0906017MB	£315.16
	Locking Band	125mm 0905086MB	£13.32
	Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	150mm 0906086MB	£13.51
	Inspection Pipe with Test Point (Dry Applications Only)	125mm 0905013 DMB	£414.46
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm 0906013 DMB	£466.14









Product Description	Diameter	Part No.	Price
Elbows / Tees			
	15° Elbow	125mm 0905025MB	£181.31
	Used for changing flue direction	150mm 0906025MB	£210.65
	30° Elbow	125mm 0905023MB	£181.31
	Used for changing flue direction	150mm 0906023MB	£210.61
	45° Elbow	125mm 0905022MB	£181.31
	Used for changing flue direction	150mm 0906022MB	£210.61
	90° Elbow	150mm 0906021MB	£263.96
	Used for changing flue direction		
	90° Tee Including Cap (Cap Suitable For Tee Only)	125mm 0905043MB	£507.97
	Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	150mm 0906043MB	£554.55
	135° Tee Including Cap (Cap Suitable For Tee Only)	125mm 0905044MB	£474.63
	Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	150mm 0906044MB	£554.55
	Tee Cap	150mm 0906091MB	£66.67
	Standard tee cap for tee – fits base of tee only		
	Insulated Tee Cap (Fits Wall Support Top Plate)	125mm 0905053MB	£196.67
	Tee cap designed to fit onto tee or any ICID fitting	150mm 0906053MB	£208.32
	Insulated Tee Cap & Drain (Fits Wall Support Top Plate)	125mm 0905533MB	£195.92
	Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	150mm 0906533MB	£213.51










Do you need?





Guy Wire, Grips and Strainers or Rigid Roof Stays





See the Fixings section on page 5.10





Product Description	Diameter	Part No.	Price
Support / Penetration Components			
 Top Plate Supporting plate with socket above and spigot below. Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066MB	£177.81
	150mm	0906066MB	£186.63
 Wall Support Side Plates Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994MB	£153.32
	150mm	0906994MB	£166.68
 Standard Wall Support 60mm Stand Off Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998MB	£326.63
	150mm	0906998MB	£353.30
 Adj Wall Support 100mm Stand Off (Type 325 Arms) Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325MB	£391.30
	150mm	0906325MB	£399.97
 Adj Wall Support 100 - 250mm Stand Off (Type 475 Arms) Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475MB	£410.73
	150mm	0906475MB	£419.96
 Adj Wall Support 100 - 350mm Stand Off (Type 570 Arms) Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570MB	£473.28
	150mm	0906570MB	£486.92
 Retrofit Wall Support Band with triangular side plates providing 60-200mm stand off	125mm	0905200MB	£164.97
	150mm	0906200MB	£167.16
 Wall Band 60mm Standard lateral support wall band (suitable for internal & external application)	125mm	0905088MB	£46.01
	150mm	0906088MB	£47.81

Product Description	Diameter	Part No.	Price
 Wall Band Extension 50 - 100mm Back bracket allowing extension of flue when using 09**088MB	125mm	0905064MB	£14.36
	150mm	0906064MB	£28.89
 Adjustable Wall Band 60 - 300mm (Band & Bracket) 09**088MB & 09**067MB combined as an extension band and bracket kit	125mm	0905067MB	£104.76
	150mm	0906067MB	£141.21
 Retrofit Wall Band 60mm Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088 RFMB	£99.39
	150mm	0906088 RFMB	£104.45
 Structural Wall Band Extension W1 - 130mm Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001MB	£63.91
 Structural Wall Band Extension L1 - 300mm Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002MB	£187.56
 Structural Wall Band Extension L2 - 450mm Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003MB	£199.98
 Guy Wire Bracket Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092MB	£54.36
	150mm	0906092MB	£50.86
 Extended / Structural Locking Band Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086 EMB	£45.05
	150mm	0906086 EMB	£47.02
 Structural Locking Band For Bend As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086 EBMB	£20.01
	150mm	0906086 EBMB	£20.00








Product Description	Diameter	Part No.	Price
 90° Trim Collar One Piece To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111B	£70.53
	150mm	0906111B	£71.58
	180mm	0907105B	£87.19
	200mm	0908105B	£99.82
 135° Trim Collar One Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113B	£82.64
	150mm	0906113B	£91.74
	180mm	0907106B	£126.62
	200mm	0908106B	£131.49
 135° Trim Collar Two Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114B	£77.99
	150mm	0906114B	£85.64
	180mm	0907107B	£103.57
	200mm	0908107B	£121.68
 0 – 20° Trim Collar Two Piece Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245B	£91.30
	150mm	0906245B	£83.59
	180mm	0907245B	£105.90
	200mm	0908245B	£111.48



Product Description	Diameter	Part No.	Price
 20 – 35° Trim Collar Two Piece Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246B	£83.59
	150mm	0906246B	£83.59
	180mm	0907246B	£105.90
	200mm	0908246B	£111.48
 35 – 45° Trim Collar Two Piece Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247B	£83.59
	150mm	0906247B	£83.59
	180mm	0907247B	£105.90
	200mm	0908247B	£110.72
 Ventilated Firestop Round One Piece Black (Combustible Floor) To be used where chimney passes through a combustible floor or ceiling	125mm	0905083B	£98.54
	150mm	0906083B	£98.54
	180mm	0907083B	£110.12
	200mm	0908083B	£121.74
 Ventilated Firestop Round Two Piece Black (Combustible Floor) To be used where chimney passes through a combustible floor or ceiling	125mm	0905084B	£98.54
	150mm	0906084B	£104.33
	180mm	0907084B	£121.74
	200mm	0908084B	£127.53



Product Description	Diameter	Part No.	Price
 Bungalow Circular Firestop One Piece Black (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183B	£61.73
	150mm	0906183B	£66.13
	180mm	0907183B	£75.65
	200mm	0908183B	£81.14
 Magnetic Cover Ring Black Optional decorative addition to ventilated firestop plate	125mm	0905110B	£69.01
	150mm	0906110B	£69.01
	180mm	0907110B	£79.62
	200mm	0908110B	£79.62

Terminals / Flashings

 Rain Cap No Mesh Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074MB	£120.03
	150mm	0906074MB	£126.56
 Rain Cap With Mesh Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076MB	£146.65
	150mm	0906076MB	£153.31
 Anti Splash Terminal (Without Mesh) Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	150mm	0906075MB	£373.36
 Insulated Tapered Terminal Open tapered terminal, terminates chimney system	125mm	0905073MB	£213.31
	150mm	0906073MB	£255.13
 Round Terminal Terminal offering extra protection in excessive rain	125mm	0905079MB	£258.34
	150mm	0906079MB	£275.99
 Angled Flashing 5 – 45° (Including Storm Collar) Aluminium angled roof flashing including storm collar	150mm	0906035MB	£378.89
 Storm Collar Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041MB	£79.73
	150mm	0906041MB	£79.73

Product Description	Diameter	Part No.	Price
Seals			
 Female Viton Lip Seal Kit Must be used on every joint for condensing applications	125mm	0905832	£5.95
	150mm	0906832	£7.35
	180mm	0907832	£8.51
	200mm	0908832	£9.12
 Adjustable Pipe Seal Kit Must be used on adjustable pipes for condensing applications	125mm	0905833	£31.14
	150mm	0906833	£39.02
	180mm	0907833	£36.23
	200mm	0908833	£38.48

