# Ancillaries

Exodraft - Chimney Fans	5.2
Cowls / Terminals	5.5
Flashings	5.6
Grills & Airvents	5.8
Chimney Pots / Insulation	5.9
Stabilisers / Chimney Ballons / Fixings / Universal Rings / Soot Doors	5.10
Register Plates / Fireside Accessories	5.10
Installation Essentials	5.12

### **Exodraft**

<b>Product Des</b>	cription	Diameter	Part No.	Price
Draftbooster	Fans			
	<b>Draftbooster – Black</b> Easy to install fan to assist with lighting of closed woodburners and inserts		71DB	£504.00
Fans				
9,	RS009-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS009	£981.00
9	RS012-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS012	£1,155.0
	RS014-4-1 Exodraft Fan Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS014	£1,443.0
	RS255-4-1 Exodraft Fan Horizontal discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RS255	£1,417.00
	RS285-4-1 Exodraft Fan Horizontal discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RS285	£1,569.00
	RSV009-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV009	£1,291.00
	RSV012-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV012	£1,638.0
	RSV014-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV014	£2,037.00

<b>Product Des</b>	cription	Diameter	Part No.	Price
	RSV016-4-1 Exodraft Fan Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV016	£2,693.00
	RSV160-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV160	£1,554.00
	RSV200-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV200	£1,916.00
	RSV250-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV250	£2,367.00
	RSV315-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV315	£3,113.00
	RSV400-4-1 Exodraft Fan Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV400	£3,680.00
So	RHG160 Exodraft Fan Horizontal discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RHG160	£1,433.00
	RSHG012-4-1 Exodraft Fan Horizontal discharge with axial vane impeller and built in pressure switch suitable for gas application		71RSHG12	£1,554.00

<b>Product Des</b>	cription	Diameter	Part No.	Price
	RSHG14-4-1 Exodraft Fan Horizontal discharge with axial vane impeller and built in pressure switch suitable for gas application		71RSHG14	£1,821.00
	RSVG200-4-1 Exodraft Fan Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG200	£2,142.00
	RSVG250-4-1 Exodraft Fan Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG250	£2,577.00
	RSVG315-4-1 Exodraft Fan Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG315	£3,291.00
	RSG125-4-1 Exodraft Fan Wall mounted with centrifugal impeller and built in pressure switch		71RSG125	£1,233.00
	RSG150-4-1 Exodraft Fan Wall mounted with centrifugal impeller and built in pressure switch		71RSG150	£1,491.00
A	RSG200-4-1 Exodraft Fan Wall mounted with centrifugal impeller and built in pressure switch		71RSG200	£1,669.00
Solenoid Val	ves			
	Single Solenoid Valve 6mm For use on gas application up to 15kW input		71S0L14	£159.60
	Single Solenoid Valve 15mm For use on gas application above 15kW input		71S0L12	£286.65

Product Des Controllers	cription	Diameter	Part No.	Price
Controllers	EFC 16 Control System Wall mounted with dial suitable for solid fuel application		71EFC16	£184.80
	System Wall mounted with electronic speed control suitable for solid fuel application		71EFC18	£513.45
18 -	EFC 21 Control System Wall mounted automatic controller, can be integrated with remote, suitable for gas application		71EFC21	£548.10
.00	EFC 35 Control System Wall mounted with dial suitable for solid fuel application		71EFC35	£317.10
****	Wall mounted automatic controller suitable for one or multiple boilers using gas, oil or solid fuel		71EBC22	£1,584.00
Isolation Sw	itches			
	Isolation Switch 2 Pole Mandatory for service and cleaning maintenance safety		71ISO2P	£142.80
	Isolation Switch 4 Pole Mandatory for service and cleaning maintenance safety		71ISO4P	£142.80

Product Des	cription	Diameter	Part No.	Price
Flanges				
(3)	FR1 Flange	125mm	7101125	£120.75
	Stainless Steel Construction used to	150mm	7101150	£120.75
	provide a flat base to	175mm	7101175	£120.75
	mount the chimney fan to a twin wall chimney system	200mm	7101200	£132.30
8	FR2 Flange Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	125mm	7102125	£137.55
		150mm	7102150	£137.55
		175mm	7102175	£137.55
		200mm	7102200	£137.55
		225mm	7102225	£137.55
		250mm	7102250	£137.55
		300mm	7102300	£176.40
(3	FR3 Flange	150mm	7103150	£142.80
U	Stainless Steel Construction used to	175mm	7103175	£142.80
	provide a flat base to	200mm	7103200	£142.80
	mount the chimney	225mm	7103225	£142.80
	fan to a twin wall chimney system	250mm	7103250	£142.80
	, ,	300mm	7103300	£142.80
		350mm	7103350	£142.80

Product Description  FR4 Flange Stainless Steel Construction used to provide a flat base to mount the chimney		Diameter	Part No.	Price
63	•	150mm	7104150	£253.05
	J	200mm	7104200	£192.15
		250mm	7104250	£192.15
fa	mount the chimney fan to a twin wall chimney system	300mm	7104300	£192.15
		350mm	7104350	£192.15
		400mm	7104400	£192.15
		450mm	7104450	£192.15

# ? Did you know?

Our technical department can specify the correct fan for your system, contact us for more information

#designedtobebetter

Chimney	open Fireplace				Closed Wood Stove / Fireplace Insert	
0						
	Fireplace Opening	J**			Door Opening**	
	max 0.3m²	max 0.5m <sup>2</sup>	max 0.8m²	max 1.2m²	max 0.15m <sup>2</sup>	
ø 150mm / 150 x 150mm	RSV12 / RS12	RSV14 / RS14			RSV9 / RS9	
ø 200mm / 200 x 200mm	RSV9 / RS9	RSV12 / RS12	RSV14 / RS14	RSV16	RSV9 / RS9	
ø 250mm / 250 x 250mm	RSV9* / RS9	RSV12 / RS12	RSV12 / RS12	RSV14 / RS14	RSV9* / RS9	
ø 300mm / 300 x 300mm	RSV9* / RS9*	RSV12* / RS12	RSV12* / RS12	RSV14 / RS14	RSV9* / RS9*	

<sup>\*</sup> If the chimney opening is larger than the chimney fan base plate, you can adapt it by means of a flang or choose a larger chimney fan.


#### \*\* Area of opening


A. One-sided fireplace: Area =  $a \times h (m^2)$ 

B. Corner installation: Area =  $0.8 \times (a + b) \times h (m^2)$ 

#### **Prerequisites**

Chimney height: 2–8m Elbows: Max 2 x 90° bends No other ventilation / exhaustion





## **Ancillaries**

Product Des	cription	Diameter	Part No.	Price
Cowls / Terr				
	Pot Hanging Cowl – Stainless Steel/	125mm	3505001	£197.16
	Terracotta All in one liner hanger from pot with rain & birdguard attached	150mm 180mm	3506001 3507001	£197.16 £197.16
	Solid Fuel Birdguard - Stainless Steel/ Terracotta - Strap Fix Matches Pot Hanging Cowl. Offers good rain protection and reduced animal entry		3501012	£127.75
<b>O</b>	MAD Cowl – Terracotta – Strap Fix Pepperpot style cowl complete with bird guard – anti downdraught	125 – 200mm	3503003	£97.49
	Junior Multi Fuel Bird Guard – Stainless Steel Offers good rain protection and reduced animal entry		3501017	£75.11
	<b>C-Cap Terracotta</b> For use with	up to 280mm	3600053	£28.98
	redundant flues only  – provides protection from animals, wind and rain. Reduces heat loss, supplied with insect mesh	up to 330mm	3600055	£38.36
	Decorative Pot Guard – Terracotta Bird guard only, offers no weather protection. Spring fit	150 – 225mm	3510367	£30.57

Product Des	cription	Diameter	Part No.	Price
	Pot Hanging Cowl – Stainless Steel/ Buff	125mm 150mm	3505001B 3506001B	£197.16 £197.16
	All in one liner hanger from pot with rain & birdguard attached			
·	Solid Fuel Birdguard - Stainless Steel/ Buff - Strap Fix Matches Pot Hanging Cowl. Offers good rain protection and reduced animal entry		3501012B	£114.06
9	Junior Stainless – Terracotta – Strap Fix Fully assembled cowl complete with birdguard – anti downdraught	125 – 200mm	3501010	£165.98
	Rain Guard – Terracotta with Birdguard Simple to fit. Reduces rain and animal entry		3508077	£58.18
	C-Cap Buff For use with redundant flues only – provides protection from animals, wind and rain. Reduces heat loss, supplied with insect mesh	up to 280mm	3600054	£28.98
	Decorative Pot Guard – Buff Bird guard only, offers no weather protection. Spring fit	150 – 225mm	3511367	£30.57

Cowl Usage				
	Gas	Oil	Wood	Solid Fuel
Pot Hanging Cowl			<b>✓</b>	<b>✓</b>
Solid Fuel Birdguard			V	V
MAD Cowl – Terracotta	<b>✓</b>	<b>✓</b>	<b>✓</b>	
Junior Cowl – Stainless / Terracotta			V	V
Junior Multi Fuel Bird Guard			<b>✓</b>	<b>✓</b>
Rain Guard – Terracotta	V	<b>✓</b>	<b>✓</b>	
Decorative Pot Guard			<b>✓</b>	<b>V</b>
Terracotta Spinning Cowl	V	V	V	<b>V</b>
Spinner Cowl Large	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
Spinner Cowl Mini	V	<b>v</b>	V	V
Steel Top	<b>v</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>

Product Des	cription	Diameter	Part No.	Price	Product Des	cription	Diameter	Part No.	Price	
	Terracotta Spinning Cowl	125 – 250mm	3501008	£272.73		Lead Flashing – 35° Pitch	Ext. 130mm	8805035	£89.0	
2.11	Rotating cowl designed to eradicate downdraught while					Suitable for slates, flat tiles and pan tiles	Ext. 159mm	8806035	£95.5	
artin.	assisting ventilation  Spinner Cowl Mini	80 –	3501022	£289.18			Ext. 180mm	8807035	£168.	
	Rotating cowl designed to eradicate	180mm	0001022	2200110			Ext. 210mm	8808035	£173	
111	downdraught while assisting ventilation						Ext. 235mm	8809035	£187.	
	Spinner Cowl Mini Adaptor	100mm 125mm	3501024 3501025	£64.40			Ext. 260mm	8810035	£218	
	Used to provide a more secure attachment to flue						Ext. 311mm	8812035	£271	
	pipe applications  Steel Top Cowl	100mm	3604074	£121.17		Lead Flashing – 45° Pitch	Ext. 130mm	8805045	£93.8	
	Also known as a	125mm	3605074	£156.07	MIA	Suitable for slates, flat tiles and pan tiles	Ext.	8806045	£118	
	vedette cowl. Used to help with up draught	150mm	3606074	£207.98	3	nat thes and pair thes	159mm			
1	on installations and	175mm	3607074	£242.69			Ext. 180mm	8807045	£173	
reduces of	reduces downdraught	200mm	3608074	£280.93			Ext.	8808045	£182	
		250mm	3610074	£397.80			210mm			
	Spinner Cowl Large Rotating cowl	125 – 250mm	3501018	£266.27			Ext. 235mm	8809045	£187	
	designed to eradicate downdraught while assisting ventilation	draught while			Ext. 260mm	8810045	£241			
Adap Used	Spinner Cowl Large	125mm	3501020	£94.88			Ext. 311mm	8812045	£297	
	Adaptor Used to provide a more secure	150mm	3501021	£94.88	P	Lead Flashing – Flat Suitable for slates,	Ext. 159mm	8806038	£95.	
	attachment to flue pipe applications					flat tiles and pan tiles	Ext. 180mm	8807038	£168	
	Fixing Strap for Pot Stainless steel jubliee clip		3600191	£12.92				Ext. 210mm	8808038	£173
		100	0004070	040.00			Ext. 235mm	8809038	£187	
	Steel Top Bird Guard Kit	100mm	3604076	£12.29	-	Masterflash No.4 –	Ext. 76 -	54MF104	£41.	
	Mesh covers for bird	125mm	3605076	£20.10		<b>EPDM – Low Temp</b> Suitable for	152mm			
	protection on gas & oil appliances	150mm 175mm	3606076	£26.80 £47.47		corrugated and				
		200mm	3607076 3608076	£47.47		flat roof				
lashings		ZOUIIIII	3000070	241.41		Masterflash No.5 – EPDM – Low Temp	Ext. 102 - 178mm	54MF105	£47.	
	Lead Flashing – 30° Pitch	Ext. 130mm	8805030	£89.03		Suitable for corrugated and	17011111			
TT.	Suitable for slates, flat tiles and pan tiles	Ext. 159mm	8806030	£95.53	-	flat roof  Masterflash No.6 –	Ext. 127	54MF106	£70.	
		Ext. 180mm	8807030L	£174.10		EPDM – Low Temp Suitable for corrugated and	– 228mm			
		Ext. 210mm	8808030	£173.23		flat roof  Masterflash No.7 –	Ext. 152	54MF107	£95.	
		Ext. 235mm	8809030	£187.78		<b>EPDM – Low Temp</b> Suitable for	– 280mm	J 101	250	
		Ext. 260mm	8810030	£218.55		corrugated and flat roof				
		Ext. 311mm	8812030	£271.97		Masterflash No.8 – EPDM – Low Temp Suitable for corrugated and	Ext. 178 - 330mm	54MF108	£115	

Droduot Dee	orintion	Diameter	Part No.	Price
Product Des	Masterflash No.9 – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 254 – 467mm	54MF109	£204.17
	Masterflash MAXI – EPDM – Low Temp Suitable for corrugated and flat roof	Ext. 330 - 660mm	54MF110	£335.80
	Masterflash No.4  - Silicone –  High Temp  Suitable for  corrugated and flat roof	Ext. 76 – 152mm	54MF204	£70.67
	Masterflash No.5  - Silicone – High Temp Suitable for corrugated and flat roof	Ext. 102 178mm	54MF205	£76.66
	Masterflash No.6  - Silicone - High Temp Suitable for corrugated and flat roof	Ext. 127 – 228mm	54MF206	£114.42
	Masterflash No.7  - Silicone –  High Temp  Suitable for  corrugated and flat roof	Ext. 152 - 280mm	54MF207	£144.40
	Masterflash No.8  - Silicone - High Temp Suitable for corrugated and flat roof	Ext. 178 - 330mm	54MF208	£173.75
	Masterflash No.9  - Silicone –  High Temp  Suitable for  corrugated and flat roof	Ext. 254 - 467mm	54MF209	£306.64
	Masterflash MAXI  – Silicone –  High Temp  Suitable for  corrugated and flat  roof	Ext. 330 - 660mm	54MF210	£607.31
i.	Standard Fixing Kit For use with Masterflash		5500901	£16.05
9	Lead Based Masterflash	Ext. 80 – 200mm	54MF211	£201.75
	Rubber upstand on lead base suitable for slate flat tile & pan	Ext. 200 - 280mm	54MF212	£293.84
	tile roof	Ext. 280 – 450mm	54MF213	£418.94
•	Res 1 Uni-Flash Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 75 – 200mm	1801035	£59.18

Product Description					
Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Product Des	cription	Diameter	Part No.	Price
Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof		Rubber upstand on malleable metal base Suitable for slate, flat		1802035	£134.20
No. 1   Rubber upstand on malleable metal base   Suitable for slate, flat tile and pan tile roof	0	Rubber upstand on malleable metal base Suitable for slate, flat		1803035	£209.83
No. 2   -200mm   Rubber upstand on malleable metal base   Suitable for slate, flat tile and pan tile roof		No. 1 Rubber upstand on malleable metal base Suitable for slate, flat		0501035	£54.22
No. 3   - 300mm		No. 2 Rubber upstand on malleable metal base Suitable for slate, flat		0502035	£76.01
No. 4   Rubber upstand on malleable metal base   Suitable for slate, flat tile and pan tile roof		No. 3 Rubber upstand on malleable metal base Suitable for slate, flat		0503035	£146.94
Flashing 5 – 45° incl. Storm Collar Aluminium flashing including storm collar Suitable for slate and flat tile roof  Ext. 130mm  Ext. 0605035 £127.45 130mm  Ext. 0607035 £149.05 180mm  Ext. 0608035 £149.05 180mm  Ext. 0608035 £163.61 200mm  Ext. 0609035 £180.98 230mm  Ext. 0610035 £184.17 250mm		No. 4 Rubber upstand on malleable metal base Suitable for slate, flat		0504035	£235.52
Aluminium flashing including storm collar Suitable for slate and flat tile roof	TO A	Flashing 5 – 45°		0604035	£122.03
Suitable for slate and flat tile roof       Ext. 150mm       0606035       £129.57         Ext. 180mm       0607035       £149.05         Ext. 0608035       £163.61         200mm       Ext. 0609035       £180.98         230mm       Ext. 0610035       £184.17         250mm       Ext. 0612035       £277.47		Aluminium flashing		0605035	£127.45
180mm         Ext.       0608035       £163.61         200mm       Ext.       0609035       £180.98         230mm       Ext.       0610035       £184.17         250mm       Ext.       0612035       £277.47		Suitable for slate and		0606035	£129.57
200mm  Ext. 0609035 £180.98 230mm  Ext. 0610035 £184.17 250mm  Ext. 0612035 £277.47				0607035	£149.05
230mm  Ext. 0610035 £184.17 250mm  Ext. 0612035 £277.47				0608035	£163.61
250mm Ext. 0612035 <b>£277.47</b>				0609035	£180.98
				0610035	£184.17
				0612035	£277.47

Fixing Kits for Masterflash							
Ref.	External Diam. Of Pipe	Base Size (Square)	Fixing Kits				
No. 4	76-152mm	250mm	3				
No. 5	102-178mm	275mm	3				
No. 6	127–228mm	300mm	4				
No. 7	152–280mm	350mm	4				
No. 8	178–330mm	425mm	5				
No. 9	254-467mm	625mm	7				
Maxi	330 – 660mm	850mm	9				

5.7

Product Des	cription	Diameter	Part No.	Price	Product Des	cription
	Universal Flat Flashing incl.	Ext. 100mm	0604038	£122.03		125mm Airc LookRyt
	Storm Collar Aluminium flashing including storm collar	Ext. 130mm	0605038	£124.13	-	Retro-fitted combustion a vent with term
	Suitable for slate and flat tile roof	Ext. 150mm	0606038	£126.18		lourved exter & 'LookRyt' in
		Ext. 180mm	0607038	£145.18		finish 104cm <sup>2</sup> Equiv
		Ext. 200mm	0608038	£163.61		80mm Ryton LookRyt Airc
		Ext. 230mm	0609038	£180.98	Retro-fit combus	
		Ext. 250mm	0610038	£184.17		vent with terr
		Ext. 300mm	0612038	£277.47		& 'LookRyt' in finish
1	Universal Storm Collar	Ext. 100mm	0604041	£54.25		31.68cm² Equarea
	Used around the flue pipe above flashing upstand to prevent	Ext. 130mm	0605041	£54.58		Circular Wall Internal wall f plate
	water ingress	Ext. 150mm	0606041	£58.24		<b>F</b>
		Ext. 180mm	0607041	£58.43	Vent Air Size for Appl No Draught Stabilise Built Before 2008 > 5 Mtr3 / Hr (More Th	
		Ext. 200mm	0608041	£60.49		
		Ext. 230mm	0609041	£78.38	No Draught Stabiliser Built After 2008	
		Ext. 250mm	0610041	£81.45	< 5 Mtr3 / Hr (Less Than With Draught Stabiliser	
		Ext. 300mm	0612041	£99.67	Built Before 2 > 5 Mtr3 / Hi	2008 r (More Than)
irills & Air V	/ents				With Draugh	nt Stabiliser
	Stadium Floor Ventilator Brass Louvred grill Floor Ventilator utilises air from a ventilated sub-floor void 110cm <sup>2</sup> Free area per set		8301435	£30.28	Built After 20 < 5 Mtr3 / Hi	08
4	Stadium Floor Ventilator Chrome Louvred grill Floor Ventilator utilises air from a ventilated sub-floor void		8303435	£49.46		
	110cm <sup>2</sup> Free area per set					
	125mm Cowled Baffled Aircore with LookRyt Retro-fitted combustion air vent with external cowl & 'LookRyt' internal finish		83057LPCWL	£53.51		
	81cm² Equivalent area Baffle helps to deflect draught blowing through vents					

Product Des	cription	Diameter	Part No.	Price
	125mm Aircore with LookRyt Retro-fitted combustion air vent with terracotta lourved external grill & 'LookRyt' internal finish 104cm² Equivalent area		830510LP	£36.34
	80mm Rytons Mini LookRyt Aircore Retro-fitted combustion air vent with terracotta lourved external grill & 'LookRyt' internal finish 31.68cm² Equivalent area		8301000	£91.23
	Circular Wall Plate Internal wall finishing plate		8305CWP	£9.66

Vent Air Size for Appliances	
No Draught Stabiliser Built Before 2008 > 5 Mtr3 / Hr (More Than)	Size of stove – 5 Kw = ? X 550mm <sup>2</sup>
No Draught Stabiliser Built After 2008 < 5 Mtr3 / Hr (Less Than)	Size of Stove x 550mm <sup>2</sup>
With Draught Stabiliser Built Before 2008 > 5 Mtr3 / Hr (More Than)	Size of Stove – 5 Kw = ? First 5 Kw x 300mm <sup>2</sup> = Balance of Kw ? X 850mm <sup>2</sup> = Add to two sums together
With Draught Stabiliser Built After 2008 < 5 Mtr3 / Hr (Less Than)	Size of Stove x 850mm <sup>2</sup> =

Product Des	crintion	Diameter	Part No.	Price
	ts (Fleet delivery only)	Diameter	Tartivo.	TITOG
	Terracotta Roll Top Pot – Tapered –	300mm high	3908112	£74.21
	200mm ID	450mm high	3908118	£90.04
		600mm high	3908124	£134.20
		750mm high	3908130	£167.93
		900mm high	3908136	£216.23
		1200mm high	3908148	£452.51
0	Buff Roll Top Pot  - Tapered -	300mm high	3908112B	£74.21
	200mm ID	450mm high	3908118B	£90.04
		600mm high	3908124B	£134.20
		900mm high	3908136B	£216.23
		1200mm high	3908148B	£442.24
	Terracotta Cannon Head Pot –	300mm high	3908212	£84.29
	200mm ID	450mm high	3908218	£107.90
		600mm high	3908224	£158.16
		900mm high	3908236	£288.97
	Buff Cannon Head Pot – 200mm ID	300mm high	3908212B	£82.37
		450mm high	3908218B	£116.00
		600mm high	3908230B	£209.59
		900mm high	3908236B	£310.65
	Terracotta Beaded Round Pot – 200mm ID	300mm high	3908312	£67.77
	ZUUIIIII ID	450mm high	3908318	£92.06
		600mm high	3908324	£124.77
		900mm high	3908336	£217.84
	Terracotta Beaded Round Pot – 250mm ID	300mm high	3910312	£70.62
	230HHIT ID	450mm high	3910318	£89.97
		600mm high	3910324	£144.42
		900mm high	3910336	£212.90

<b>Product Des</b>	cription	Diameter	Part No.	Price
0	Terracotta Beaded Round Pot –	300mm high	3912312	£68.52
	300mm ID	450mm high	3912318	£179.46
		600mm high	3912324	£234.91
			3912330	£192.68
Insulation				
	Chimwrap 1 Metre Length with Fixings	125 – 155mm	CW1155	£59.62
	Insulation blanket for solid fuel flexible liner – supplied with fixings	180 – 200mm	CW1200	£74.06
	Chimwrap 2 Metre Length with Fixings	125 – 155mm	CW2155	£119.23
	Insulation blanket for solid fuel flexible liner – supplied with fixings	180 – 200mm	CW2200	£148.10
	Chimwrap 3 Metre Length	125 – 155mm	CW3155	£178.88
19.	Insulation blanket for solid fuel flexible liner – supplied with fixings	180 – 200mm	CW3200	£222.14
1	K-Wrap 2 Metre Length Insulation blanket specifically for use with gas and oil class 2 chimney liners	100 – 125mm	KW2100	£66.43
4	K-Wrap 4 Metre Length Insulation blanket specifically for use with gas and oil class 2 chimney liners	100 – 125mm	KW4100	£132.84
9	Class O Foil Tape 45m Long Fixing tape for use with K-Wrap & Pipe Section	75mm	75T	£26.31
0=01	Pipe Section	159mm	6PS	£56.18
WOOD BEEN STREET	30mm thick x 1000mm long Preformed pipe section for insulating single wall rigid flue within a chimney stack	219mm	8PS	£116.40
THEORY TO THE THEORY OF THE THE THEORY OF THE THE THEORY OF THE THE THEORY OF THE THE THEORY OF THE	Pipe Section 50mm thick x 1000mm long Preformed pipe section for insulating single wall rigid flue within a chimney stack	159mm	6PS501	£107.01

Product Des	cription	Diameter	Part No.	Price	<b>Product Des</b>	cription	Diameter	Part No.	Price
Stabilisers					•	Register Plate	125 /	47RPSD	£82.50
128	Haas and Sohn	130mm	82053011	£486.18	-	813 x 380mm Single Door with Angles	150mm		
	Energy Draught Regulator With	150mm	82065011	£486.18		2mm Galvanised			
	Explosion Relief	200mm	82080011	£600.98		steel Register Plate with single door			
	Energy saving draught regulator					access including			
	with explosion					angle irons			
	door – suitable for all fuels, but not					Register Plate 1066 x 380mm Dual	125 / 150mm	47RPDD	£108.75
	for condensing					Door with Angles	100111111		
	appliances.					2mm Galvanised steel Register Plate			
Fixings	Oring O Otroin and		0400404	005 57		with dual door access			
0	Grips & Strainers for Guy Wire		0400191	£35.57		either side including angle irons			
*****	Tensioners for – (for use with guy wire					Register Plate	125 /	47RPDDXL	£138.75
	bracket from flue					1230 x 600mm Dual	150mm		
William	range)					Door with Angles 2mm Galvanised			
	Guy Wire (per metre)	3mm	0400055	£1.70		steel Register Plate with dual door access			
0	Steel guy wire					either side including			
	Telescopic Roof	125mm	9505029	£214.22		angle irons			
	Support	150mm	9506029	£214.22		Angle Iron Supports 2 x 900mm		ANGLE	£27.18
	Black flue band with 2 telescopic	10011111	0000020	2211122	1	2 x 450mm			
	legs which can be				Used for supporting Register Plate				
	extended from 1.6m to 2.5m to offer					Long Angle		47RPA	£17.05
	external roof support					Iron Support 1 x 1925mm			
Universal Ri	ngs				- 1	Used to support			
	Universal Ring Split stainless steel	Ext. 80mm	8703575	£35.26		register plate			
~	ring can be used as a	Ext.	8704575	£38.00		Register Plate Plain 1250x833mm		47RPP	£95.03
	ceiling hanger if used with threaded rod	100mm				1.5mm galvanised			
	(not included)	Ext. 125mm	8705575	£38.57		steel without doors or cut outs			
	For both horizontal & angled flue runs	Ext	8706575	£39.13		Register Plate Plain 600x600mm 1.5mm galvanised steel without doors or		47PRP600	£32.81
	angiou nuo runo	150mm	0.000.0	200110					
		Ext.	8707575	£39.71					
		175mm Ext.	8708575	£40.79		cut outs  Register Plate Plain		47PRP1200	£136.88
		200mm	0700373	240.75		1200x1100mm		4/FNF1200	£130.00
		Ext.	8709575	£41.12		1.5mm galvanised steel without doors or			
		230mm	0740575	044.00		cut outs			
		Ext. 250mm	8710575	£41.69		Register Plate Plain		47RPPL	£129.05
		Ext.	8712575	£45.09		1250x833mm with Angles			
		300mm				1.5mm galvanised			
Register Pla		100	4700400	000.00		steel without doors or cut outs			
	Register Plate 450 x 900mm	133mm collar	ollar	Register Plate	125mm	1305060	£53.92		
	2mm Galvanised	158mm	4706158	£103.95	16.91	Split Collar Used to clamp	150mm	1306060	£53.92
	steel Register Plate with flue collar	collar				around stove pipe			
0	Register Plate	133mm	4706133A	£127.94		when going through a register plate			
	450 x 900mm with Angles	collar	4700153	0/2/		, , ,			
	2mm Galvanised	158mm collar	4706158A	£131.20					
	steel Register Plate with angle irons &								
	flue collar								

<b>Product Des</b>	cription	Diameter	Part No.	Price	<b>Product Des</b>	cription	Diameter	Part No.	Price
Fireside Acc	Colour Change Moisture Meter Use to measure the moisture content in wood, below 20% before burning is advised to reduce tar build up. Screen changes colour to		69ММСС	£12.50		Fireside Tidy / Carry Case Made of steel with a black finish this tidy can be used to transfer ashes to be disposed of after cleaning or used for storage of fireside accessories		69FST	£20.69
	indicate if wood is suitable for burning  My Stove Fan Used to help circulate warm air		69MSF	£17.33		Ash Vac Used to vacuum ashes from wood, solid fuel & pellet appliances		69AS	£39.06
	when placed on a lit appliance – 2 blade fan <b>PremiAir</b>		69PA4	£34.13		Match Tidy Made of steel with a black finish this tidy can be used to neatly		69MT	£5.12
X	4 Blade Fan Used to help circulate warm air when placed on a lit appliance – for optimum airflow, suitable for medium /					Firelighter Tidy Made of steel with a black finish this tidy can be used to neatly store away firelighters		69FLT	£7.56
15	large rooms 199mm high <b>Vanquish Stove Fan</b>		69VANQ	£42.00	AVE	Fireside Bucket Firewood storage / transporting bucket		69FSB	£12.23
X	Used to help circulate warm air when placed on a lit appliance – for maximum output suiting very large					Carry & Store Foldable fabric store  Heat Resistant		69CS	£6.30
VALIANT	rooms, 250mm high  Stove Thermometer Magnetic thermometer can fit to stove or single wall flue pipe		THERM	£4.83		Gloves Elbow Length Protective Gloves with silicon rubber grips, Heat resistant up to 250°C		OSULOVE	210.00
_	Comes with wire fixing for non magnetic pipe.		-		70	Protective Hearth Mat Flame retardent protective mat	980 x 480mm	69PHM	£11.76
	Fire Lighter Drum (100) 100 Individually sealed firelighters		FL	£4.20		USB Lighter flexible rechargeable lighter		69USBL	£6.83
	Stove Glass Cleaner Non-flammable alkali based solvent used to clean appliance door glass.		69GCS	£4.20		Salisbury Glass 4 Piece Companion Set Comprises of shovel,	680 x 250 x 130mm	69SGCS	£36.75
	Metal Cleaning Fluid Effective against grease and grime, supplied in a spray bottle	500ml	69MCF	£2.63	46	brush, tongs and poker with glass stand			
	Glass Cleaning Paste Deep cleaning glass scrub	250ml	69GCP	£3.68					

Product Des Installation		Diameter	Part No.	Price
-	Drill Bit For Self Tapping Screws 3.0mm		DBSTS	£8.86
*	4mm Stainless Steel Rivets	Bag of 25	SPR	£4.78
$\times$	Cobalt Drill Bit To Suit Rivets 4.1mm		CDB	£8.86
	Flat Adhesive	12mm	9912223	£1.61
	Glass Fibre Tape (per metre) Provides a seal on appliance doors and joints between pipes & appliances	25mm	9925223	£2.67
9	Glass Fibre Cord	6mm	9906222	£0.89
S OF	(per metre) Used to provide a	12mm	9912222	£1.87
	tight joint between flue pipes and appliance outlets	25mm	9925222	£10.66
	<b>High Temperature Rope Adhesive</b> Used to adhere rope seal	70ml	5500126	£10.64
TE THE	Carbon Monoxide Alarm (7 year life) Sealed battery 7 year life battery Carbon Monoxide alarm		85C07B	£15.75
	Fire Cement	1kg	8102115	£4.71
The same of the sa	Used to seal around appliance outlet	2kg	8103115	£9.39
	joints & for Vitreous Enamel to ensure smoke and gas tight joints.	5kg	8106115	£23.00
	Black Fire Cement	1kg	8102116	£5.80
	Used to seal around appliance outlet	2kg	8103116	£10.08
	joints & for Vitreous Enamel to ensure smoke and gas tight joints	5kg	8106116	£26.88
	Heatseal Silicone Black 250°C (300°C Intermittently)	310ml	5500734	£17.16
1	<b>Heatseal Black XHT</b> <b>Sealant Adhesive</b> Up to 1250°C	310ml	5500766	£11.01
A	Cartridge Gun (For Heatseal Tubes)		83GUN	£4.95
	Data Plate Installation information plate, building regulations require these to be completed for each install		DP	£2.09

Product Des	cription	Diameter	Part No.	Price
	M460 Air Meter Draft Gauge Used to test flue draft		AIRMETER	£88.19
COATH	Matt Black Stove Paint Spray Heat Resistant up to 600°C. Can be used on both coated and uncoated metal, but not vitreous enamel surfaces	400ml	PLPSP	£5.78
BBQ				
D	Charcoal BBQ Starter Speeds up lighting a BBQ, made from durable aluminized steel	275 x 265 x 170mm	69CBS	£6.83
	Portable BBQ Foldable charcoal BBQ in stainless steel, 320x230mm cooking area		69BSPS	£32.16
1	BBQ Multi-Tool The BBQ Multi-Tool has every utensil you need in one handy fold-up device, making it the perfect portable companion for cooking on the go.		69BPF	£10.50
	BBQ Accessory Gift Set Become the master of the grill with this set of BBQ accessories. Stainless steel shredding claws, a burger press, drumstick rack and a silicone brush.		69BAS	£18.11
Sept .	Cocktail Multi-Tool Tools include: Stirrer, Jigger 1 x 1fl ounce/30ml approx 1 x 0.5fl ounce/15ml approx, Muddler & Reamer, Strainer, Zester & Channel Knife, Corkscrew & Bottle Opener.		69CMT	£9.44