












# Ancillaries

Exodraft – Chimney Fans	<b>5.2</b>
Cowls / Terminals	<b>5.5</b>
Flashings	<b>5.6</b>
Grills & Airvents	<b>5.8</b>
Chimney Pots / Insulation	<b>5.9</b>
Stabilisers / Chimney Ballons / Fixings / Universal Rings / Soot Doors	<b>5.10</b>
Register Plates / Fireside Accessories	<b>5.10</b>
Installation Essentials	<b>5.12</b>




# Exodraft


Product Description	Diameter	Part No.	Price
<b>Draftbooster Fans</b>			
 <b>Draftbooster – Black</b> Easy to install fan to assist with lighting of closed woodburners and inserts		71DB	<b>£504.00</b>
<b>Fans</b>			
 <b>RS009-4-1 Exodraft Fan</b> Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS009	<b>£981.00</b>
 <b>RS012-4-1 Exodraft Fan</b> Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS012	<b>£1,155.00</b>
 <b>RS014-4-1 Exodraft Fan</b> Horizontal discharge with axial vane impeller suitable for solid fuel applications		71RS014	<b>£1,443.00</b>
 <b>RS255-4-1 Exodraft Fan</b> Horizontal discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RS255	<b>£1,417.00</b>
 <b>RS285-4-1 Exodraft Fan</b> Horizontal discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RS285	<b>£1,569.00</b>
 <b>RSV009-4-1 Exodraft Fan</b> Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV009	<b>£1,291.00</b>
 <b>RSV012-4-1 Exodraft Fan</b> Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV012	<b>£1,638.00</b>
 <b>RSV014-4-1 Exodraft Fan</b> Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV014	<b>£2,037.00</b>

Product Description	Diameter	Part No.	Price
 <b>RSV016-4-1 Exodraft Fan</b> Vertical discharge with axial vane impeller suitable for solid fuel applications		71RSV016	<b>£2,693.00</b>
 <b>RSV160-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV160	<b>£1,554.00</b>
 <b>RSV200-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV200	<b>£1,916.00</b>
 <b>RSV250-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV250	<b>£2,367.00</b>
 <b>RSV315-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV315	<b>£3,113.00</b>
 <b>RSV400-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller suitable for oil, gas, biomass boilers and multi storey buildings		71RSV400	<b>£3,680.00</b>
 <b>RHG160 Exodraft Fan</b> Horizontal discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RHG160	<b>£1,433.00</b>
 <b>RSHG012-4-1 Exodraft Fan</b> Horizontal discharge with axial vane impeller and built in pressure switch suitable for gas application		71RSHG12	<b>£1,554.00</b>

Product Description	Diameter	Part No.	Price
 <b>RSHG14-4-1 Exodraft Fan</b> Horizontal discharge with axial vane impeller and built in pressure switch suitable for gas application		71RSHG14	<b>£1,821.00</b>
 <b>RSVG200-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG200	<b>£2,142.00</b>
 <b>RSVG250-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG250	<b>£2,577.00</b>
 <b>RSVG315-4-1 Exodraft Fan</b> Vertical discharge with centrifugal impeller and built in pressure switch suitable for gas application		71RSVG315	<b>£3,291.00</b>
 <b>RSG125-4-1 Exodraft Fan</b> Wall mounted with centrifugal impeller and built in pressure switch		71RSG125	<b>£1,233.00</b>
 <b>RSG150-4-1 Exodraft Fan</b> Wall mounted with centrifugal impeller and built in pressure switch		71RSG150	<b>£1,491.00</b>
 <b>RSG200-4-1 Exodraft Fan</b> Wall mounted with centrifugal impeller and built in pressure switch		71RSG200	<b>£1,669.00</b>
<b>Solenoid Valves</b>			
 <b>Single Solenoid Valve 6mm</b> For use on gas application up to 15kW input		71SOL14	<b>£152.00</b>
 <b>Single Solenoid Valve 15mm</b> For use on gas application above 15kW input		71SOL12	<b>£273.00</b>

Product Description	Diameter	Part No.	Price
<b>Controllers</b>			
 <b>EFC 16 Control System</b> Wall mounted with dial suitable for solid fuel application		71EFC16	<b>£176.00</b>
 <b>EFC 18 Control System</b> Wall mounted with electronic speed control suitable for solid fuel application		71EFC18	<b>£489.00</b>
 <b>EFC 21 Control System</b> Wall mounted automatic controller, can be integrated with remote, suitable for gas application		71EFC21	<b>£522.00</b>
 <b>EFC 35 Control System</b> Wall mounted with dial suitable for solid fuel application		71EFC35	<b>£302.00</b>
 <b>EBC 22 Controller</b> Wall mounted automatic controller suitable for one or multiple boilers using gas, oil or solid fuel		71EBC22	<b>£1,584.00</b>
<b>Isolation Switches</b>			
 <b>Isolation Switch 2 Pole</b> Mandatory for service and cleaning maintenance safety		71IS02P	<b>£136.00</b>
 <b>Isolation Switch 4 Pole</b> Mandatory for service and cleaning maintenance safety		71IS04P	<b>£136.00</b>

Product Description	Diameter	Part No.	Price
<b>Flanges</b>			
 <b>FR1 Flange</b> Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	125mm	7101125	<b>£115.00</b>
	150mm	7101150	<b>£115.00</b>
	175mm	7101175	<b>£115.00</b>
	200mm	7101200	<b>£126.00</b>
 <b>FR2 Flange</b> Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	125mm	7102125	<b>£131.00</b>
	150mm	7102150	<b>£131.00</b>
	175mm	7102175	<b>£131.00</b>
	200mm	7102200	<b>£131.00</b>
	225mm	7102225	<b>£131.00</b>
	250mm	7102250	<b>£131.00</b>
 <b>FR3 Flange</b> Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	300mm	7102300	<b>£168.00</b>
	150mm	7103150	<b>£136.00</b>
	175mm	7103175	<b>£136.00</b>
	200mm	7103200	<b>£136.00</b>
	225mm	7103225	<b>£136.00</b>
	250mm	7103250	<b>£136.00</b>
	300mm	7103300	<b>£136.00</b>
	350mm	7103350	<b>£136.00</b>




Product Description	Diameter	Part No.	Price
 <b>FR4 Flange</b> Stainless Steel Construction used to provide a flat base to mount the chimney fan to a twin wall chimney system	150mm	7104150	<b>£241.00</b>
	200mm	7104200	<b>£183.00</b>
	250mm	7104250	<b>£183.00</b>
	300mm	7104300	<b>£183.00</b>
	350mm	7104350	<b>£183.00</b>
	400mm	7104400	<b>£183.00</b>
	450mm	7104450	<b>£183.00</b>

## ? Did you know?

Our technical department can specify the correct fan for your system, contact us for more information

#designedtobebetter

### Which size and type of chimney fan should I use?

Chimney	Open Fireplace				Closed Wood Stove / Fireplace Insert
					
	Fireplace Opening**				Door Opening**
	max 0.3m <sup>2</sup>	max 0.5m <sup>2</sup>	max 0.8m <sup>2</sup>	max 1.2m <sup>2</sup>	max 0.15m <sup>2</sup>
Ø 150mm / 150 x 150mm	RSV12 / RS12	RSV14 / RS14			RSV9 / RS9
Ø 200mm / 200 x 200mm	RSV9 / RS9	RSV12 / RS12	RSV14 / RS14	RSV16	RSV9 / RS9
Ø 250mm / 250 x 250mm	RSV9* / RS9	RSV12 / RS12	RSV12 / RS12	RSV14 / RS14	RSV9* / RS9
Ø 300mm / 300 x 300mm	RSV9* / RS9*	RSV12* / RS12	RSV12* / RS12	RSV14 / RS14	RSV9* / RS9*

\* If the chimney opening is larger than the chimney fan base plate, you can adapt it by means of a flange or choose a larger chimney fan.

#### \*\* Area of opening

A. One-sided fireplace: Area = a x h (m<sup>2</sup>)



B. Corner installation: Area = 0.8 x (a + b) x h (m<sup>2</sup>)

#### Prerequisites






Chimney height: 2–8m

Elbows: Max 2 x 90° bends

No other ventilation / exhaustion






# Ancillaries

Product Description	Diameter	Part No.	Price
<b>Cowls / Terminals</b>			
 <b>Pot Hanging Cowl – Stainless Steel/ Terracotta</b> All in one liner hanger from pot with rain & birdguard attached	125mm	3505001	£187.77
	150mm	3506001	£187.77
	180mm	3507001	£187.77
 <b>Solid Fuel Birdguard – Stainless Steel/ Terracotta – Strap Fix</b> Matches Pot Hanging Cowl. Offers good rain protection and reduced animal entry		3501012	£121.67
 <b>MAD Cowl – Terracotta – Strap Fix</b> Pepperpot style cowl complete with bird guard – anti draught	125 – 200mm	3503003	£92.85
 <b>Junior Multi Fuel Bird Guard – Stainless Steel</b> Offers good rain protection and reduced animal entry		3501017	£71.53
 <b>C-Cap Terracotta</b> For use with redundant flues only – provides protection from animals, wind and rain. Reduces heat loss, supplied with insect mesh	up to 280mm	3600053	£27.60
	up to 330mm	3600055	£36.53
 <b>Decorative Pot Guard – Terracotta</b> Bird guard only, offers no weather protection. Spring fit	150 – 225mm	3510367	£29.11

Product Description	Diameter	Part No.	Price
 <b>Pot Hanging Cowl – Stainless Steel/ Buff</b> All in one liner hanger from pot with rain & birdguard attached	125mm	3505001B	£187.77
	150mm	3506001B	£187.77
 <b>Solid Fuel Birdguard – Stainless Steel/ Buff – Strap Fix</b> Matches Pot Hanging Cowl. Offers good rain protection and reduced animal entry		3501012B	£108.63
 <b>Junior Stainless – Terracotta – Strap Fix</b> Fully assembled cowl complete with birdguard – anti draught	125 – 200mm	3501010	£158.08
 <b>Rain Guard – Terracotta with Birdguard</b> Simple to fit. Reduces rain and animal entry		3508077	£55.41
 <b>C-Cap Buff</b> For use with redundant flues only – provides protection from animals, wind and rain. Reduces heat loss, supplied with insect mesh	up to 280mm	3600054	£27.60
 <b>Decorative Pot Guard – Buff</b> Bird guard only, offers no weather protection. Spring fit	150 – 225mm	3511367	£29.11







<b>Cowl Usage</b>				
	Gas	Oil	Wood	Solid Fuel
Pot Hanging Cowl			✓	✓
Solid Fuel Birdguard			✓	✓
MAD Cowl – Terracotta	✓	✓	✓	
Junior Cowl – Stainless / Terracotta			✓	✓
Junior Multi Fuel Bird Guard			✓	✓
Rain Guard – Terracotta	✓	✓	✓	
Decorative Pot Guard			✓	✓
Terracotta Spinning Cowl	✓	✓	✓	✓
Spinner Cowl Large	✓	✓	✓	✓
Spinner Cowl Mini	✓	✓	✓	✓
Steel Top	✓	✓	✓	✓

Product Description	Diameter	Part No.	Price
 <b>Terracotta Spinning Cowl</b> Rotating cowl designed to eradicate downdraught while assisting ventilation	125 – 250mm	3501008	<b>£259.74</b>
 <b>Spinner Cowl Mini</b> Rotating cowl designed to eradicate downdraught while assisting ventilation	80 – 180mm	3501022	<b>£275.41</b>
 <b>Spinner Cowl Mini Adaptor</b> Used to provide a more secure attachment to flue pipe applications	100mm	3501024	<b>£61.33</b>
	125mm	3501025	<b>£61.33</b>
 <b>Steel Top Cowl</b> Also known as a vedette cowl. Used to help with up draught on installations and reduces downdraught	100mm	3604074	<b>£115.40</b>
	125mm	3605074	<b>£148.64</b>
	150mm	3606074	<b>£198.08</b>
	175mm	3607074	<b>£231.13</b>
	200mm	3608074	<b>£267.55</b>
	250mm	3610074	<b>£378.86</b>
 <b>Spinner Cowl Large</b> Rotating cowl designed to eradicate downdraught while assisting ventilation	125 – 250mm	3501018	<b>£253.59</b>
 <b>Spinner Cowl Large Adaptor</b> Used to provide a more secure attachment to flue pipe applications	125mm	3501020	<b>£90.36</b>
	150mm	3501021	<b>£90.36</b>
 <b>Fixing Strap for Pot</b> Stainless steel jubilee clip		3600191	<b>£12.30</b>
 <b>Steel Top Bird Guard Kit</b> Mesh covers for bird protection on gas & oil appliances	100mm	3604076	<b>£11.70</b>
	125mm	3605076	<b>£19.14</b>
	150mm	3606076	<b>£25.52</b>
	175mm	3607076	<b>£45.21</b>
	200mm	3608076	<b>£45.21</b>
<b>Flashings</b>			
 <b>Lead Flashing – 30° Pitch</b> Suitable for slates, flat tiles and pan tiles	Ext. 130mm	8805030	<b>£84.79</b>
	Ext. 159mm	8806030	<b>£90.98</b>
	Ext. 180mm	8807030L	<b>£165.81</b>
	Ext. 210mm	8808030	<b>£164.98</b>
	Ext. 235mm	8809030	<b>£178.84</b>
	Ext. 260mm	8810030	<b>£208.14</b>
	Ext. 311mm	8812030	<b>£259.02</b>

Product Description	Diameter	Part No.	Price
 <b>Lead Flashing – 35° Pitch</b> Suitable for slates, flat tiles and pan tiles	Ext. 130mm	8805035	<b>£84.79</b>
	Ext. 159mm	8806035	<b>£90.98</b>
	Ext. 180mm	8807035	<b>£160.34</b>
	Ext. 210mm	8808035	<b>£164.98</b>
	Ext. 235mm	8809035	<b>£178.84</b>
	Ext. 260mm	8810035	<b>£208.14</b>
	Ext. 311mm	8812035	<b>£259.02</b>
 <b>Lead Flashing – 45° Pitch</b> Suitable for slates, flat tiles and pan tiles	Ext. 130mm	8805045	<b>£89.42</b>
	Ext. 159mm	8806045	<b>£112.56</b>
	Ext. 180mm	8807045	<b>£164.98</b>
	Ext. 210mm	8808045	<b>£174.21</b>
	Ext. 235mm	8809045	<b>£178.84</b>
	Ext. 260mm	8810045	<b>£229.73</b>
	Ext. 311mm	8812045	<b>£283.68</b>
 <b>Lead Flashing – Flat</b> Suitable for slates, flat tiles and pan tiles	Ext. 159mm	8806038	<b>£90.98</b>
	Ext. 180mm	8807038	<b>£160.34</b>
	Ext. 210mm	8808038	<b>£164.98</b>
	Ext. 235mm	8809038	<b>£178.84</b>
 <b>Masterflash No.4 – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 76 – 152mm	54MF104	<b>£39.87</b>
 <b>Masterflash No.5 – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 102 – 178mm	54MF105	<b>£45.26</b>
 <b>Masterflash No.6 – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 127 – 228mm	54MF106	<b>£67.42</b>
 <b>Masterflash No.7 – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 152 – 280mm	54MF107	<b>£90.53</b>
 <b>Masterflash No.8 – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 178 – 330mm	54MF108	<b>£110.30</b>




Product Description	Diameter	Part No.	Price
 <b>Masterflash No.9 – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 254 – 467mm	54MF109	<b>£194.45</b>
 <b>Masterflash MAXI – EPDM – Low Temp</b> Suitable for corrugated and flat roof	Ext. 330 – 660mm	54MF110	<b>£319.81</b>
 <b>Masterflash No.4 – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 76 – 152mm	54MF204	<b>£67.30</b>
 <b>Masterflash No.5 – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 102 – 178mm	54MF205	<b>£73.01</b>
 <b>Masterflash No.6 – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 127 – 228mm	54MF206	<b>£108.97</b>
 <b>Masterflash No.7 – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 152 – 280mm	54MF207	<b>£137.52</b>
 <b>Masterflash No.8 – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 178 – 330mm	54MF208	<b>£165.48</b>
 <b>Masterflash No.9 – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 254 – 467mm	54MF209	<b>£292.04</b>
 <b>Masterflash MAXI – Silicone – High Temp</b> Suitable for corrugated and flat roof	Ext. 330 – 660mm	54MF210	<b>£578.39</b>
 <b>Standard Fixing Kit</b> For use with Masterflash		5500901	<b>£15.29</b>
 <b>Lead Based Masterflash</b> Rubber upstand on lead base suitable for slate flat tile & pan tile roof	Ext. 80 – 200mm	54MF211	<b>£192.14</b>
	Ext. 200 – 280mm	54MF212	<b>£279.85</b>
	Ext. 280 – 450mm	54MF213	<b>£398.99</b>
 <b>Res 1 Uni-Flash</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 75 – 200mm	1801035	<b>£56.36</b>

Product Description	Diameter	Part No.	Price
 <b>Res 2 Uni-Flash</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 200 – 275mm	1802035	<b>£127.81</b>
 <b>Res 3 Uni-Flash</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 275 – 450mm	1803035	<b>£199.84</b>
 <b>Seldek Flashing No. 1</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 60 – 150mm	0501035	<b>£99.00</b>
 <b>Seldek Flashing No. 2</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 110 – 200mm	0502035	<b>£137.88</b>
 <b>Seldek Flashing No. 3</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 160 – 300mm	0503035	<b>£258.15</b>
 <b>Seldek Flashing No. 4</b> Rubber upstand on malleable metal base Suitable for slate, flat tile and pan tile roof	Ext. 300 – 450mm	0504035	<b>£403.08</b>
 <b>Universal Angled Flashing 5 – 45° incl. Storm Collar</b> Aluminium flashing including storm collar Suitable for slate and flat tile roof	Ext. 100mm	0604035	<b>£116.22</b>
	Ext. 130mm	0605035	<b>£121.38</b>
	Ext. 150mm	0606035	<b>£123.40</b>
	Ext. 180mm	0607035	<b>£141.95</b>
	Ext. 200mm	0608035	<b>£155.82</b>
	Ext. 230mm	0609035	<b>£172.36</b>
	Ext. 250mm	0610035	<b>£175.40</b>
	Ext. 300mm	0612035	<b>£264.26</b>


#### Fixing Kits for Masterflash


Ref.	External Diam. Of Pipe	Base Size (Square)	Fixing Kits
No. 4	76–152mm	250mm	3
No. 5	102–178mm	275mm	3
No. 6	127–228mm	300mm	4
No. 7	152–280mm	350mm	4
No. 8	178–330mm	425mm	5
No. 9	254–467mm	625mm	7
Maxi	330 – 660mm	850mm	9


Product Description	Diameter	Part No.	Price
 <b>Universal Flat Flashing incl. Storm Collar</b> Aluminium flashing including storm collar Suitable for slate and flat tile roof	Ext. 100mm	0604038	<b>£116.22</b>
	Ext. 130mm	0605038	<b>£118.22</b>
	Ext. 150mm	0606038	<b>£120.17</b>
	Ext. 180mm	0607038	<b>£138.27</b>
	Ext. 200mm	0608038	<b>£155.82</b>
	Ext. 230mm	0609038	<b>£172.36</b>
	Ext. 250mm	0610038	<b>£175.40</b>
	Ext. 300mm	0612038	<b>£264.26</b>


 <b>Universal Storm Collar</b> Used around the flue pipe above flashing upstand to prevent water ingress	Ext. 100mm	0604041	<b>£51.67</b>
	Ext. 130mm	0605041	<b>£51.98</b>
	Ext. 150mm	0606041	<b>£55.47</b>
	Ext. 180mm	0607041	<b>£55.65</b>
	Ext. 200mm	0608041	<b>£57.61</b>
	Ext. 230mm	0609041	<b>£74.65</b>
	Ext. 250mm	0610041	<b>£77.57</b>
	Ext. 300mm	0612041	<b>£94.92</b>


#### Grills & Air Vents

 <b>Stadium Floor Ventilator Brass</b> Louvred grill Floor Ventilator utilises air from a ventilated sub-floor void 110cm <sup>2</sup> Free area per set	8301435	<b>£28.84</b>
---	---------	---------------

 <b>Stadium Floor Ventilator Chrome</b> Louvred grill Floor Ventilator utilises air from a ventilated sub-floor void 110cm <sup>2</sup> Free area per set	8303435	<b>£47.10</b>
--	---------	---------------

 <b>125mm Cowled Baffled Aircore with LookRyt</b> Retro-fitted combustion air vent with external cowl & 'LookRyt' internal finish 81cm <sup>2</sup> Equivalent area Baffle helps to deflect draught blowing through vents	83057LPCWL	<b>£50.96</b>
---	------------	---------------

Product Description	Diameter	Part No.	Price
 <b>125mm Aircore with LookRyt</b> Retro-fitted combustion air vent with terracotta louvred external grill & 'LookRyt' internal finish 104cm <sup>2</sup> Equivalent area		830510LP	<b>£34.61</b>

 <b>80mm Rytons Mini LookRyt Aircore</b> Retro-fitted combustion air vent with terracotta louvred external grill & 'LookRyt' internal finish 31.68cm <sup>2</sup> Equivalent area		8301000	<b>£86.89</b>
--	--	---------	---------------

 <b>Circular Wall Plate</b> Internal wall finishing plate		8305CWP	<b>£9.20</b>
---	--	---------	--------------

#### Vent Air Size for Appliances

**No Draught Stabiliser**  
 Built Before 2008  
 > 5 Mtr<sup>3</sup> / Hr (More Than)

Size of stove –  
 5 Kw = ? X 550mm<sup>2</sup>

**No Draught Stabiliser**  
 Built After 2008  
 < 5 Mtr<sup>3</sup> / Hr (Less Than)

Size of Stove x 550mm<sup>2</sup>

**With Draught Stabiliser**  
 Built Before 2008  
 > 5 Mtr<sup>3</sup> / Hr (More Than)

Size of Stove – 5 Kw = ?  
 First 5 Kw x 300mm<sup>2</sup> =  
 Balance of Kw ? X 850mm<sup>2</sup> =  
 Add to two sums together








**With Draught Stabiliser**  
 Built After 2008  
 < 5 Mtr<sup>3</sup> / Hr (Less Than)

Size of Stove x 850mm<sup>2</sup> =






















Product Description	Diameter	Part No.	Price
<b>Chimney Pots (Fleet delivery only)</b>			
	<b>Terracotta Roll Top Pot – Tapered – 200mm ID</b>	300mm high	3908112 <b>£70.68</b>
		450mm high	3908118 <b>£85.75</b>
		600mm high	3908124 <b>£127.81</b>
		750mm high	3908130 <b>£159.93</b>
		900mm high	3908136 <b>£205.93</b>
		1200mm high	3908148 <b>£430.96</b>
	<b>Buff Roll Top Pot – Tapered – 200mm ID</b>	300mm high	3908112B <b>£70.68</b>
		450mm high	3908118B <b>£85.75</b>
		600mm high	3908124B <b>£127.81</b>
		900mm high	3908136B <b>£205.93</b>
		1200mm high	3908148B <b>£421.18</b>
	<b>Terracotta Cannon Head Pot – 200mm ID</b>	300mm high	3908212 <b>£80.28</b>
		450mm high	3908218 <b>£102.76</b>
		600mm high	3908224 <b>£150.63</b>
		900mm high	3908236 <b>£275.21</b>
	<b>Buff Cannon Head Pot – 200mm ID</b>	300mm high	3908212B <b>£78.45</b>
		450mm high	3908218B <b>£110.48</b>
		600mm high	3908230B <b>£199.61</b>
		900mm high	3908236B <b>£295.86</b>
	<b>Terracotta Beaded Round Pot – 200mm ID</b>	300mm high	3908312 <b>£64.54</b>
		450mm high	3908318 <b>£87.68</b>
		600mm high	3908324 <b>£118.83</b>
		900mm high	3908336 <b>£207.47</b>
	<b>Terracotta Beaded Round Pot – 250mm ID</b>	300mm high	3910312 <b>£67.26</b>
		450mm high	3910318 <b>£85.69</b>
		600mm high	3910324 <b>£137.54</b>
		900mm high	3910336 <b>£202.76</b>





Product Description	Diameter	Part No.	Price
	<b>Terracotta Beaded Round Pot – 300mm ID</b>	300mm high	3912312 <b>£65.26</b>
		450mm high	3912318 <b>£170.91</b>
		600mm high	3912324 <b>£223.72</b>
		750mm high	3912330 <b>£183.50</b>
<b>Insulation</b>			
	<b>Chimwrap 1 Metre Length with Fixings</b>	125 – 155mm	CW1155 <b>£56.78</b>
	Insulation blanket for solid fuel flexible liner – supplied with fixings	180 – 200mm	CW1200 <b>£70.53</b>
	<b>Chimwrap 2 Metre Length with Fixings</b>	125 – 155mm	CW2155 <b>£113.55</b>
	Insulation blanket for solid fuel flexible liner – supplied with fixings	180 – 200mm	CW2200 <b>£141.05</b>
	<b>Chimwrap 3 Metre Length</b>	125 – 155mm	CW3155 <b>£170.36</b>
	Insulation blanket for solid fuel flexible liner – supplied with fixings	180 – 200mm	CW3200 <b>£211.56</b>
	<b>K-Wrap 2 Metre Length</b>	100 – 125mm	KW2100 <b>£63.27</b>
	Insulation blanket specifically for use with gas and oil class 2 chimney liners		
	<b>K-Wrap 4 Metre Length</b>	100 – 125mm	KW4100 <b>£126.51</b>
	Insulation blanket specifically for use with gas and oil class 2 chimney liners		
	<b>Class O Foil Tape 45m Long</b>	75mm	75T <b>£25.06</b>
	Fixing tape for use with K-Wrap & Pipe Section		
	<b>Pipe Section 30mm thick x 1000mm long</b>	159mm	6PS <b>£53.50</b>
	Preformed pipe section for insulating single wall rigid flue within a chimney stack	219mm	8PS <b>£110.86</b>
	<b>Pipe Section 50mm thick x 1000mm long</b>	159mm	6PS501 <b>£101.91</b>
	Preformed pipe section for insulating single wall rigid flue within a chimney stack		

Product Description	Diameter	Part No.	Price
<b>Stabilisers</b>			
	<b>Haas and Sohn Energy Draught Regulator With Explosion Relief</b>	130mm 82053011	<b>£463.03</b>
		150mm 82065011	<b>£463.03</b>
		200mm 82080011	<b>£572.36</b>
Energy saving draught regulator with explosion door – suitable for all fuels, but not for condensing appliances.			
<b>Fixings</b>			
	<b>Grips &amp; Strainers for Guy Wire</b>	0400191	<b>£33.88</b>
	Tensioners for – (for use with guy wire bracket from flue range)		
	<b>Guy Wire (per metre)</b>	3mm 0400055	<b>£1.62</b>
	Steel guy wire		
	<b>Telescopic Roof Support</b>	125mm 9505029	<b>£204.02</b>
	Black flue band with 2 telescopic legs which can be extended from 1.6m to 2.5m to offer external roof support	150mm 9506029	<b>£204.02</b>
<b>Universal Rings</b>			
	<b>Universal Ring</b>	Ext. 80mm 8703575	<b>£33.58</b>
	Split stainless steel ring can be used as a ceiling hanger if used with threaded rod (not included)	Ext. 100mm 8704575	<b>£36.19</b>
	For both horizontal & angled flue runs	Ext. 125mm 8705575	<b>£36.73</b>
		Ext. 150mm 8706575	<b>£37.27</b>
		Ext. 175mm 8707575	<b>£37.82</b>
		Ext. 200mm 8708575	<b>£38.85</b>
		Ext. 230mm 8709575	<b>£39.16</b>
		Ext. 250mm 8710575	<b>£39.70</b>
		Ext. 300mm 8712575	<b>£42.94</b>
<b>Register Plates</b>			
	<b>Register Plate 450 x 900mm</b>	133mm collar 4706133	<b>£94.24</b>
	2mm Galvanised steel Register Plate with flue collar	158mm collar 4706158	<b>£99.00</b>
	<b>Register Plate 450 x 900mm with Angles</b>	133mm collar 4706133A	<b>£121.85</b>
	2mm Galvanised steel Register Plate with angle irons & flue collar	158mm collar 4706158A	<b>£124.95</b>

Product Description	Diameter	Part No.	Price
	<b>Register Plate 813 x 380mm Single Door with Angles</b>	125 / 150mm 47RPSD	<b>£78.57</b>
	2mm Galvanised steel Register Plate with single door access including angle irons		
	<b>Register Plate 1066 x 380mm Dual Door with Angles</b>	125 / 150mm 47RPDD	<b>£103.57</b>
	2mm Galvanised steel Register Plate with dual door access either side including angle irons		
	<b>Register Plate 1230 x 600mm Dual Door with Angles</b>	125 / 150mm 47RPDDXL	<b>£132.14</b>
	2mm Galvanised steel Register Plate with dual door access either side including angle irons		
	<b>Angle Iron Supports 2 x 900mm 2 x 450mm</b>	ANGLE	<b>£25.89</b>
	Used for supporting Register Plate		
	<b>Long Angle Iron Support 1 x 1925mm</b>	47RPA	<b>£16.24</b>
	Used to support register plate		
	<b>Register Plate Plain 1250x833mm</b>	47RPP	<b>£90.50</b>
	1.5mm galvanised steel without doors or cut outs		
	<b>Register Plate Plain 600x600mm</b>	47PRP600	<b>£31.25</b>
	1.5mm galvanised steel without doors or cut outs		
	<b>Register Plate Plain 1200x1100mm</b>	47PRP1200	<b>£130.36</b>
	1.5mm galvanised steel without doors or cut outs		
	<b>Register Plate Plain 1250x833mm with Angles</b>	47RPPL	<b>£122.90</b>
	1.5mm galvanised steel without doors or cut outs		
	<b>Register Plate Split Collar</b>	125mm 1305060	<b>£51.35</b>
	Used to clamp around stove pipe when going through a register plate	150mm 1306060	<b>£51.35</b>

Product Description	Diameter	Part No.	Price
<b>Fireside Accessories</b>			
 <b>Colour Change Moisture Meter</b> Use to measure the moisture content in wood, below 20% before burning is advised to reduce tar build up. Screen changes colour to indicate if wood is suitable for burning		69MMCC	£11.90
 <b>My Stove Fan</b> Used to help circulate warm air when placed on a lit appliance – 2 blade fan		69MSF	£16.50
 <b>PremiAir 4 Blade Fan</b> Used to help circulate warm air when placed on a lit appliance – for optimum airflow, suitable for medium / large rooms 199mm high		69PA4	£32.50
 <b>Vanquish Stove Fan</b> Used to help circulate warm air when placed on a lit appliance – for maximum output suiting very large rooms, 250mm high		69VANQ	£40.00
 <b>Stove Thermometer</b> Magnetic thermometer can fit to stove or single wall flue pipe  Comes with wire fixing for non magnetic pipe.		THERM	£4.60
 <b>Fire Lighter Drum (100)</b> 100 Individually sealed firelighters		FL	£4.00
 <b>Stove Glass Cleaner</b> Non-flammable alkali based solvent used to clean appliance door glass.		69GCS	£4.00
 <b>Metal Cleaning Fluid</b> Effective against grease and grime, supplied in a spray bottle	500ml	69MCF	£2.50
 <b>Glass Cleaning Paste</b> Deep cleaning glass scrub	250ml	69GCP	£3.50

Product Description	Diameter	Part No.	Price
 <b>Fireside Tidy / Carry Case</b> Made of steel with a black finish this tidy can be used to transfer ashes to be disposed of after cleaning or used for storage of fireside accessories		69FST	£19.70
 <b>Ash Vac</b> Used to vacuum ashes from wood, solid fuel & pellet appliances		69AS	£37.20
 <b>Match Tidy</b> Made of steel with a black finish this tidy can be used to neatly store matches away		69MT	£4.88
 <b>Firelighter Tidy</b> Made of steel with a black finish this tidy can be used to neatly store away firelighters		69FLT	£7.20
 <b>Fireside Bucket</b> Firewood storage / transporting bucket		69FSB	£11.65
 <b>Carry &amp; Store</b> Foldable fabric store		69CS	£6.00
 <b>Heat Resistant Gloves</b> Elbow Length Protective Gloves with silicon rubber grips, Heat resistant up to 250°C		69GLOVE	£10.00
 <b>Protective Hearth Mat</b> Flame retardent protective mat	980 x 480mm	69PHM	£11.20
 <b>USB Lighter</b> flexible rechargeable lighter		69USBL	£6.50
 <b>Salisbury Glass 4 Piece Companion Set</b> Comprises of shovel, brush, tongs and poker with glass stand	680 x 250 x 130mm	69SGCS	£35.00

Product Description	Diameter	Part No.	Price
<b>Installation Essentials</b>			
 <b>Drill Bit For Self Tapping Screws 3.0mm</b>		DBSTS	<b>£8.44</b>
 <b>4mm Stainless Steel Rivets</b>	Bag of 25	SPR	<b>£4.55</b>
 <b>Cobalt Drill Bit To Suit Rivets 4.1mm</b>		CDB	<b>£8.44</b>
 <b>Flat Adhesive Glass Fibre Tape (per metre)</b> Provides a seal on appliance doors and joints between pipes & appliances	12mm	9912223	<b>£1.53</b>
	25mm	9925223	<b>£2.54</b>
 <b>Glass Fibre Cord (per metre)</b> Used to provide a tight joint between flue pipes and appliance outlets	6mm	9906222	<b>£0.85</b>
	12mm	9912222	<b>£1.78</b>
	25mm	9925222	<b>£10.15</b>
 <b>High Temperature Rope Adhesive</b> Used to adhere rope seal	70ml	5500126	<b>£10.13</b>
 <b>Carbon Monoxide Alarm (7 year life)</b> Sealed battery 7 year life battery Carbon Monoxide alarm		85C07B	<b>£15.00</b>
 <b>Fire Cement</b> Used to seal around appliance outlet joints & for Vitreous Enamel to ensure smoke and gas tight joints.	1kg	8102115	<b>£4.49</b>
	2kg	8103115	<b>£8.94</b>
	5kg	8106115	<b>£21.90</b>
 <b>Black Fire Cement</b> Used to seal around appliance outlet joints & for Vitreous Enamel to ensure smoke and gas tight joints	1kg	8102116	<b>£5.52</b>
	2kg	8103116	<b>£9.60</b>
	5kg	8106116	<b>£25.60</b>
 <b>Heatseal Silicone Black</b> 250°C (300°C Intermittently)	310ml	5500734	<b>£16.34</b>
 <b>Heatseal Black XHT Sealant Adhesive</b> Up to 1250°C	310ml	5500766	<b>£10.49</b>
 <b>Cartridge Gun (For Heatseal Tubes)</b>		83GUN	<b>£4.71</b>
 <b>Data Plate</b> Installation information plate, building regulations require these to be completed for each install		DP	<b>£1.99</b>

Product Description	Diameter	Part No.	Price
 <b>M460 Air Meter Draft Gauge</b> Used to test flue draft		AIRMETER	<b>£83.99</b>
 <b>Matt Black Stove Paint Spray</b> Heat Resistant up to 600°C. Can be used on both coated and uncoated metal, but not vitreous enamel surfaces	400ml	PLPSP	<b>£5.50</b>
<b>BBQ</b>			
 <b>Charcoal BBQ Starter</b> Speeds up lighting a BBQ, made from durable aluminized steel	275 x 265 x 170mm	69CBS	<b>£6.50</b>
 <b>Portable BBQ</b> Foldable charcoal BBQ in stainless steel, 320x230mm cooking area		69BSPS	<b>£30.63</b>
 <b>BBQ Multi-Tool</b> The BBQ Multi-Tool has every utensil you need in one handy fold-up device, making it the perfect portable companion for cooking on the go.		69BPF	<b>£10.00</b>
 <b>BBQ Accessory Gift Set</b> Become the master of the grill with this set of BBQ accessories. Stainless steel shredding claws, a burger press, drumstick rack and a silicone brush.		69BAS	<b>£17.25</b>
 <b>Cocktail Multi-Tool</b> Tools include: Stirrer, Jigger 1 x 1fl ounce/30ml approx 1 x 0.5fl ounce/15ml approx, Muddler & Reamer, Strainer, Zester & Channel Knife, Corkscrew & Bottle Opener.		69CMT	<b>£8.99</b>