






# Woodburning / Multifuel

Vitreous Enamel Matt Black	<b>1.2</b>
Vitreous Enamel Gloss Black	<b>1.6</b>
Specvit – Matt Black Vitreous Enamel	<b>1.10</b>
Prima Smooth – Single Wall Stainless Steel	<b>1.12</b>
Schiedel UED – Twin Wall Connecting Flue Pipe	<b>1.15</b>
Flexible Flue Liner & Fittings	<b>1.16</b>
ICID Plus – Twin Wall Chimney System	<b>1.19</b>
ICID Plus Matt Black – Twin Wall Chimney System	<b>1.26</b>

# Vitreous Enamel Matt Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil




Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✓	1 Year












Product Description		Diameter	Part No.	Price
Adaptors				
	<b>Economy Adaptor To Flex Liner</b>	100mm	2504063	<b>£67.10</b>
	Enables connection to flexible liner  Liner pushes in to socket	125mm	2505063	<b>£72.83</b>
		150mm	2506063	<b>£77.06</b>
		175mm	2507063	<b>£99.47</b>
		200mm	2508063	<b>£86.88</b>
	<b>Increasing Adaptor To Flex Liner</b>	100 – 125mm	2505096	<b>£73.38</b>
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2506096	<b>£78.94</b>
	<b>Cut Length Adaptor</b>	100mm	2504097	<b>£64.00</b>
	Enables connection of cut vitreous lengths.  Replaces socket on the cut end	125mm	2505097	<b>£64.00</b>
		150mm	2506097	<b>£64.00</b>
		175mm	2507097	<b>£71.99</b>
		200mm	2508097	<b>£74.70</b>
	<b>Increasing Spun Adaptor</b>	100 – 125mm	2504081	<b>£61.75</b>
	Enables an increase in diameter of the vitreous length	125 – 150mm	2505081	<b>£62.75</b>
		150 – 175mm	2506081	<b>£66.98</b>
		175 – 200mm	2507081	<b>£82.01</b>
	<b>Tapered Adaptor</b>	100 – 125mm	2504090	<b>£76.86</b>
	Increases diameter by one step over 300mm taper	125 – 150mm	2505090	<b>£78.16</b>
		150 – 175mm	2506090	<b>£89.94</b>
		175 – 200mm	2507090	<b>£101.22</b>
	<b>Double Socket Adaptor</b>	100mm	2504603	<b>£60.81</b>
	Enables female to female end connection in one length	125mm	2505603	<b>£64.63</b>
		150mm	2506603	<b>£70.39</b>
		175mm	2507603	<b>£72.28</b>
		200mm	2508603	<b>£74.15</b>
	<b>Double Spigot Adaptor</b>	100mm	2504604	<b>£60.81</b>
	Enables male to male end connection in one length	125mm	2505604	<b>£64.63</b>
		150mm	2506604	<b>£70.39</b>
		175mm	2507604	<b>£72.28</b>
		200mm	2508604	<b>£74.15</b>
	<b>Continental Adaptor</b>	117– 125mm	2505094	<b>£72.39</b>
	Allows for continental appliance spigot sizes	135 – 150mm	2506094	<b>£76.24</b>

Product Description	Diameter	Part No.	Price	
Lengths				
	<b>150mm Straight Pipe</b>	125mm	2505006	£61.38
	Standard length 150mm	150mm	2506006	£73.07
	<b>300mm Straight Pipe</b> 260mm installed length	100mm	2504012	£56.77
		125mm	2505012	£66.68
		150mm	2506012	£78.88
		175mm	2507012	£90.34
		200mm	2508012	£105.29
	<b>300mm Straight Pipe With Door</b> Installed length 260mm with provision for inspection and cleaning	100mm	2504015	£81.27
		125mm	2505015	£91.23
		150mm	2506015	£103.31
		175mm	2507015	£114.85
		200mm	2508015	£129.86
	<b>500mm Straight Pipe</b> Installed length 460mm	125mm	2505009	£82.90
		150mm	2506009	£94.25
	<b>500mm Straight Pipe With Door</b> Installed length 460mm with provision for inspection and cleaning	125mm	2505011	£115.66
		150mm	2506011	£126.93
	<b>600mm Straight Pipe</b> Installed length 560mm	100mm	2504005	£81.67
		125mm	2505005	£82.90
		150mm	2506005	£94.25
		175mm	2507005	£109.38
		200mm	2508005	£125.38
	<b>600mm Straight Pipe With Door</b> Installed length 560mm with provision for inspection and cleaning	100mm	2504010	£113.33
		125mm	2505010	£115.66
		150mm	2506010	£126.93
		175mm	2507010	£142.14
		200mm	2508010	£158.00
	<b>900mm Straight Pipe</b> Installed length 860mm	100mm	2504003	£109.28
		125mm	2505003	£113.00
		150mm	2506003	£125.50
		175mm	2507003	£143.85
		200mm	2508003	£174.18




Product Description		Diameter	Part No.	Price
	<b>900mm Straight Pipe With Door</b> Installed length 860mm with provision for inspection and cleaning	100mm	2504004	£141.99
		125mm	2505004	£145.74
		150mm	2506004	£158.12
		175mm	2507004	£194.28
		200mm	2508004	£206.89
	<b>1000mm Straight Pipe</b> Installed length 960mm	125mm	2505002	£113.00
		150mm	2506002	£125.50
	<b>1000mm Straight Pipe With Door</b> Installed length 960mm with provision for inspection and cleaning	125mm	2505001	£145.74
		150mm	2506001	£158.12
	<b>1200mm Straight Pipe</b> Installed length 1160mm	100mm	2504007	£141.90
		125mm	2505007	£149.64
		150mm	2506007	£165.39
		175mm	2507007	£181.32
		200mm	2508007	£223.79
	<b>1200mm Straight Pipe With Door</b> Installed length 1160mm with provision for inspection and cleaning	100mm	2504014	£174.65
		125mm	2505014	£182.43
		150mm	2506014	£198.08
		175mm	2507014	£214.03
		200mm	2508014	£256.46
	<b>350 – 550mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths.	100mm	2504016	£113.46
		125mm	2505016	£133.26
		150mm	2506016	£147.37
		175mm	2507016	£180.80
		200mm	2508016	£210.59
	<b>600 – 900mm Adj Pipe With Door</b> Adjustable pipe used to achieve specific flue lengths  Provision for inspection and cleaning	100mm	2504017	£138.93
		125mm	2505017	£157.45
		150mm	2506017	£175.88
		175mm	2507017	£197.99
		200mm	2508017	£220.10
	<b>600 – 1020mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths	125mm	2505013	£137.61
		150mm	2506013	£155.84
	<b>900 – 1450mm Adj Pipe With Door</b> Adjustable pipe used to achieve specific flue lengths  Provision for inspection and cleaning	100mm	2504018	£230.95
		125mm	2505018	£259.74
		150mm	2506018	£276.78
		175mm	2507018	£326.92
		200mm	2508018	£360.35
	<b>900 – 1600mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths	125mm	2505018N	£231.22
		150mm	2506018N	£259.82
		175mm	2507018N	£279.29

Product Description		Diameter	Part No.	Price	
	<b>Damper Unit</b>	100mm	2504008	£106.26	
	Reduces the adverse effects of a strong flue up draught, 75mm installed length	125mm	2505008	£112.51	
		150mm	2506008	£123.90	
		175mm	2507008	£152.08	
Bends / Tees					
	<b>165° / 15° Mitred Bend</b>	100mm	2504025	£93.75	
	Enables angling of flue run if necessary	125mm	2505025	£105.70	
		150mm	2506025	£121.86	
		175mm	2507025	£143.85	
		200mm	2508025	£175.43	
	<b>165° / 15° Mitred Bend With Door</b>	100mm	2504027	£127.55	
	Enables angling of flue run if necessary	125mm	2505027	£140.98	
		150mm	2506027	£152.57	
		Provision for inspection and cleaning	200mm	2508027	£205.84
	<b>150° / 30° Mitred Bend</b>	100mm	2504024	£93.75	
	Enables angling of flue run if necessary	125mm	2505024	£105.70	
		150mm	2506024	£121.86	
		175mm	2507024	£143.85	
		200mm	2508024	£175.43	
	<b>150° / 30° Mitred Bend With Door</b>	100mm	2504026	£127.55	
	Enables angling of flue run if necessary	125mm	2505026	£140.98	
		150mm	2506026	£152.57	
		Provision for inspection and cleaning	175mm	2507026	£174.01
		200mm	2508026	£205.93	
	<b>135° / 45° Swept Bend</b>	125mm	2505022	£105.70	
	Enables angling of flue run if necessary	150mm	2506022	£121.86	
	<b>135° / 45° Swept Bend With Door</b>	125mm	2505020	£140.98	
	Enables angling of flue run if necessary	150mm	2506020	£152.57	
	<b>90° Swept Bend</b>	125mm	2505019	£123.59	
		Enables angling of flue run if necessary	150mm	2506019	£135.20
	<b>90° Swept Bend With Door</b>	125mm	2505021	£161.52	
	Enables angling of flue run if necessary	150mm	2506021	£173.78	
	<b>135°/45° Mitred Bend</b>	100mm	2504022	£93.75	
	Enables angling of flue run if necessary	175mm	2507022	£143.85	
		200mm	2508022	£175.43	
	<b>135°/45° Mitred Bend With Door</b>	100mm	2504020	£127.55	
	Enables angling of flue run if necessary. Provision for inspection and cleaning	175mm	2507020	£174.01	
		200mm	2508020	£205.93	

Product Description	Diameter	Part No.	Price
 <b>90° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2504019	£112.20
	175mm	2507019	£157.83
	200mm	2508019	£185.33
 <b>90° Mitred Bend With Door</b> Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2504021	£149.18
	175mm	2507021	£196.64
	200mm	2508021	£221.94
 <b>90° Bend with Debris Trap</b> Bend with debris trap and cap, for cleaning and inspection	125mm	2505021DT	£206.39
	150mm	2506021DT	£218.74
 <b>135° Long Tail Bend with Door</b> Used when the install requires a greater distance between the appliance and flue than usual  Door on short vertical section  Provides 480mm offset	125mm	2505122	£231.14
	150mm	2506122	£255.17
 <b>Offset Section</b> Enables connection of chimney to appliance without joints  100mm offset, 520mm installed length	125mm	2505028	£212.29
	150mm	2506028	£218.98
 <b>Offset Section with Door</b> 100mm Offset Section with door placed 250mm up from base  520mm installed length	125mm	2505029	£237.95
	150mm	2506029	£265.06
 <b>Adjustable Height Offset Section</b> 100mm Offset Section minimum installed height 415mm maximum 520mm	125mm	2505030	£272.06
	150mm	2506030	£312.22
 <b>90° Tee Without Cap (Type D)</b> Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2504043	£145.49
	125mm	2505043	£154.96
	150mm	2506043	£163.32
	175mm	2507043	£174.20
 <b>90° Stabiliser Tee (Type B)</b> Standard 90° tee with socket branch	200mm	2508043	£264.75
	100mm	2504042	£145.49
	125mm	2505042	£154.96
	150mm	2506042	£163.32
	175mm	2507042	£174.20
	200mm	2508042	£264.75

Product Description	Diameter	Part No.	Price
 <b>135° Tee Without Cap</b> Angled tee with branch spigot	100mm	2504044	£160.10
	125mm	2505044	£170.40
	150mm	2506044	£179.61
	175mm	2507044	£259.32
	200mm	2508044	£292.20
 <b>Tee Cap (Stainless Steel)</b> Enables closure of tee piece at bottom of system  Enables cleaning and inspection	100mm	2504053	£39.30
	125mm	2505053	£39.30
	150mm	2506053	£41.51
	175mm	2507053	£46.55
	200mm	2508053	£55.70
<b>Accessories</b>			
 <b>Maintenance Clip</b> Enables connection of cut lengths to provide a means of manual inspection and cleaning	100mm	2504508	£37.47
	125mm	2505508	£37.47
	150mm	2506508	£37.47
	175mm	2507508	£50.28
	200mm	2508508	£50.28
 <b>Painted Wall Band</b> Enables lateral support of vitreous pipe  Can be cut to requirements	125mm	2505067	£52.44
	150mm	2506067	£53.62
	175mm	2507067	£56.56
 <b>Enamel Pole Type Wall Band</b> Enables lateral support of vitreous pipe  Can be cut to requirements	100mm	2504088	£70.93
	125mm	2505088	£70.93
	150mm	2506088	£70.93
	175mm	2507088	£70.93
	200mm	2508088	£73.82
 <b>Ceiling Trim Ring</b> Fits around pipe as it enters ceiling or wall 1 piece	100mm	2504085	£36.75
	125mm	2505085	£36.75
	150mm	2506085	£36.75
	175mm	2507085	£48.01
	200mm	2508085	£48.01
 <b>45° Angled Trim Ring</b> Fits around pipe as it enters ceiling or wall at an angle 2 piece	100mm	2504085A	£80.13
	125mm	2505085A	£80.30
	150mm	2506085A	£91.06
	175mm	2507085A	£91.06
	200mm	2508085A	£95.45
 <b>Flush Trim Ring</b> Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	125mm	2505085F	£71.20
	150mm	2506085F	£79.99
 <b>Split Trim Ring</b> Fits around pipe as it enters ceiling or wall 2 piece	100mm	2504085S	£81.71
	125mm	2505085S	£84.41
	150mm	2506085S	£84.41
	175mm	2507085S	£85.79
	200mm	2508085S	£86.88
 <b>1D5 Gasket</b> MK1 Door Gasket for 125mm swept bend	125mm	2500104	£7.67
 <b>1D6 Gasket</b> MK1 Door Gasket for 150mm swept bend	150mm	2500105	£7.67

Product Description	Diameter	Part No.	Price
 <b>MK2 Gasket</b> 100 – 150mm Oval Door Gasket		2500107	£7.96
 <b>MK3 Gasket</b> 130 – 190mm Oval Door Gasket		2500108	£7.61
 <b>MK4 Gasket</b> 200 – 240mm Square Door Gasket		2500109	£7.96
 <b>105 Door – Matt Black</b> MK1 Replacement Swept Bend Door for 125mm	125mm	2505MK1	£16.26
 <b>106 Door – Matt Black</b> MK1 Replacement Swept Bend Door for 150mm	150mm	2506MK1	£22.88
 <b>MK2 Door – Matt Black</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2504MK2	£23.08
	125mm	2505MK2	£23.08
	150mm	2506MK2	£23.08
 <b>MK3 Door – Matt Black</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2505MK3	£23.08
	150mm	2506MK3	£23.08
	175mm	2507MK3	£23.08
	200mm	2508MK3	£23.08
 <b>MK4 Door – Matt Black</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2505MK4	£28.39
	150mm	2506MK4	£28.39
	175mm	2507MK4	£28.39
	200mm	2508MK4	£26.97
 <b>MK2 Door – Stainless Steel</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£9.78

Product Description	Diameter	Part No.	Price
 <b>MK3 Door – Stainless Steel</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£11.64
 <b>MK4 Door – Stainless Steel</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£13.63
 <b>8mm Universal Test Point</b> Can be retro fitted to allow draught reading to be taken		34UTP	£12.75



## Do you need?

Fire Cement, Glass Fibre Cord or Sealant Adhesive

See the Installation Essentials section on page 5.12





# Vitreous Enamel Gloss Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil












Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✓	1 Year






Product Description		Diameter	Part No.	Price
Adaptors				
	<b>Economy Adaptor To Flex Liner</b>	100mm	2304063	£67.10
	Enables connection to flexible liner  Liner pushes in to socket	125mm	2305063	£72.83
		150mm	2306063	£77.06
		175mm	2307063	£99.47
		200mm	2308063	£86.88
	<b>Increasing Adaptor To Flex Liner</b>	100 – 125mm	2305096	£73.38
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2306096	£78.94
	<b>Cut Length Adaptor</b>	100mm	2304097	£64.00
	Enables connection of cut vitreous lengths.	125mm	2305097	£64.00
		150mm	2306097	£64.00
		Replaces socket on the cut end	175mm	2307097
		200mm	2308097	£74.70
	<b>Increasing Spun Adaptor</b>	100 – 125mm	2304081	£61.75
	Enables an increase in diameter of the vitreous length	125 – 150mm	2305081	£62.75
		150 – 175mm	2306081	£66.98
			175 – 200mm	2307081
	<b>Tapered Adaptor</b>	100 – 125mm	2304090	£76.86
	Increases diameter by one step over 300mm taper	125 – 150mm	2305090	£78.16
		150 – 175mm	2306090	£89.94
			175 – 200mm	2307090
	<b>Double Socket Adaptor</b>	100mm	2304603	£60.81
	Enables female to female end connection in one length	125mm	2305603	£64.63
		150mm	2306603	£70.39
			200mm	2308603
	<b>Double Spigot Adaptor</b>	100mm	2304604	£60.81
	Enables male to male end connection in one length	125mm	2305604	£64.63
		150mm	2306604	£70.39
		175mm	2307604	£72.28
		200mm	2308604	£74.15

Product Description		Diameter	Part No.	Price
Lengths				
	<b>300mm Straight Pipe</b> 260mm installed length	100mm	2304012	<b>£56.77</b>
		125mm	2305012	<b>£66.68</b>
		150mm	2306012	<b>£78.88</b>
		175mm	2307012	<b>£90.34</b>
		200mm	2308012	<b>£105.29</b>
	<b>300mm Straight Pipe With Door</b> Installed length 260mm with provision for inspection and cleaning	100mm	2304015	<b>£81.27</b>
		125mm	2305015	<b>£91.23</b>
		150mm	2306015	<b>£103.31</b>
		175mm	2307015	<b>£114.85</b>
		200mm	2308015	<b>£129.78</b>
	<b>600mm Straight Pipe</b> Installed length 560mm	100mm	2304005	<b>£81.67</b>
		125mm	2305005	<b>£82.90</b>
		150mm	2306005	<b>£94.25</b>
		175mm	2307005	<b>£109.38</b>
		200mm	2308005	<b>£125.38</b>
	<b>600mm Straight Pipe With Door</b> Installed length 560mm with provision for inspection and cleaning	100mm	2304010	<b>£113.33</b>
		125mm	2305010	<b>£115.66</b>
		150mm	2306010	<b>£126.93</b>
		175mm	2307010	<b>£142.14</b>
		200mm	2308010	<b>£158.00</b>
	<b>900mm Straight Pipe</b> Installed length 860mm	100mm	2304003	<b>£109.28</b>
		125mm	2305003	<b>£113.00</b>
		150mm	2306003	<b>£125.50</b>
		175mm	2307003	<b>£143.85</b>
		200mm	2308003	<b>£174.18</b>
	<b>900mm Straight Pipe With Door</b> Installed length 860mm with provision for inspection and cleaning	100mm	2304004	<b>£141.99</b>
		125mm	2305004	<b>£145.74</b>
		150mm	2306004	<b>£158.12</b>
		175mm	2307004	<b>£194.28</b>
		200mm	2308004	<b>£206.89</b>
	<b>1200mm Straight Pipe</b> Installed length 1160mm	100mm	2304007	<b>£141.90</b>
		125mm	2305007	<b>£149.64</b>
		150mm	2306007	<b>£165.39</b>
		175mm	2307007	<b>£181.32</b>
		200mm	2308007	<b>£223.79</b>


Product Description	Diameter	Part No.	Price
 <b>1200mm Straight Pipe With Door</b> Installed length 1160mm with provision for inspection and cleaning	100mm	2304014	£174.65
	125mm	2305014	£182.43
	150mm	2306014	£198.08
	175mm	2307014	£214.03
	200mm	2308014	£256.46
 <b>350 - 550mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths.	100mm	2304016	£113.46
	125mm	2305016	£133.26
	150mm	2306016	£157.82
	175mm	2307016	£180.80
	200mm	2308016	£210.59
 <b>600 - 900mm Adj Pipe With Door</b> Adjustable pipe used to achieve specific flue lengths Provision for inspection and cleaning	100mm	2304017	£138.93
	125mm	2305017	£157.45
	150mm	2306017	£175.88
 <b>600 - 1020mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths	150mm	2306013	£137.61
 <b>900 - 1450mm Adj Pipe With Door</b> Adjustable pipe used to achieve specific flue lengths Provision for inspection and cleaning	150mm	2306018	£276.78
 <b>900 - 1600mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths	150mm	2306018N	£259.82
 <b>Damper Unit</b> Reduces the adverse affects of a strong flue up draught	100mm	2304008	£106.24
	125mm	2305008	£112.51
	150mm	2306008	£123.90
	175mm	2307008	£152.08
<b>Elbows / Tees</b>			
 <b>165° / 15° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304025	£93.75
	125mm	2305025	£105.70
	150mm	2306025	£121.86
 <b>165° / 15° Mitred Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304027	£127.55
	125mm	2305027	£140.98
	150mm	2306027	£152.57
 <b>150° / 30° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304024	£93.75
	125mm	2305024	£105.70
	150mm	2306024	£121.86
	175mm	2307024	£143.85
	200mm	2308024	£175.43

Product Description	Diameter	Part No.	Price
 <b>150° / 30° Mitred Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304026	£127.55
	125mm	2305026	£140.98
	150mm	2306026	£152.57
	175mm	2307026	£174.01
	200mm	2308026	£205.93
 <b>135° / 45° Swept Bend</b> Enables angling of flue run if necessary	125mm	2305022	£105.70
	150mm	2306022	£121.86
 <b>135° / 45° Swept Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	125mm	2305020	£140.98
	150mm	2306020	£152.57
 <b>90° Swept Bend</b> Enables angling of flue run if necessary	125mm	2305019	£123.59
	150mm	2306019	£135.20
 <b>90° Swept Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	125mm	2305021	£161.52
	150mm	2306021	£173.78
 <b>135°/45° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304022	£93.75
	175mm	2307022	£143.85
	200mm	2308022	£175.43
 <b>135°/45° Mitred Bend With Door</b> Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2304020	£127.55
	175mm	2307020	£174.01
	200mm	2308020	£205.93
 <b>90° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304019	£112.20
	175mm	2307019	£157.83
	200mm	2308019	£185.33
 <b>90° Mitred Bend With Door</b> Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2304021	£149.18
	175mm	2307021	£196.64
	200mm	2308021	£221.94
 <b>Offset Section</b> Enables connection of chimney to appliance without joints 100mm offset, 520mm installed length	100mm	2304028	£193.26
	125mm	2305028	£212.29
	150mm	2306028	£218.90
 <b>90° Tee Without Cap (Type D)</b> Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2304043	£145.49
	125mm	2305043	£154.96
	150mm	2306043	£163.32
	175mm	2307043	£174.20
	200mm	2308043	£264.75

Product Description	Diameter	Part No.	Price
 <b>90° Stabiliser Tee (Type B)</b> Standard 90° tee with socket branch	100mm	2304042	£145.49
	125mm	2305042	£154.96
	150mm	2306042	£163.29
	175mm	2307042	£174.20
	200mm	2308042	£264.75
 <b>135° Tee Without Cap</b> Angled tee with branch spigot	100mm	2304044	£160.10
	125mm	2305044	£170.40
	150mm	2306044	£179.61
	175mm	2307044	£259.32
 <b>Tee Cap (Stainless Steel)</b> Enables closure of tee piece at bottom of system Enables cleaning and inspection	100mm	2504053	£39.30
	125mm	2505053	£39.30
	150mm	2506053	£41.51
	175mm	2507053	£46.55
	200mm	2508053	£55.70
<b>Accessories</b>			
 <b>Painted Wall Band</b> Enables lateral support of vitreous pipe Can be cut to requirements	150mm	2306067	£52.65
 <b>Enamel Pole Type Wall Band</b> Enables lateral support of vitreous pipe Can be cut to requirements	100mm	2304088	£70.93
	125mm	2305088	£70.93
	150mm	2306088	£70.93
 <b>Ceiling Trim Ring</b> Fits around pipe as it enters ceiling or wall 1 piece	100mm	2304085	£36.75
	125mm	2305085	£36.75
	150mm	2306085	£36.75
	175mm	2307085	£48.01
	200mm	2308085	£48.01
 <b>45° Angled Trim Ring</b> Fits around pipe as it enters ceiling or wall at an angle 2 Piece	100mm	2304085A	£80.13
	125mm	2305085A	£80.30
	150mm	2306085A	£91.06
 <b>Flush Trim Ring</b> Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	100mm	2304085F	£77.62
	125mm	2305085F	£79.99
 <b>Split Trim Ring</b> Fits around pipe as it enters ceiling or wall 2 piece	100mm	2304085S	£81.71
	125mm	2305085S	£84.41
	150mm	2306085S	£84.41
	175mm	2307085S	£85.79
	200mm	2308085S	£86.88
 <b>1D5 Gasket</b> MK1 Door Gasket for 125mm swept bend	125mm	2500104	£7.67
 <b>1D6 Gasket</b> MK1 Door Gasket for 150mm swept bend	150mm	2500105	£7.67

Product Description	Diameter	Part No.	Price
 <b>MK2 Gasket</b> 100 – 150mm Oval Door Gasket		2500107	£7.96
 <b>MK3 Gasket</b> 130 – 190mm Oval Door Gasket		2500108	£7.61
 <b>MK4 Gasket</b> 200 – 240mm Square Door Gasket		2500109	£7.96
 <b>MK2 Door – Stainless Steel</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£9.78
 <b>MK3 Door – Stainless Steel</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£11.64
 <b>MK4 Door – Stainless Steel</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£13.63
 <b>1D5 Door – Gloss Black</b> MK1 Replacement Swept Bend Door for 125mm	125mm	2305MK1	£16.26
 <b>1D6 Door – Gloss Black</b> MK1 Replacement Swept Bend Door for 150mm	150mm	2306MK1	£22.88
 <b>MK2 Door – Gloss Black</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2304MK2	£23.08
	125mm	2305MK2	£23.08
	150mm	2306MK2	£23.08
 <b>MK3 Door – Gloss Black</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2305MK3	£23.08
	150mm	2306MK3	£23.08
	175mm	2307MK3	£23.08
	200mm	2308MK3	£22.00
 <b>MK4 Door – Gloss Black</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2305MK4	£28.39
	150mm	2306MK4	£28.39
	175mm	2307MK4	£28.39
	200mm	2308MK4	£26.97
 <b>8mm Universal Test Point</b> Can be retro fitted to allow draught reading to be taken		34UTP	£12.75




Premier Vitreous Enamelled  
Mitred Bend Dimensions


15 / 165° Elbow					
Diameter	100	125	150	175	200
A	100	114	100	153	159
B	143	156	150	193	197
C	60	70	89	184	100
D	492	543	518	718	732

30 / 150° Elbow					
Diameter	100	125	150	175	200
A	137	88	82	128	121
B	140	137	140	179	185
C	130	127	134	190	165
D	554	453	438	638	624

90° Elbow		
Diameter	175	200
A	160	185
B	195	220
C	350	405
D	385	440

45 / 135° Elbow		
Diameter	175	200
A	135	140
B	165	175
C	215	220
D	530	570

Premier Vitreous Enamelled  
Swept Bend Dimensions


90° Elbow			
Diameter	100	125	150
A	115	140	165
B	150	170	195
C	265	320	365
D	300	320	365







45 / 135° Elbow			
Diameter	100	125	150
A	109	65	80
B	145	95	110
C	180	110	137
D	468	285	330

# Specvit

**Suitable for:** Woodburning, Solid Fuel, Gas & Oil

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	0.9mm Mild Steel, 1 Coat Enamel	N/A	Pennine	✓	1 Year

Product Description	Diameter	Part No.	Price
<b>Adaptors</b>			
	<b>Double Socket Adaptor</b> Enables female to female end connection	125mm 2105603	<b>£40.64</b>
		150mm 2106603	<b>£41.87</b>
	<b>Double Spigot Adaptor</b> Enables male to male end connection	125mm 2105604	<b>£40.64</b>
		150mm 2106604	<b>£41.87</b>
<b>Lengths</b>			
	<b>Length 250mm</b> 205mm installed length	125mm 2105012	<b>£41.73</b>
		150mm 2106012	<b>£43.02</b>
	<b>Length 500mm</b> 455mm installed length	125mm 2105009	<b>£54.26</b>
		150mm 2106009	<b>£55.83</b>
	<b>Length 1000mm</b> 955mm installed length	125mm 2105002	<b>£83.49</b>
		150mm 2106002	<b>£85.95</b>
	<b>Length 330mm c/w Soot Door</b> 285mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105015	<b>£97.47</b>
		150mm 2106015	<b>£100.67</b>
	<b>Length 500mm c/w Soot Door</b> 455mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105011	<b>£103.59</b>
		150mm 2106011	<b>£106.17</b>

Product Description	Diameter	Part No.	Price
	<b>Length 1000mm c/w Soor Door</b> 955mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105001	<b>£132.87</b>
		150mm 2106001	<b>£138.11</b>
	<b>Damper Unit</b> Reduces the adverse affects of a strong flue up draught, 205mm installed length	125mm 2105008	<b>£110.20</b>
		150mm 2106008	<b>£122.21</b>
	<b>Adjustable Length 1 Piece Max 275mm</b> Telescopic length used to extend a standard length up to 275mm	125mm 2105016	<b>£94.20</b>
		150mm 2106016	<b>£102.39</b>
	<b>Offset Section</b> 100mm offset in a one piece 515mm installed length	125mm 2105028	<b>£211.41</b>
		150mm 2106028	<b>£218.04</b>
	<b>Offset Section with Door</b> 100mm offset in a one piece 515mm installed length with access door (271mm up from base)	125mm 2105029	<b>£260.20</b>
		150mm 2106029	<b>£272.40</b>
	<b>Adjustable Offset Section</b> 100mm offset one piece 395mm installed length, used with another fixed length to telescope with	125mm 2105030	<b>£263.13</b>
		150mm 2106030	<b>£276.63</b>


## Did you know?

Specvit now comes in super matt black as standard

#designedtobebetter

Product Description	Diameter	Part No.	Price
<b>Elbows / Tees</b>			
 <b>30° Bend No Door</b> Used for changing flue direction	125mm	2105024	<b>£86.23</b>
	150mm	2106024	<b>£89.00</b>
 <b>45° Bend No Door</b> Used for changing flue direction	125mm	2105022	<b>£86.23</b>
	150mm	2106022	<b>£89.00</b>
 <b>45° Bend c/w Soot Door</b> Used for changing flue direction with provision for inspection and cleaning	125mm	2105020	<b>£135.70</b>
	150mm	2106020	<b>£144.04</b>
 <b>90° Bend No Door</b> Used for changing flue direction	125mm	2105019	<b>£86.23</b>
	150mm	2106019	<b>£88.70</b>
 <b>90° Bend c/w Soot Door</b> Used for changing flue direction with provision for inspection and cleaning	125mm	2105021	<b>£135.33</b>
	150mm	2106021	<b>£143.66</b>
 <b>90° Tee Piece</b> Enables connection at rear of appliance with horizontal connection Cap included	125mm	2105043	<b>£182.15</b>
	150mm	2106043	<b>£183.88</b>

### Specvit Mitred Bend Dimensions



<b>30° Elbow</b>		
Diameter	125mm	150mm
A	63	90
B	83	130
C	73	90
D	273	381

<b>45° Elbow</b>		
Diameter	125mm	150mm
A	105	110
B	120	150
C	122	140
D	336	383

<b>90° Elbow</b>		
Diameter	125mm	150mm
A	75	110
B	165	175
C	303	357
D	348	402



## ? Did you know?

Specvit is friction fit so only needs fire cement or sealant adhesive used at the appliance connection








#designedtobebetter

# Prima Smooth














**Suitable for:** Woodburning, Solid Fuel, Gas & Oil









**Designation Number:** Connecting pipe: T600 N1 W V2 L50060 G / Liner: T600 N1 DV2 L50060 G

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1mm Stainless Steel	N/A	Schiedel	✓	10 years

Product Description		Diameter	Part No.	Price
Adaptors				
	<b>Increaser</b> Adaptor used to increase flue diameter	100 – 125mm	1905081	<b>£48.93</b>
		125 – 150mm	1906081	<b>£48.93</b>
		150 – 180mm	1907081	<b>£62.14</b>
		180 – 200mm	1908081	<b>£66.73</b>
	<b>Appliance Connector</b> Allows connection from appliance outlet to flue pipe	123– 125mm	1905094	<b>£56.45</b>
		128– 125mm	1905095	<b>£56.45</b>
		148– 150mm	1906094	<b>£57.65</b>
		153– 150mm	1906095	<b>£33.39</b>
		178– 180mm	1907094	<b>£73.35</b>
		183– 180mm	1907095	<b>£44.49</b>
		198– 200mm	1908094	<b>£78.74</b>
		203 – 200mm	1908095	<b>£47.26</b>
	<b>1000mm Swaged Starter Pipe</b> Starter pipe with swage 40mm from base	123 – 125mm	1905003	<b>£129.11</b>
		148 – 150mm	1906003	<b>£137.54</b>
	<b>500mm Swaged Starter Pipe</b> Starter pipe with swage 40mm from base	123 – 125mm	1905006	<b>£83.73</b>
		148 – 150mm	1906006	<b>£88.37</b>
	<b>250mm Swaged Starter Pipe</b> Starter pipe with swage 40mm from base	123 – 125mm	1905013	<b>£49.69</b>
		148 – 150mm	1906013	<b>£54.42</b>
Lengths				
	<b>1000mm Length (950mm Effective)</b> Standard straight flue pipe	125mm	1905002	<b>£111.23</b>
		150mm	1906002	<b>£115.68</b>
		180mm	1907002	<b>£151.81</b>
		200mm	1908002	<b>£191.19</b>
	<b>950mm Inspection Pipe (New)</b> Flue pipe with door for inspection access located in middle	125mm	1905004NEW	<b>£164.62</b>
		150mm	1906004NEW	<b>£177.96</b>
		180mm	1907004NEW	<b>£253.01</b>
		200mm	1908004NEW	<b>£268.20</b>

Product Description	Diameter	Part No.	Price
	<b>500mm Length (450mm Effective)</b> Standard straight flue pipe	125mm	1905005 <b>£80.06</b>
		150mm	1906005 <b>£84.54</b>
		180mm	1907005 <b>£105.64</b>
		200mm	1908005 <b>£126.54</b>
	<b>450mm Inspection Pipe</b> Flue pipe with door for inspection access located in middle	125mm	1905010NEW <b>£115.68</b>
		150mm	1906010NEW <b>£124.56</b>
		180mm	1907010NEW <b>£159.36</b>
		200mm	1908010NEW <b>£166.97</b>
	<b>250mm Length (200mm Effective)</b> Standard straight flue pipe	125mm	1905012 <b>£44.49</b>
		150mm	1906012 <b>£44.49</b>
		180mm	1907012 <b>£65.78</b>
		200mm	1908012 <b>£70.94</b>
	<b>250mm Inspection Pipe</b> Flue pipe with door for inspection access	125mm	1905011 <b>£97.88</b>
		150mm	1906011 <b>£106.76</b>
		180mm	1907011 <b>£122.36</b>
		200mm	1908011 <b>£127.90</b>
	<b>500mm Adjustable Pipe (1 Piece) Max Adj. 370mm</b> One piece pipe used to adjust the length of existing pipe inc locking band	125mm	1905015 <b>£119.55</b>
		150mm	1906015 <b>£139.03</b>
		180mm	1907015 <b>£144.59</b>
		200mm	1908015 <b>£150.15</b>
	<b>Lowering Pipe</b> Can be used to lower pipe down tall shaft / stack when being used as a chimney liner	125mm	1905008 <b>£108.44</b>
		150mm	1906008 <b>£116.78</b>
		180mm	1907008 <b>£122.36</b>
		200mm	1908008 <b>£133.47</b>
	<b>200mm Adjustable Pipe (1 Piece) Max Adj. 70mm</b> One piece pipe used to adjust the length of existing pipe inc locking band	125mm	1905009 <b>£63.19</b>
		150mm	1906009 <b>£66.78</b>
		180mm	1907009 <b>£69.50</b>
		200mm	1908009 <b>£72.30</b>
	<b>Cover Band</b> Used to provide an aesthetic finish to the joint from a cut down length	125mm	1905999 <b>£13.21</b>
		150mm	1906999 <b>£13.21</b>
	<b>Probe Length</b> 450mm flue pipe with test point	125mm	1905014 <b>£82.52</b>
		150mm	1906014 <b>£87.26</b>
		180mm	1907014 <b>£103.01</b>
		200mm	1908014 <b>£109.43</b>

Product Description	Diameter	Part No.	Price
<b>Elbows / Tees</b>			
	<b>0 – 90° Adjustable Bend</b>	125mm 1905021	£122.36
	Rotating segmented bend to allow changeable angles	150mm 1906021	£133.47
		180mm 1907021	£135.14
		200mm 1908021	£151.81
	<b>90° Fixed Bend</b>	125mm 1905028	£80.07
	Used for changing flue direction	150mm 1906028	£84.54
		180mm 1907028	£108.44
		200mm 1908028	£125.13
	<b>90° Fixed Inspection Bend (Access Door)</b>	125mm 1905029	£124.56
	Used for changing flue direction with added access door	150mm 1906029	£133.47
		180mm 1907029	£177.96
		200mm 1908029	£191.86
	<b>45° Fixed Bend</b>	125mm 1905022	£62.29
	Used for changing flue direction	150mm 1906022	£66.73
		180mm 1907022	£91.10
		200mm 1908022	£116.37
	<b>45° Fixed Inspection Bend (Access Door)</b>	125mm 1905020	£111.23
	Used for changing flue direction with added access door	150mm 1906020	£115.68
		180mm 1907020	£155.69
		200mm 1908020	£161.26
	<b>0 – 45° Adjustable Bend</b>	125mm 1905026	£86.05
	Rotating segmented bend to allow changeable angles	150mm 1906026	£91.10
		180mm 1907026	£106.18
		200mm 1908026	£116.37
	<b>45° Integral Offset Section 50mm</b>	125mm 1905128	£87.84
	300mm high one piece offset	150mm 1906128	£110.19
	<b>45° Integral Offset Section 100mm</b>	125mm 1905129	£89.48
	300mm high one piece offset	150mm 1906129	£110.49
	<b>30° Fixed Bend</b>	125mm 1905023	£62.29
	Used for changing flue direction	150mm 1906023	£66.73
		180mm 1907023	£91.10
		200mm 1908023	£116.37
	<b>30° Fixed Inspection Bend (Access Door)</b>	125mm 1905024	£111.23
	Used for changing flue direction with added access door	150mm 1906024	£115.68
		180mm 1907024	£155.69
		200mm 1908024	£161.26
	<b>15° Fixed Bend</b>	125mm 1905025	£62.28
	Used for changing flue direction	150mm 1906025	£66.73
		180mm 1907025	£91.10
	<b>90° Tee Without Tee Cap</b>	125mm 1905043	£106.76
	Used for rear flue outlet or for draught stabiliser location on branch	150mm 1906043	£111.23
		180mm 1907043	£152.92
		200mm 1908043	£166.97
	<b>135° Tee Without Tee Cap</b>	125mm 1905044	£253.59
	Used to connect at 45° angle from outlet	150mm 1906044	£266.94
		180mm 1907044	£355.90
		200mm 1908044	£378.16

Product Description	Diameter	Part No.	Price
	<b>Wrap Around Door</b>	125mm 1905107	£58.58
	Used when creating access in flue pipe or replacement for inspection pipe door with clip fastening	150mm 1906107	£64.85
		180mm 1907107	£68.97
		200mm 1908107	£91.26
	<b>Tee Cap</b>	125mm 1905053	£33.92
	For use on base of tee	150mm 1906053	£40.03
	Locking band recommended to fasten	180mm 1907053	£45.90
		200mm 1908053	£50.05
<b>Support Components</b>			
	<b>Wall Band 60mm</b>	125mm 1905088	£36.25
	Lateral support for flue pipe to wall or other surface	150mm 1906088	£37.28
		180mm 1907088	£39.39
		200mm 1908088	£39.39
	<b>Wall Band 300mm Adjustable</b>	125mm 1905067	£93.39
	Extended lateral support for flue pipe to wall or other surface	150mm 1906067	£98.02
		180mm 1907067	£100.15
		200mm 1908067	£100.15
	<b>Support Plate</b>	125mm 1905027	£278.05
	Can be used in conjunction with cantilevers to use as a wall support	150mm 1906027	£291.94
		180mm 1907027	£305.84
		200mm 1908027	£333.66
	<b>Cantilever Support</b>	Type 325 0600004	£158.76
	Used in conjunction with Support Plate to create a wall support	Type 475 0600005	£170.96
		Type 570 0600006	£219.81
	<b>Locking Band</b>	125mm 1905086	£29.21
	Used to provide extra support when an offset is in the system or to secure joints when being lowered into a chimney stack as a liner.	150mm 1906086	£29.21
		180mm 1907086	£34.79
		200mm 1908086	£34.79
	<b>Adjustable Pipe Locking Band</b>	125mm 1905087	£42.89
	Provides joint integrity on adjustable pipes	150mm 1906087	£44.47
		180mm 1907087	£46.98
		200mm 1908087	£108.45



## Do you need?

Self Tapping Screws  
or Rivets


**See the Installation  
Essentials section  
on page 5.12**





Product Description	Diameter	Part No.	Price
<b>Terminals / Flashings</b>			
 <b>Rain Cap</b> Used in conjunction with the Expansion Joint (19**087) at the top of an existing masonry stack when Prima Smooth is used as a liner	125mm	1905074	<b>£101.20</b>
	150mm	1906074	<b>£111.31</b>
	180mm	1907074	<b>£121.44</b>
	200mm	1908074	<b>£126.54</b>
 <b>Adaptor to Eco ICID</b> Adaptor designed to exclusively slide into the female top of Prima Smooth when using ICID twinwall above	125mm	1905063	<b>£66.73</b>
	150mm	1906063	<b>£71.27</b>
	180mm	1907063	<b>£88.98</b>
	200mm	1908063	<b>£97.31</b>
 <b>Adaptor to Tecnoflex</b> Prima Smooth to flexible flue liner (plain end style)	125mm	1905090	<b>£44.49</b>
	150mm	1906090	<b>£44.49</b>
	180mm	1907090	<b>£97.31</b>
	200mm	1908090	<b>£97.31</b>
 <b>Adjustable Flashing 5 – 45°</b> Aluminium adjustable pitch flashing complete with storm collar	125mm	1905035	<b>£144.04</b>
	150mm	1906035	<b>£146.41</b>
	180mm	1907035	<b>£168.46</b>
	200mm	1908035	<b>£184.92</b>
 <b>Flat Flashing</b> Aluminium flat roof flashing complete with storm collar	125mm	1905038	<b>£140.20</b>
	150mm	1906038	<b>£142.73</b>
	180mm	1907038	<b>£164.08</b>
	200mm	1908038	<b>£184.92</b>
 <b>Storm Collar</b> Storm collar provides protection from water ingress	125mm	1905041	<b>£61.67</b>
	150mm	1906041	<b>£65.82</b>
	180mm	1907041	<b>£66.03</b>
	200mm	1908041	<b>£68.37</b>
 <b>8mm Universal Test Point</b> Can be retro fitted to allow draught reading to be taken		34UTP	<b>£12.75</b>

## Prima Smooth Mitred Bend Dimensions



<b>30° Elbow</b>				
Diameter	125	150	180	200
A	50	50	50	50
B	98	98	98	98
C	74	74	74	74
D	276	276	276	276

<b>45° Elbow</b>				
Diameter	125	150	180	200
A	73	73	73	73
B	122	122	122	122
C	138	138	138	138
D	333	333	333	333

<b>90° Elbow</b>				
Diameter	125	150	180	200
A	131	131	134	134
B	190	190	184	184
C	338	331	336	336
D	338	331	336	336









# Schiedel UED

**Suitable for:** Woodburning, Solid Fuel, Gas & Oil








**Designation Number:** T400 N1 D V3 L50040 G200

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓	✗	✗	200mm	0.4mm 316/304	Air Gap – 7.5mm	Ontop	✗	2 years

Product Description	Diameter	Part No.	Price
<b>Starting Components</b>			
	<b>Appliance Adaptor UEDAS</b> 70mm Installed length with 149mm diameter spigot	130mm 1705094	<b>£98.69</b>
		150mm 1706094	<b>£109.18</b>
<b>Lengths</b>			
	<b>250mm Pipe UED 25</b> 200mm Installed length	130mm 1705012	<b>£116.96</b>
		150mm 1706012	<b>£117.06</b>
	<b>500mm Pipe UED 50</b> 450mm Installed length	130mm 1705005	<b>£148.39</b>
		150mm 1706005	<b>£150.08</b>
	<b>1000mm Pipe UED100</b> 960mm Installed length	130mm 1705002	<b>£198.19</b>
		150mm 1706002	<b>£206.62</b>
	<b>Adjustable Pipe UEDPP</b> Adjust between 70mm – 250mm installed length	130mm 1705015	<b>£116.96</b>
		150mm 1706015	<b>£218.41</b>

Product Description	Diameter	Part No.	Price
<b>Elbows</b>			
	<b>45° Elbow UEDB45</b> Used for change of flue direction	130mm 1705022	<b>£93.04</b>
		150mm 1706022	<b>£173.61</b>
<b>Support / Penetration Components</b>			
	<b>Mounting Band UEEB</b> Lateral support for flue pipe back to wall	130mm 1705088	<b>£24.33</b>
		150mm 1706088	<b>£28.23</b>
	<b>Rosette Smooth Trim Collar UEDR</b> Fits around pipe as it enters ceiling or wall	130mm 1705108	<b>£37.19</b>
		150mm 1706108	<b>£40.48</b>

# Flex & Fittings

Product Description	Diameter	Part No.	Price
<b>Tecnoflex</b>			
	<b>316 Tecnoflex Plus Liner (per metre)</b>	125mm 9705111	<b>£162.27</b>
	Twin skinned 316L grade stainless steel flexible liner	155mm 9706111	<b>£227.27</b>
		180mm 9707111	<b>£272.73</b>
		200mm 9708111	<b>£309.10</b>
Lifetime warranty T450 N1 W V2 L50012 G			
	<b>904 Tecnoflex Plus Liner (per metre)</b>	125mm 9205904R	<b>£261.45</b>
	Twin skinned 904L grade stainless steel flexible liner	155mm 9206904R	<b>£315.87</b>
		180mm 9207904R	<b>£359.10</b>
		200mm 9208904R	<b>£411.84</b>
25 year warranty T450 N1 W V2 L70012 G			
<b>Tecnoflex Fittings</b>			
	<b>Adaptor to Tecnoflex (screw / twist on)</b>	125mm 1305090RV	<b>£43.50</b>
	Adaptor to connect between connecting flue pipe and Tecnoflex 316 or 904L liner	155mm 1306090RV	<b>£50.70</b>
		180mm 1307090RV	<b>£57.97</b>
		200mm 1308090RV	<b>£65.22</b>
	Sealant not required on high temperature applications.	100 – 125mm 1305097RV	<b>£61.97</b>
		125 – 155mm 1306097RV	<b>£69.49</b>
		155 – 180mm 1307097RV	<b>£68.03</b>
		180 – 200mm 1308097RV	<b>£75.30</b>
	<b>Nose Cone (screw / twist on for tecnoflex)</b>	125mm 9505105S	<b>£43.20</b>
	Lightweight nose cone used to help pull the liner down the stack.	155mm 9506105S	<b>£43.19</b>
		180mm 9507105S	<b>£43.20</b>
		200mm 9508105S	<b>£43.20</b>
	<b>Pot Hanger (screw / twist on for tecnoflex)</b>	125mm 9505041RV	<b>£106.71</b>
	Screw fit fastening on to top of liner used to hang liner from the chimney pot (up to 15m)	155mm 9506041RV	<b>£109.80</b>
	<b>Pot Hanger and Terminal (screw / twist on for tecnoflex)</b>	125mm 9505040RV	<b>£191.09</b>
	Screw fit fastening on to top of liner used to hang liner from the chimney pot with rain cap terminal attached (up to 15m)	155mm 9506040RV	<b>£203.83</b>
	<b>Joiner (screw / twist on for tecnoflex)</b>	125mm 9505100S	<b>£79.70</b>
	Used to join two pieces of tecnoflex liner together.	155mm 9506100S	<b>£86.95</b>
		180mm 9507100S	<b>£94.21</b>
		200mm 9508100S	<b>£101.45</b>

## Did you know?

316 Tecnoflex now comes with a lifetime guarantee.

#designedtobebetter

### Screw Fit Illustration


















Image courtesy of Schiedel

Product Description	Diameter	Part No.	Price
<b>Specflex</b>			
	<b>316 Specflex (per metre)</b>	125mm 9805111	<b>£82.93</b>
	Twin skinned 316L grade stainless steel flexible liner	155mm 9806111	<b>£103.66</b>
		180mm 9807111	<b>£165.87</b>
		200mm 9808111	<b>£186.60</b>
10 year warranty T600 N1 W V2 L50012 G			
	<b>904 Specflex (per metre)</b>	125mm 9305904	<b>£184.29</b>
	Twin skinned 904L grade stainless steel flexible liner	155mm 9306904	<b>£230.37</b>
		180mm 9307904	<b>£368.56</b>
		200mm 9308904	<b>£414.66</b>
25 year warranty T600 N1 W V2 L70012 G			

Product Description		Diameter	Part No.	Price
Universal Fittings				
	<b>Top Plate</b> 375mm² top plate used with top clamp to support liner on top of brick stack	100mm	9504113	£69.56
		125mm	9505113	£65.34
		155mm	9506113	£65.52
		180mm	9507113	£65.52
		200mm	9508113	£65.52
	<b>Top Clamp</b> Used with top plate to support liner on top of brick stack	100mm	9504114	£40.92
		125mm	9505114	£41.62
		155mm	9506114	£41.62
		180mm	9507114	£60.41
		200mm	9508114	£60.41
	<b>Top Insert</b> Used to protect the top of the liner 194mm high	100mm	9504101	£40.10
		125mm	9505101	£40.10
		155mm	9506101	£43.72
		180mm	9507101	£51.08
		200mm	9508101	£65.66
	<b>Top Insert 1000mm Long</b> Used to protect the top of the liner with longer length	125mm	9505101E	£144.48
		155mm	9506101E	£160.60
		180mm	9507101E	£225.15
		200mm	9508101E	£188.88
	<b>Adaptor to Flex (1mm Thick)</b> Pushfit adaptor from connecting flue to flexible liner	100mm	1304090	£66.86
		125mm	1305090	£66.86
		155mm	1306090	£66.86
		180mm	1307090	£86.75
		200mm	1308090	£89.36
	<b>Adaptor to Flex (Extended)</b> Pushfit adaptor from connecting flue to flexible liner with 195mm tail	125mm	1305090T	£91.22
		155mm	1306090T	£100.38
		180mm	1307090T	£127.79
		200mm	1308090T	£141.49
	<b>Increasing Adaptor to Flex</b> Pushfit adaptor from connecting flue to flexible liner allowing an increase in diameter	100 – 125mm	1305097	£100.55
		100 – 150mm	1306096	£139.66
		125 – 155mm	1306097	£100.55
		155 – 180mm	1307097	£118.27
		180 – 200mm	1308097	£118.27
	<b>Register Plate Adaptor to Flex</b> 300mm² Plate with pushfit adaptor	125mm	1305065	£150.37
		155mm	1306065	£158.56
		180mm	1307065	£183.67
		200mm	1308065	£196.57
	<b>Increasing Register Plate Adaptor to Flex (300mm SQ Plate)</b> 300mm² plate with pushfit adaptor allowing an increase in diameter	100 – 125mm	1305066	£214.88
		125 – 155mm	1306066	£158.56
		155 – 180mm	1307066	£183.67
		180 – 200mm	1308066	£196.57


Product Description	Diameter	Part No.	Price	
	<b>Register Plate Slip Adaptor</b> 300mm <sup>2</sup> plate with pushfit adaptor	125mm	1305063	£118.11
	Underside allows connecting pipe to slip into the adaptor for a neat finish	155mm	1306063	£123.94
	<b>Bottom Support Bracket</b> Used to fasten the liner to the wall of the masonry chimney to prevent lateral movement	125mm	9505028	£59.39
		155mm	9506028	£62.63
		180mm	9507028	£65.93
		200mm	9508028	£65.93
	<b>Rain Cap (Top Insert Required)</b> Used to help prevent excess water entering the chimney	125mm	9505074	£93.35
		155mm	9506074	£106.31
		180mm	9507074	£115.04
		200mm	9508074	£124.87
	<b>Pot Hanger</b> Easyfit fastening to top of liner used to hang liner from the chimney pot	100mm	9504041	£89.87
		125mm	9505041	£90.83
		155mm	9506041	£98.45
		180mm	9507041	£102.32
		200mm	9508041	£106.90
	<b>Pot Hanging Cowl – S/S Terracotta</b> All in one liner hanger from pot with rain & birdguard attached	125mm	3505001	£197.16
		155mm	3506001	£197.16
		180mm	3507001	£197.16
	<b>Pot Hanging Cowl – S/S Buff</b> All in one liner hanger from pot with rain & birdguard attached	125mm	3505001B	£197.16
		155mm	3506001B	£197.16
	<b>S/S Nose Cone (Heavy Duty)</b> 316 1mm stainless steel heavy duty nose cone used to help pull liner down chimney stack	125mm	9505105	£156.01
		155mm	9506105	£178.91
		180mm	9507105	£186.59
		200mm	9508105	£194.15
	<b>Ali Nose Cone and Cord (Lightweight)</b> Lightweight nose cone used to help pull the liner down the stack	100mm	9504105F	£16.23
		125mm	9505105F	£20.30
		155mm	9506105F	£20.30
		180mm	9507105F	£20.30
		200mm	9508105F	£20.30

**? Did you know?**

Our pot hanging cowls will support up to 20m of liner (not including chimwrap or rockwool pipe sections)

#designedtobetter

Product Description	Diameter	Part No.	Price
 <b>Gather Adaptor (300mm x 300mm Base)</b> 45° angled gather with liner adaptor attached	125mm	9505089	<b>£166.38</b>
	155mm	9506089	<b>£185.31</b>
	180mm	9507089	<b>£194.89</b>
	200mm	9508089	<b>£197.22</b>
 <b>Gather Adaptor (300mm x 230mm Base)</b> 45° angled gather with liner adaptor attached	125mm	9505088	<b>£166.38</b>
	155mm	9506088	<b>£185.31</b>
	180mm	9507088	<b>£194.89</b>
	200mm	9508088	<b>£197.22</b>
 <b>Gather Adaptor (230mm x 230mm Base)</b> 45° angled gather with liner adaptor attached	155mm	9506087	<b>£185.31</b>
	180mm	9507087	<b>£194.89</b>
	200mm	9508087	<b>£197.22</b>
 <b>Gather Adaptor (230mm x 350mm Base)</b> 45° angled gather with liner adaptor attached	180mm	9507090	<b>£194.89</b>
	200mm	9508090	<b>£197.22</b>
 <b>Gather Adaptor (230mm x 400mm Base)</b> 45° angled gather with liner adaptor attached	155mm	9506091	<b>£196.34</b>
	180mm	9507091	<b>£194.89</b>
	200mm	9508091	<b>£197.22</b>
 <b>Joiner (Flex to Flex)</b> Used to join two pieces of flexible liner together.	100mm	9504100	<b>£78.91</b>
	125mm	9505100	<b>£79.80</b>
	155mm	9506100	<b>£87.16</b>
	180mm	9507100	<b>£93.21</b>
	200mm	9508100	<b>£96.81</b>
 <b>Sump Adaptor – 280mm Dish</b> Used to attach stove connecting pipe to the underside of a masonry stack	125mm	1305087	<b>£121.64</b>
	155mm	1306087	<b>£130.76</b>
	180mm	1307087	<b>£139.93</b>
	200mm	1308087	<b>£150.97</b>
 <b>Sump Adaptor – 330mm Dish</b> Used to attach stove connecting pipe to the underside of a masonry stack	125mm	1305050	<b>£121.64</b>
	155mm	1306050	<b>£130.76</b>
	180mm	1307050	<b>£139.93</b>
	200mm	1308050	<b>£150.97</b>

Product Description	Diameter	Part No.	Price
 <b>Adaptor to Clay Flue Liner</b> Used to connect stove connecting pipe to clayliner	125 – 175mm	1305088	<b>£202.79</b>
	155 – 175mm	1306088	<b>£202.79</b>
	175mm	1307088	<b>£202.79</b>
	125 – 200mm	13050888	<b>£202.79</b>
	155 – 200mm	13060888	<b>£202.79</b>
	175 – 200mm	13070888	<b>£202.79</b>
	200mm	1308088	<b>£202.79</b>
	125 – 225mm	1305089	<b>£202.79</b>
	155 – 225mm	1306089	<b>£202.79</b>
	175 – 225mm	1307089	<b>£202.79</b>
	200 – 225mm	1308089	<b>£202.79</b>

## ! Do you need?

Chimney Pots

See page 5.9  
or for a wider  
selection speak to  
our Sales Team



## 🔍 Can't find what you're looking for?

Send us a drawing and we can get a quote to get it especially made for you.

#designedtobebetter

## ! Do you need?

Chimwrap

See the Insulation  
section on page 5.9






















**Suitable for:** Woodburning, Solid Fuel, Gas & Oil

**Designation Number:** T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance










Product Description		Diameter	Part No.	Price
Starting Components				
	<b>SW-DW Connector Closed</b>	125mm	0905093	<b>£84.50</b>
	Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	150mm	0906093	<b>£89.76</b>
		180mm	0907093	<b>£110.90</b>
		200mm	0908093	<b>£132.02</b>
	<b>SW-DW Connector (Open Uninsulated)</b>	125mm	0905094	<b>£47.51</b>
	For connecting to stove pipe. Must be sealed for a gas tight joint	150mm	0906094	<b>£52.82</b>
		180mm	0907094	<b>£68.65</b>
		200mm	0908094	<b>£73.92</b>
	<b>Insulated Appliance Connector</b>	125mm	0905101	<b>£135.02</b>
	For connecting directly on to appliance	150mm	0906101	<b>£139.22</b>
		180mm	0907101	<b>£163.08</b>
		200mm	0908101	<b>£176.52</b>
	<b>Increasing S/W – ICID Adaptor With Case (Insulated)</b>	125mm	0905098	<b>£95.05</b>
	Increasing adaptor from single wall / appliance with step covered by insulated case to provide an appealing aesthetic	150mm	0906098	<b>£105.60</b>
		180mm	0907098	<b>£126.74</b>
		200mm	0908098	<b>£140.76</b>
	<b>Increasing S/W – ICID Adaptor Closed (Uninsulated For Use On Rear Outlets)</b>	125mm	0905097	<b>£105.60</b>
	Increasing adaptor from single wall/appliance. Uninsulated and increasing step shown – best for rear outlet installations	150mm	0906097	<b>£116.18</b>
	<b>SW-DW Starter Pipe 473mm (Short)</b>	125mm	0905102	<b>£179.52</b>
	Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	150mm	0906102	<b>£190.11</b>

Product Description	Diameter	Part No.	Price	
 <b>SW-DW Increasing Starter Pipe 1018mm (Long)</b> Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125 – 150mm	0906104	<b>£264.03</b>	
	<b>SW-DW Starter Pipe 973mm (Long)</b> Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905202	<b>£227.07</b>
		150mm	0906202	<b>£237.63</b>
	<b>Prima Smooth to ICID Starter Pipe 1200mm</b> Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201	<b>£332.06</b>
		150mm	0906201	<b>£356.63</b>
	<b>Anchor Plate (Plain)</b> For use on top of a firechest or the top of an existing cut off stack	125mm	0905089	<b>£179.52</b>
		150mm	0906089	<b>£179.52</b>
		180mm	0907089	<b>£211.23</b>
		200mm	0908089	<b>£242.91</b>
	<b>Anchor Plate (Screw Type)</b> For use on top of a firechest or top of an existing cut off stack. For use with Tecnoflex Liner	125mm	0905089S	<b>£208.44</b>
		150mm	0906089S	<b>£208.44</b>
		180mm	0907089S	<b>£241.36</b>
		200mm	0908089S	<b>£274.23</b>
	<b>Prima Smooth to ICID Starter Adaptor (Slip In Adaptor)</b> Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905099	<b>£157.40</b>
		150mm	0906099	<b>£167.57</b>
		180mm	0907099	<b>£177.32</b>
		200mm	0908099	<b>£226.56</b>

Product Description	Diameter	Part No.	Price
 <b>Increasing Prima Smooth Starter Adaptor (Slip In Adaptor)</b> Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 – 150mm	0906100	£219.25
 <b>Adjustable Starter Section 1035mm</b> Designed for ease of use when installing and disconnecting a stove for inspection	125mm 150mm	0905014 0906014	£296.14 £323.30
 <b>Adjustable Starter Section 890mm</b> Designed for ease of use when installing and disconnecting a stove for inspection	180mm 200mm	0907014 0908014	£388.77 £412.31
 <b>Adjustable Starter Section 600mm</b> Designed for ease of use when installing and disconnecting a stove for inspection	125mm 150mm 180mm 200mm	0905999 0906999 0907999 0908999	£224.65 £235.77 £299.69 £318.62
<b>Lengths</b>			
 <b>1460mm Straight Length</b> Standard straight length of flue	125mm 150mm	0905001 0906001	£324.32 £343.13
 <b>960mm Straight Length</b> Standard straight length of flue	125mm 150mm 180mm 200mm	0905002 0906002 0907002 0908002	£175.32 £198.56 £253.47 £264.03
 <b>750mm Straight Length</b> Standard straight length of flue	125mm 150mm 180mm 200mm	0905004 0906004 0907004 0908004	£158.42 £174.27 £211.23 £232.34
 <b>460mm Straight Length</b> Standard straight length of flue	125mm 150mm 180mm 200mm	0905005 0906005 0907005 0908005	£133.05 £145.74 £168.97 £174.27
 <b>293mm Straight Length</b> Standard straight length of flue	125mm 150mm 180mm 200mm	0905012 0906012 0907012 0908012	£96.11 £103.51 £132.02 £137.29
 <b>160mm Straight Length</b> Standard straight length of flue	125mm 150mm 180mm 200mm	0905006 0906006 0907006 0908006	£85.54 £92.95 £105.60 £110.90
 <b>50 – 230mm Telescopic Length (1 Piece)</b> 1 piece section used to add length to a standard length	125mm 150mm	0905015 0906015	£154.19 £158.42

Product Description	Diameter	Part No.	Price
 <b>350 – 570mm Adjustable Length</b> 2 piece adjustable sliding length	125mm 150mm 180mm 200mm	0905016 0906016 0907016 0908016	£216.49 £221.77 £264.03 £290.44
 <b>215 – 310mm Adjustable Length</b> 2 piece adjustable sliding length	125mm 150mm 180mm 200mm	0905018 0906018 0907018 0908018	£195.38 £200.67 £237.63 £264.03
 <b>585 – 885mm Adjustable Length</b> 2 piece adjustable sliding length	125mm 150mm	0905017 0906017	£287.51 £290.79
 <b>Inspection Length 460mm</b> Installed as a standard length the inspection hatch offers facility for flue access & cleaning For dry systems only	125mm 150mm 180mm	0905013 0906013 0907013	£639.99 £677.31 £739.27
 <b>Inspection Pipe with Test Point (Dry Only)</b> Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a spring gasket. 302mm installed length	125mm 150mm 180mm 200mm	0905013D 0906013D 0907013D 0908013D	£353.31 £407.17 £509.55 £476.86
 <b>Stabiliser Section</b> Stabiliser Section which can be fitted to a tee branch	125mm 150mm 180mm 200mm	0905007 0906007 0907007 0908007	£141.07 £162.05 £238.60 £294.85
 <b>Locking Band</b> Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	125mm 150mm 180mm 200mm	0905086 0906086 0907086 0908086	£10.55 £10.55 £18.49 £18.49
<b>Elbows / Tees</b>			
 <b>15° Bend</b> Used for changing flue direction	125mm 150mm 180mm 200mm	0905025 0906025 0907025 0908025	£143.63 £166.87 £190.11 £195.38
 <b>30° Bend</b> Used for changing flue direction	125mm 150mm 180mm 200mm	0905023 0906023 0907023 0908023	£143.63 £166.87 £190.11 £195.38
 <b>45° Bend</b> Used for changing flue direction	125mm 150mm 180mm 200mm	0905022 0906022 0907022 0908022	£143.63 £166.87 £190.11 £195.38
 <b>90° Bend</b> Used for changing flue direction	125mm 150mm 180mm 200mm	0905021 0906021 0907021 0908021	£191.15 £209.12 £290.44 £306.29

Product Description	Diameter	Part No.	Price
 <b>90° Inspection Bend</b> Used for changing flue direction with facility for inspection via door	125mm	0905019	<b>£270.38</b>
	150mm	0906019	<b>£298.88</b>
	200mm	0908019	<b>£395.22</b>
 <b>90° Tee Including Cap (Cap Suitable For Tee Only)</b> Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	125mm	0905043	<b>£402.36</b>
	150mm	0906043	<b>£439.34</b>
	180mm	0907043	<b>£475.25</b>
	200mm	0908043	<b>£501.64</b>
 <b>135° Tee Including Cap (Cap Suitable For Tee Only)</b> Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	125mm	0905044	<b>£375.96</b>
	150mm	0906044	<b>£439.34</b>
	180mm	0907044	<b>£501.64</b>
	200mm	0908044	<b>£528.07</b>
 <b>Tee Cap</b> Standard tee cap for tee – fits base of tee only	125mm	0905091	<b>£52.82</b>
	150mm	0906091	<b>£52.82</b>
	180mm	0907091	<b>£63.37</b>
	200mm	0908091	<b>£73.92</b>
 <b>Tee Cap &amp; Drain</b> Tee cap with drain off fitting – fits base of tee only	125mm	0905532	<b>£63.37</b>
	150mm	0906532	<b>£63.37</b>
	180mm	0907532	<b>£73.92</b>
	200mm	0908532	<b>£84.50</b>
 <b>Insulated Tee Cap (Fits Wall Support Top Plate)</b> Tee cap designed to fit onto tee or any ICID fitting	125mm	0905053	<b>£155.78</b>
	150mm	0906053	<b>£165.02</b>
 <b>Insulated Tee Cap &amp; Drain (Fits Wall Support Top Plate)</b> Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	125mm	0905533	<b>£158.42</b>
	150mm	0906533	<b>£168.97</b>
	180mm	0907533	<b>£179.52</b>
	200mm	0908533	<b>£184.82</b>
 <b>H&amp;S Stabiliser Adaptor</b> Used with 90° tee to connect H&S stabiliser	125mm	0905099	<b>£78.99</b>
	150mm	0906099	<b>£83.82</b>
	200mm	0908099	<b>£93.48</b>
<b>Support / Penetration Components</b>			
 <b>135° Wall Sleeve (Combustible Wall)</b> Mitred sleeve used to protect the building where the flue passes through	125mm	0905050	<b>£66.54</b>
	150mm	0906050	<b>£100.66</b>
	180mm	0907050	<b>£100.66</b>
	200mm	0908050	<b>£100.66</b>
 <b>135° Wall Sleeve (Non Combustible Wall)</b> Mitred sleeve used to protect the building where the flue passes through	125mm	0905051	<b>£66.54</b>
	150mm	0906051	<b>£66.54</b>
	180mm	0907051	<b>£66.54</b>
	200mm	0908051	<b>£66.54</b>

Product Description	Diameter	Part No.	Price
 <b>90° Wall Sleeve (Non Combustible Wall)</b> Sleeve used to protect the building where the flue passes through	125mm	0905052	<b>£31.68</b>
	150mm	0906052	<b>£31.68</b>
 <b>Top Plate</b> Supporting plate with Socket above and spigot below Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066	<b>£137.29</b>
	150mm	0906066	<b>£147.86</b>
	180mm	0907066	<b>£184.82</b>
	200mm	0908066	<b>£190.11</b>
 <b>Wall Support Side Plates</b> Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994	<b>£121.45</b>
	150mm	0906994	<b>£132.02</b>
	180mm	0907994	<b>£137.29</b>
	200mm	0908994	<b>£147.86</b>
 <b>Standard Wall Support 60mm Stand Off</b> Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998	<b>£258.73</b>
	150mm	0906998	<b>£279.87</b>
	180mm	0907998	<b>£322.13</b>
	200mm	0908998	<b>£337.94</b>
 <b>Adj Wall Support 100mm Stand Off (Type 325 Arms)</b> Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325	<b>£306.29</b>
	150mm	0906325	<b>£316.83</b>
	180mm	0907325	<b>£353.80</b>
	200mm	0908325	<b>£352.95</b>
 <b>Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms)</b> Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475	<b>£322.13</b>
	150mm	0906475	<b>£332.68</b>
	180mm	0907475	<b>£369.09</b>
	200mm	0908475	<b>£374.91</b>
 <b>Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms)</b> Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570	<b>£374.91</b>
	150mm	0906570	<b>£385.50</b>
	180mm	0907570	<b>£422.45</b>
	200mm	0908570	<b>£427.73</b>
 <b>Retrofit Wall Support</b> Band with triangular side plates providing 60-200mm stand off	125mm	0905200	<b>£150.28</b>
	150mm	0906200	<b>£152.27</b>
 <b>Wall Band 60mm</b> Standard lateral support wall band (suitable for internal & external application)	125mm	0905088	<b>£32.84</b>
	150mm	0906088	<b>£32.84</b>
	180mm	0907088	<b>£36.97</b>
	200mm	0908088	<b>£42.25</b>



# Do you need?

Guy Wire, Grips and Strainers or Rigid Roof Stays









See the Fixings section on page 5.10










Product Description	Diameter	Part No.	Price
<b>Adjustable Wall Band 60 – 300mm (Band &amp; Bracket)</b> 09**088 & 09**067 combined as an extension band and bracket kit	125mm	0905067	<b>£89.76</b>
	150mm	0906067	<b>£95.05</b>
	180mm	0907067	<b>£105.60</b>
	200mm	0908067	<b>£116.18</b>
<b>Wall Band Extension 50 – 100mm</b> Back bracket allowing extension of flue when using 09**088	125mm	0905064	<b>£16.00</b>
	150mm	0906064	<b>£17.13</b>
<b>Retrofit Wall Band 60mm</b> Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088RF	<b>£58.02</b>
	150mm	0906088RF	<b>£62.86</b>
	180mm	0907088RF	<b>£72.53</b>
	200mm	0908088RF	<b>£77.39</b>
<b>Retrofit Wall Band Extension W1 – 130mm</b> Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001	<b>£44.91</b>
<b>Retrofit Wall Band Extension L1 – 300mm</b> Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002	<b>£145.20</b>
<b>Retrofit Wall Band Extension L2 – 450mm</b> Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003	<b>£158.42</b>
<b>Guy Wire Bracket</b> Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092	<b>£43.00</b>
	150mm	0906092	<b>£43.44</b>
	180mm	0907092	<b>£47.51</b>
	200mm	0908092	<b>£47.51</b>






Product Description	Diameter	Part No.	Price
<b>Flue Enclosure Kit 2400mm (Mesh, Bands &amp; Fittings)</b> 2 x 1200mm long galvanised mesh enclosures with bands and fittings, designed to be used within a loft space to ensure distance & ventilation around chimney system	125mm	0905559	<b>£389.00</b>
	150mm	0906559	<b>£389.00</b>
	180mm	0907557	<b>£389.00</b>
	200mm	0908557	<b>£389.00</b>
<b>Roof (Rafter) Support</b> Flue band with side gimble plates comes as a kit for fixing to the roof trusses, offering lateral support	125mm	0905029	<b>£107.04</b>
	150mm	0906029	<b>£112.13</b>
	180mm	0907029	<b>£117.20</b>
	200mm	0908029	<b>£127.37</b>
<b>Ceiling / Joist Support Plate With 700mm Arms</b> Ventilated support plate for use where chimney systems passes through ceiling joists, complete with joist arms for support	125mm	0905033	<b>£174.14</b>
	150mm	0906033	<b>£173.99</b>
	180mm	0907033	<b>£202.71</b>
	200mm	0908033	<b>£203.00</b>
<b>Extended / Structural Locking Band</b> Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086E	<b>£35.69</b>
	150mm	0906086E	<b>£37.50</b>
	180mm	0907086E	<b>£42.51</b>
	200mm	0908086E	<b>£45.94</b>
<b>Structural Locking Band For Bend</b> As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086EB	<b>£15.84</b>
	150mm	0906086EB	<b>£15.84</b>
	180mm	0907086EB	<b>£21.11</b>
	200mm	0908086EB	<b>£21.11</b>
<b>Ceiling / Joist Support Plate (Non-Combustible Floor)</b> Used where the chimney system passes through a non-combustible floor for weight bearing support	125mm	0905032	<b>£52.82</b>
	150mm	0906032	<b>£52.82</b>
	180mm	0907032	<b>£79.21</b>
	200mm	0908032	<b>£84.50</b>
<b>Firestop Spacer Two Piece (Non-Combustible Floor)</b> Two piece plate for use where chimney system passes through a non combustible ceiling / floor	125mm	0905082	<b>£15.84</b>
	150mm	0906082	<b>£15.84</b>
	180mm	0907082	<b>£26.41</b>
	200mm	0908082	<b>£36.97</b>






Product Description	Diameter	Part No.	Price
 <b>90° Trim Collar One Piece</b> To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111	<b>£53.81</b>
	150mm	0906111	<b>£54.75</b>
	180mm	0907105	<b>£64.69</b>
	200mm	0908105	<b>£74.73</b>
 <b>135° Trim Collar One Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113	<b>£65.64</b>
	150mm	0906113	<b>£67.05</b>
	180mm	0907106	<b>£94.91</b>
	200mm	0908106	<b>£97.32</b>
 <b>135° Trim Collar Two Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114	<b>£56.61</b>
	150mm	0906114	<b>£61.93</b>
	180mm	0907107	<b>£84.39</b>
	200mm	0908107	<b>£89.30</b>
 <b>135° Trim Collar Two Piece (White)</b> To cover when chimney system passes through the wall at 135° Covers 75mm around external diameter of flue	125mm	0905107W	<b>£75.52</b>
	150mm	0906107W	<b>£82.91</b>
	180mm	0907107W	<b>£108.75</b>
	200mm	0908107W	<b>£115.89</b>
 <b>0 – 20° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245	<b>£65.99</b>
	150mm	0906245	<b>£65.99</b>
	180mm	0907245	<b>£81.23</b>
	200mm	0908245	<b>£91.39</b>
 <b>20 – 35° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246	<b>£65.99</b>
	150mm	0906246	<b>£65.99</b>
	180mm	0907246	<b>£81.23</b>
	200mm	0908246	<b>£91.39</b>
 <b>35 – 45° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247	<b>£65.99</b>
	150mm	0906247	<b>£65.99</b>
	180mm	0907247	<b>£81.23</b>
	200mm	0908247	<b>£91.39</b>
 <b>Ventilated Firestop Two Piece Rectangular (Combustible Floor)</b> To be used where the chimney passes through a combustible floor or ceiling	125mm	0905087	<b>£68.65</b>
	150mm	0906087	<b>£68.65</b>
	180mm	0907087	<b>£89.76</b>
	200mm	0908087	<b>£95.05</b>


Product Description	Diameter	Part No.	Price
 <b>Ventilated Firestop Support Plate 1 Piece (Combustible Floor)</b> To be used where the chimney passes through a combustible floor or ceiling	125mm	0905028	<b>£123.43</b>
	150mm	0906028	<b>£129.15</b>
	180mm	0907028	<b>£135.79</b>
	200mm	0908028	<b>£150.87</b>
 <b>Ventilated Firestop Round One Piece Steel (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083S	<b>£68.65</b>
	150mm	0906083S	<b>£73.92</b>
	180mm	0907083S	<b>£84.50</b>
	200mm	0908083S	<b>£95.05</b>
 <b>Ventilated Firestop Round One Piece White (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083W	<b>£93.85</b>
	150mm	0906083W	<b>£93.85</b>
	180mm	0907083W	<b>£104.88</b>
	200mm	0908083W	<b>£115.94</b>
 <b>Ventilated Firestop Round Two Piece Steel (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084S	<b>£79.21</b>
	150mm	0906084S	<b>£84.50</b>
	180mm	0907084S	<b>£95.05</b>
	200mm	0908084S	<b>£105.60</b>
 <b>Ventilated Firestop Round Two Piece White (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084W	<b>£93.85</b>
	150mm	0906084W	<b>£99.36</b>
	180mm	0907084W	<b>£115.94</b>
	200mm	0908084W	<b>£121.46</b>
 <b>Bungalow Circular Firestop One Piece Steel (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183S	<b>£33.08</b>
	150mm	0906183S	<b>£34.09</b>
	180mm	0907183S	<b>£39.25</b>
	200mm	0908183S	<b>£40.74</b>
 <b>Bungalow Circular Firestop One Piece White (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183W	<b>£58.79</b>
	150mm	0906183W	<b>£62.98</b>
	180mm	0907183W	<b>£72.05</b>
	200mm	0908183W	<b>£77.28</b>



Product Description	Diameter	Part No.	Price
 <b>Bungalow Circular Firestop Two Piece Steel (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184G	<b>£81.86</b>
 <b>Bungalow Circular Firestop Two Piece White (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184W	<b>£85.58</b>
 <b>Magnetic Cover Ring White</b> Optional decorative addition to ventilated firestop plate	125mm	0905110W	<b>£65.72</b>
	150mm	0906110W	<b>£65.72</b>
	180mm	0907110W	<b>£75.83</b>
	200mm	0908110W	<b>£75.83</b>
Terminals / Flashings			
 <b>Rain Cap No Mesh</b> Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074	<b>£95.05</b>
	150mm	0906074	<b>£101.42</b>
	180mm	0907074	<b>£110.90</b>
	200mm	0908074	<b>£116.18</b>
 <b>Rain Cap With Mesh</b> Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076	<b>£116.18</b>
	150mm	0906076	<b>£121.45</b>
	180mm	0907076	<b>£132.02</b>
	200mm	0908076	<b>£137.29</b>
 <b>Anti Splash Terminal (Without Mesh)</b> Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	125mm	0905075	<b>£225.67</b>
	150mm	0906075	<b>£239.64</b>
	180mm	0907075	<b>£291.39</b>
	200mm	0908075	<b>£318.42</b>
 <b>Insulated Tapered Terminal</b> Open tapered terminal, terminates chimney system	125mm	0905073	<b>£168.97</b>
	150mm	0906073	<b>£184.82</b>
	180mm	0907073	<b>£184.82</b>
	200mm	0908073	<b>£195.38</b>
 <b>Round Terminal</b> Terminal offering extra protection in excessive rain	125mm	0905079	<b>£225.83</b>
	150mm	0906079	<b>£234.45</b>
 <b>Adaptor To Flex</b> Twinwall chimney system to flexible liner adaptor	125mm	0905090	<b>£85.54</b>
	150mm	0906090	<b>£87.66</b>
	180mm	0907090	<b>£95.05</b>
	200mm	0908090	<b>£105.60</b>
 <b>Top Adaptor for Kevington</b> Allows connection to prefabricated Kevington chimney	125mm	0905078	<b>£101.86</b>
	150mm	0906078	<b>£102.45</b>
	180mm	0907078	<b>£119.88</b>
	200mm	0908078	<b>£123.56</b>

Product Description	Diameter	Part No.	Price
 <b>Flat Flashing (Including Storm Collar)</b> Aluminium flat roof flashing including storm collar	125mm	0905038	<b>£157.01</b>
	150mm	0906038	<b>£169.05</b>
	180mm	0907038	<b>£190.11</b>
	200mm	0908038	<b>£195.38</b>
 <b>Angled Flashing 5 - 45° (Including Storm Collar)</b> Aluminium angled roof flashing including storm collar	125mm	0905035	<b>£158.43</b>
	150mm	0906035	<b>£169.05</b>
	180mm	0907035	<b>£190.11</b>
	200mm	0908035	<b>£195.38</b>
 <b>Storm Collar</b> Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041	<b>£63.25</b>
	150mm	0906041	<b>£65.35</b>
	180mm	0907041	<b>£63.37</b>
	200mm	0908041	<b>£63.37</b>

### ICID Mitred Bend Dimensions



15° Elbow				
Diameter	125	150	180	200
A	63	63	63	64
B	55	56	56	57
C	31	31	31	31
D	232	234	234	238


30° Elbow				
Diameter	125	150	180	200
A	66	70	73	77
B	57	61	64	68
C	62	66	69	73
D	230	244	256	271

45° Elbow				
Diameter	125	150	180	200
A	79	83	91	95
B	70	74	82	86
C	105	111	122	128
D	254	268	295	309


Image courtesy of Schiedel

# Typical ICID Plus Installations


## INTERNAL HOUSE Combustible Floors




## INTERNAL HOUSE Non Combustible Floors



## INTERNAL BUNGALOW (VENTILATED LOFT SPACE) Combustible and Non-Combustible floors






## EXTERNAL System Chimney



# ICID Plus Matt Black








**Suitable for:** Woodburning, Solid Fuel, Gas & Oil

**Designation Number:** T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
 (add seals)			60mm	316 / 304 Stainless Steel	25mm	Schiedel		20 years or lifetime of appliance













Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

## Starting Components

	<b>SW-DW Connector Closed</b>	125mm	0905093MB	<b>£101.58</b>
	Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	150mm	0906093MB	<b>£108.58</b>
	<b>SW-DW Connector (Open Uninsulated)</b>	125mm	0905094MB	<b>£57.12</b>
	For connecting to stove pipe. Must be sealed for a gas tight joint	150mm	0906094MB	<b>£63.50</b>
	<b>Insulated Appliance Connector</b>	125mm	0905101MB	<b>£163.08</b>
	For connecting directly on to appliance	150mm	0906101MB	<b>£167.77</b>
	<b>Increasing S/W – ICID Adaptor With Case (Insulated)</b>	125mm	0905098MB	<b>£124.98</b>
	Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	150mm	0906098MB	<b>£126.97</b>
	<b>Increasing Appliance Connector Closed (Insulated)</b>	100 – 125mm	0905097MB	<b>£126.97</b>
	Closed around base for connecting to stove pipe or directly onto appliance. Must be sealed for a gas tight joint	125 – 150mm	0906097MB	<b>£139.68</b>
	<b>SW-DW Starter Pipe 473mm (Short)</b>	125mm	0905103	<b>£206.47</b>
	Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	150mm	0906103	<b>£218.62</b>
	<b>SW-DW Starter Pipe 973mm (Long)</b>	125mm	0905203	<b>£261.12</b>
	Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	150mm	0906203	<b>£273.25</b>

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

	<b>SW-DW Increasing Starter Pipe 1018mm (Long)</b>	125 – 150mm	0906104MB	<b>£331.23</b>
	Gives a tapered increase from single to twinwall – must only be used on stove connection pipe not directly onto appliance			
	<b>Prima Smooth to ICID Starter Adaptor (Slip In Adaptor)</b>	150mm	0906099MB	<b>£218.99</b>
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall			
	<b>Increasing Prima Smooth Starter Adaptor (Slip In Adaptor)</b>	125 – 150mm	0906100MB	<b>£232.55</b>
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall			
	<b>Prima Smooth to ICID Starter Pipe 1200mm</b>	125mm	0905201MB	<b>£407.38</b>
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	150mm	0906201MB	<b>£435.77</b>
	<b>Adjustable Starter Section 1035mm</b>	125mm	0905014MB	<b>£484.22</b>
	Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906014MB	<b>£333.59</b>
	<b>Adjustable Starter Section 600mm</b>	125mm	0905999MB	<b>£240.92</b>
	Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906999MB	<b>£259.46</b>

Product Description	Diameter	Part No.	Price
<b>Lengths</b>			
	<b>1460mm Straight Length</b>	125mm 0905001MB	<b>£392.26</b>
	Standard straight length of flue	150mm 0906001MB	<b>£412.31</b>
	<b>960mm Straight Length</b>	125mm 0905002MB	<b>£210.77</b>
	Standard straight length of flue	150mm 0906002MB	<b>£238.75</b>
	<b>750mm Straight Length</b>	125mm 0905004MB	<b>£190.46</b>
	Standard straight length of flue	150mm 0906004MB	<b>£209.79</b>
	<b>460mm Straight Length</b>	125mm 0905005MB	<b>£159.98</b>
	Standard straight length of flue	150mm 0906005MB	<b>£175.74</b>
	<b>293mm Straight Length</b>	125mm 0905012MB	<b>£115.53</b>
	Standard straight length of flue	150mm 0906012MB	<b>£124.68</b>
	<b>160mm Straight Length</b>	125mm 0905006MB	<b>£102.86</b>
	Standard straight length of flue	150mm 0906006MB	<b>£111.80</b>
	<b>50 – 230mm Telescopic Length (1 Piece)</b>	125mm 0905015MB	<b>£236.48</b>
	1 Piece section used to add length to a standard length	150mm 0906015MB	<b>£190.46</b>
	<b>350 – 570mm Adjustable Length</b>	125mm 0905016MB	<b>£260.32</b>
	2 Piece adjustable sliding length	150mm 0906016MB	<b>£266.68</b>
	<b>215 – 310mm Adjustable Length</b>	125mm 0905018MB	<b>£234.89</b>
	2 Piece adjustable sliding length	150mm 0906018MB	<b>£241.25</b>
	<b>585 – 885mm Adjustable Length</b>	125mm 0905017MB	<b>£282.00</b>
	2 piece adjustable sliding length	150mm 0906017MB	<b>£300.15</b>
	<b>Locking Band</b>	125mm 0905086MB	<b>£12.69</b>
	Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	150mm 0906086MB	<b>£12.87</b>
	<b>Inspection Pipe with Test Point (Dry Applications Only)</b>	125mm 0905013 DMB	<b>£394.72</b>
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm 0906013 DMB	<b>£443.94</b>

Product Description	Diameter	Part No.	Price
<b>Elbows / Tees</b>			
	<b>15° Elbow</b>	125mm 0905025MB	<b>£172.68</b>
	Used for changing flue direction	150mm 0906025MB	<b>£200.62</b>
	<b>30° Elbow</b>	125mm 0905023MB	<b>£172.68</b>
	Used for changing flue direction	150mm 0906023MB	<b>£200.58</b>
	<b>45° Elbow</b>	125mm 0905022MB	<b>£172.68</b>
	Used for changing flue direction	150mm 0906022MB	<b>£200.58</b>
	<b>90° Elbow</b>	150mm 0906021MB	<b>£251.39</b>
	<b>90° Tee Including Cap (Cap Suitable For Tee Only)</b>	125mm 0905043MB	<b>£483.78</b>
	Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	150mm 0906043MB	<b>£528.14</b>
	<b>135° Tee Including Cap (Cap Suitable For Tee Only)</b>	125mm 0905044MB	<b>£452.03</b>
	Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	150mm 0906044MB	<b>£528.14</b>
	<b>Tee Cap</b>	150mm 0906091MB	<b>£63.50</b>
	<b>Insulated Tee Cap (Fits Wall Support Top Plate)</b>	125mm 0905053MB	<b>£187.30</b>
	Tee cap designed to fit onto tee or any ICID fitting	150mm 0906053MB	<b>£198.40</b>
	<b>Insulated Tee Cap &amp; Drain (Fits Wall Support Top Plate)</b>	125mm 0905533MB	<b>£186.59</b>
	Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	150mm 0906533MB	<b>£203.34</b>












## Do you need?

Guy Wire, Grips and Strainers or Rigid Roof Stays








See the Fixings section on page 5.10



Product Description	Diameter	Part No.	Price
<b>Support / Penetration Components</b>			
 <b>Top Plate</b> Supporting plate with socket above and spigot below. Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066MB	<b>£169.34</b>
	150mm	0906066MB	<b>£177.74</b>
 <b>Wall Support Side Plates</b> Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994MB	<b>£146.02</b>
	150mm	0906994MB	<b>£158.74</b>
 <b>Standard Wall Support 60mm Stand Off</b> Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998MB	<b>£311.08</b>
	150mm	0906998MB	<b>£336.48</b>
 <b>Adj Wall Support 100mm Stand Off (Type 325 Arms)</b> Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325MB	<b>£372.67</b>
	150mm	0906325MB	<b>£380.92</b>
 <b>Adj Wall Support 100 - 250mm Stand Off (Type 475 Arms)</b> Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475MB	<b>£391.17</b>
	150mm	0906475MB	<b>£399.96</b>
 <b>Adj Wall Support 100 - 350mm Stand Off (Type 570 Arms)</b> Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570MB	<b>£450.74</b>
	150mm	0906570MB	<b>£463.73</b>
 <b>Retrofit Wall Support</b> Band with triangular side plates providing 60-200mm stand off	125mm	0905200MB	<b>£157.11</b>
	150mm	0906200MB	<b>£159.20</b>
 <b>Wall Band 60mm</b> Standard lateral support wall band (suitable for internal & external application)	125mm	0905088MB	<b>£43.82</b>
	150mm	0906088MB	<b>£45.53</b>

Product Description	Diameter	Part No.	Price
 <b>Wall Band Extension 50 - 100mm</b> Back bracket allowing extension of flue when using 09**088MB	125mm	0905064MB	<b>£13.68</b>
	150mm	0906064MB	<b>£27.51</b>
 <b>Adjustable Wall Band 60 - 300mm (Band &amp; Bracket)</b> 09**088MB & 09**067MB combined as an extension band and bracket kit	125mm	0905067MB	<b>£99.77</b>
	150mm	0906067MB	<b>£134.49</b>
 <b>Retrofit Wall Band 60mm</b> Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088 RFMB	<b>£94.66</b>
	150mm	0906088 RFMB	<b>£99.48</b>
 <b>Structural Wall Band Extension W1 - 130mm</b> Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001MB	<b>£60.87</b>
 <b>Structural Wall Band Extension L1 - 300mm</b> Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002MB	<b>£178.63</b>
 <b>Structural Wall Band Extension L2 - 450mm</b> Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003MB	<b>£190.46</b>
 <b>Guy Wire Bracket</b> Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092MB	<b>£51.77</b>
	150mm	0906092MB	<b>£48.44</b>
 <b>Extended / Structural Locking Band</b> Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086 EMB	<b>£42.90</b>
	150mm	0906086 EMB	<b>£44.78</b>
 <b>Structural Locking Band For Bend</b> As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086 EBMB	<b>£19.06</b>
	150mm	0906086 EBMB	<b>£19.05</b>



Product Description	Diameter	Part No.	Price
 <b>90° Trim Collar One Piece</b> To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111B	<b>£67.17</b>
	150mm	0906111B	<b>£68.17</b>
	180mm	0907105B	<b>£83.04</b>
	200mm	0908105B	<b>£95.07</b>
 <b>135° Trim Collar One Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113B	<b>£78.70</b>
	150mm	0906113B	<b>£87.37</b>
	180mm	0907106B	<b>£120.59</b>
	200mm	0908106B	<b>£125.23</b>
 <b>135° Trim Collar Two Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114B	<b>£74.28</b>
	150mm	0906114B	<b>£81.56</b>
	180mm	0907107B	<b>£103.57</b>
	200mm	0908107B	<b>£115.89</b>
 <b>0 – 20° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245B	<b>£86.95</b>
	150mm	0906245B	<b>£79.61</b>
	180mm	0907245B	<b>£100.86</b>
	200mm	0908245B	<b>£106.17</b>
 <b>20 – 35° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246B	<b>£79.61</b>
	150mm	0906246B	<b>£79.61</b>
	180mm	0907246B	<b>£100.86</b>
	200mm	0908246B	<b>£106.17</b>
 <b>35 – 45° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247B	<b>£79.61</b>
	150mm	0906247B	<b>£79.61</b>
	180mm	0907247B	<b>£100.86</b>
	200mm	0908247B	<b>£105.45</b>
 <b>Ventilated Firestop Round One Piece Black (Combustible Floor)</b> To be used where chimney passes through a combustible floor or ceiling	125mm	0905083B	<b>£93.85</b>
	150mm	0906083B	<b>£93.85</b>
	180mm	0907083B	<b>£104.88</b>
	200mm	0908083B	<b>£115.94</b>

Product Description	Diameter	Part No.	Price
 <b>Ventilated Firestop Round Two Piece Black (Combustible Floor)</b> To be used where chimney passes through a combustible floor or ceiling	125mm	0905084B	<b>£93.85</b>
	150mm	0906084B	<b>£99.36</b>
	180mm	0907084B	<b>£115.94</b>
	200mm	0908084B	<b>£121.46</b>
 <b>Bungalow Circular Firestop One Piece Black (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183B	<b>£58.79</b>
	150mm	0906183B	<b>£62.98</b>
	180mm	0907183B	<b>£72.05</b>
	200mm	0908183B	<b>£77.28</b>
 <b>Magnetic Cover Ring Black</b> Optional decorative addition to ventilated firestop plate	125mm	0905110B	<b>£65.72</b>
	150mm	0906110B	<b>£65.72</b>
	180mm	0907110B	<b>£75.83</b>
	200mm	0908110B	<b>£75.83</b>
<b>Terminals / Flashings</b>			
 <b>Rain Cap No Mesh</b> Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074MB	<b>£114.31</b>
	150mm	0906074MB	<b>£120.53</b>
 <b>Rain Cap With Mesh</b> Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076MB	<b>£139.67</b>
	150mm	0906076MB	<b>£146.01</b>
 <b>Anti Splash Terminal (Without Mesh)</b> Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	150mm	0906075MB	<b>£355.58</b>
 <b>Insulated Tapered Terminal</b> Open tapered terminal, terminates chimney system	125mm	0905073MB	<b>£203.15</b>
	150mm	0906073MB	<b>£242.98</b>
 <b>Round Terminal</b> Terminal offering extra protection in excessive rain	125mm	0905079MB	<b>£246.04</b>
	150mm	0906079MB	<b>£262.85</b>
 <b>Angled Flashing 5 – 45° (Including Storm Collar)</b> Aluminium angled roof flashing including storm collar	150mm	0906035MB	<b>£360.85</b>
 <b>Storm Collar</b> Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041MB	<b>£75.93</b>
	150mm	0906041MB	<b>£75.93</b>

**Did you know?**

ICID can terminate with 3 metres unsupported, with the use of extended locking bands

#designedtobebetter