



# Woodburning / Multifuel

Vitreous Enamel Matt Black	<b>1.2</b>
Vitreous Enamel Gloss Black	<b>1.6</b>
Specvit	<b>1.10</b>
Prima Smooth	<b>1.12</b>
Schiedel UED	<b>1.15</b>
Flex & Fittings	<b>1.16</b>
ICID Plus	<b>1.19</b>
ICID Plus Matt Black	<b>1.26</b>
Core Twin Wall	<b>1.30</b>

# Vitreous Enamel Matt Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil









Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
<b>X</b>	<b>X</b>	<b>X</b>	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine		1 Year












Product Description	Diameter	Part No.	Price	
<b>Adaptors</b>				
	<b>Economy Adaptor To Flex Liner</b>	100mm	2504063	<b>£67.10</b>
	Enables connection to flexible liner	125mm	2505063	<b>£72.83</b>
		150mm	2506063	<b>£77.06</b>
	Liner pushes in to socket	175mm	2507063	<b>£99.47</b>
		200mm	2508063	<b>£86.88</b>
	<b>Increasing Adaptor To Flex Liner</b>	100 – 125mm	2505096	<b>£73.38</b>
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2506096	<b>£78.94</b>
	<b>Cut Length Adaptor</b>	100mm	2504097	<b>£64.00</b>
	Enables connection of cut vitreous lengths.	125mm	2505097	<b>£64.00</b>
		150mm	2506097	<b>£64.00</b>
	Replaces socket on the cut end	175mm	2507097	<b>£71.99</b>
		200mm	2508097	<b>£74.70</b>
	<b>Increasing Spun Adaptor</b>	100 – 125mm	2504081	<b>£61.75</b>
	Enables an increase in diameter of the vitreous length	125 – 150mm	2505081	<b>£62.75</b>
		150 – 175mm	2506081	<b>£66.98</b>
		175 – 200mm	2507081	<b>£82.01</b>
	<b>Tapered Adaptor</b>	100 – 125mm	2504090	<b>£76.86</b>
	Increases diameter by one step over 300mm taper	125 – 150mm	2505090	<b>£78.16</b>
		150 – 175mm	2506090	<b>£89.94</b>
		175 – 200mm	2507090	<b>£101.22</b>
	<b>Double Socket Adaptor</b>	100mm	2504603	<b>£60.81</b>
	Enables female to female end connection in one length	125mm	2505603	<b>£64.63</b>
		150mm	2506603	<b>£70.39</b>
		175mm	2507603	<b>£72.28</b>
		200mm	2508603	<b>£74.15</b>
	<b>Double Spigot Adaptor</b>	100mm	2504604	<b>£60.81</b>
	Enables male to male end connection in one length	125mm	2505604	<b>£64.63</b>
		150mm	2506604	<b>£70.39</b>
		175mm	2507604	<b>£72.28</b>
		200mm	2508604	<b>£74.15</b>
	<b>Continental Adaptor</b>	117– 125mm	2505094	<b>£72.39</b>
	Allows for continental appliance spigot sizes	135 – 150mm	2506094	<b>£76.24</b>

Product Description	Diameter	Part No.	Price	
<b>Lengths</b>				
	<b>150mm Straight Pipe</b>	125mm	2505006	<b>£61.38</b>
	Standard length	150mm	2506006	<b>£73.07</b>
	150mm			
	<b>300mm Straight Pipe</b>	100mm	2504012	<b>£56.77</b>
	260mm installed length	125mm	2505012	<b>£66.68</b>
		150mm	2506012	<b>£78.88</b>
		175mm	2507012	<b>£90.34</b>
		200mm	2508012	<b>£105.29</b>
	<b>300mm Straight Pipe With Door</b>	100mm	2504015	<b>£81.27</b>
	Installed length	125mm	2505015	<b>£91.23</b>
	260mm with provision for inspection and cleaning	150mm	2506015	<b>£103.31</b>
		175mm	2507015	<b>£114.85</b>
		200mm	2508015	<b>£129.86</b>
	<b>500mm Straight Pipe</b>	125mm	2505009	<b>£82.90</b>
	Installed length	150mm	2506009	<b>£94.25</b>
	<b>500mm Straight Pipe With Door</b>	125mm	2505011	<b>£115.66</b>
	Installed length	150mm	2506011	<b>£126.93</b>
	<b>600mm Straight Pipe</b>	100mm	2504005	<b>£81.67</b>
	Installed length	125mm	2505005	<b>£82.90</b>
	560mm	150mm	2506005	<b>£94.25</b>
		175mm	2507005	<b>£109.38</b>
		200mm	2508005	<b>£125.38</b>
	<b>600mm Straight Pipe With Door</b>	100mm	2504010	<b>£113.33</b>
	Installed length	125mm	2505010	<b>£115.66</b>
	560mm with provision for inspection and cleaning	150mm	2506010	<b>£126.93</b>
		175mm	2507010	<b>£142.14</b>
		200mm	2508010	<b>£158.00</b>
	<b>900mm Straight Pipe</b>	100mm	2504003	<b>£109.28</b>
	Installed length	125mm	2505003	<b>£113.00</b>
	860mm	150mm	2506003	<b>£125.50</b>
		175mm	2507003	<b>£143.85</b>
		200mm	2508003	<b>£174.18</b>




Product Description	Diameter	Part No.	Price	
	<b>900mm Straight Pipe With Door</b>	100mm	2504004	£141.99
	Installed length 125mm	125mm	2505004	£145.74
	860mm with provision for inspection and cleaning	150mm	2506004	£158.12
		175mm	2507004	£194.28
		200mm	2508004	£206.89
	<b>1000mm Straight Pipe</b>	125mm	2505002	£113.00
	Installed length 960mm	150mm	2506002	£125.50
	<b>1000mm Straight Pipe With Door</b>	125mm	2505001	£145.74
	Installed length 960mm with provision for inspection and cleaning	150mm	2506001	£158.12
	<b>1200mm Straight Pipe</b>	100mm	2504007	£141.90
	Installed length 1160mm	125mm	2505007	£149.64
		150mm	2506007	£165.39
		175mm	2507007	£181.32
	<b>1200mm Straight Pipe With Door</b>	100mm	2504014	£174.65
	Installed length 1160mm with provision for inspection and cleaning	125mm	2505014	£182.43
		150mm	2506014	£198.08
		175mm	2507014	£214.03
	<b>350 – 550mm Adj Pipe No Door</b>	100mm	2504016	£113.46
	Adjustable pipe used to achieve specific flue lengths.	125mm	2505016	£133.26
		150mm	2506016	£147.37
		175mm	2507016	£180.80
	<b>600 – 900mm Adj Pipe With Door</b>	100mm	2504017	£138.93
	Adjustable pipe used to achieve specific flue lengths	125mm	2505017	£157.45
	Provision for inspection and cleaning	150mm	2506017	£175.88
		175mm	2507017	£197.99
	<b>600 – 1020mm Adj Pipe No Door</b>	100mm	2504018	£230.95
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018	£259.74
		150mm	2506018	£276.78
		175mm	2507018	£326.92
	<b>900 – 1450mm Adj Pipe With Door</b>	100mm	2504018	£230.95
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018	£259.74
	Provision for inspection and cleaning	150mm	2506018	£276.78
		175mm	2507018	£326.92
	<b>900 – 1600mm Adj Pipe No Door</b>	100mm	2504018N	£231.22
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018N	£231.22
		150mm	2506018N	£259.82
		175mm	2507018N	£279.29

Product Description	Diameter	Part No.	Price	
	<b>Damper Unit</b>	100mm	2504008	£106.26
	Reduces the adverse effects of a strong flue up draught,	125mm	2505008	£112.51
	75mm installed length	150mm	2506008	£123.90
		175mm	2507008	£152.08
<b>Bends / Tees</b>				
	<b>165° / 15° Mitred Bend</b>	100mm	2504025	£93.75
	Enables angling of flue run if necessary	125mm	2505025	£105.70
		150mm	2506025	£121.86
		175mm	2507025	£143.85
	<b>165° / 15° Mitred Bend With Door</b>	100mm	2504027	£127.55
	Enables angling of flue run if necessary	125mm	2505027	£140.98
	Provision for inspection and cleaning	150mm	2506027	£152.57
		200mm	2508027	£205.84
	<b>150° / 30° Mitred Bend</b>	100mm	2504024	£93.75
	Enables angling of flue run if necessary	125mm	2505024	£105.70
		150mm	2506024	£121.86
		175mm	2507024	£143.85
	<b>150° / 30° Mitred Bend With Door</b>	100mm	2504026	£127.55
	Enables angling of flue run if necessary	125mm	2505026	£140.98
	Provision for inspection and cleaning	150mm	2506026	£152.57
		175mm	2507026	£174.01
	<b>135° / 45° Swept Bend</b>	100mm	2504022	£93.75
	Enables angling of flue run if necessary	125mm	2505022	£105.70
		150mm	2506022	£121.86
		175mm	2507022	£143.85
	<b>135° / 45° Swept Bend With Door</b>	100mm	2504020	£127.55
	Enables angling of flue run if necessary	125mm	2505020	£140.98
	Provision for inspection and cleaning	150mm	2506020	£152.57
		175mm	2507020	£174.01
	<b>90° Swept Bend</b>	125mm	2505019	£123.59
	Enables angling of flue run if necessary	150mm	2506019	£135.20
	<b>90° Swept Bend With Door</b>	125mm	2505021	£161.52
	Enables angling of flue run if necessary	150mm	2506021	£173.78
	<b>135°/45° Mitred Bend</b>	100mm	2504022	£93.75
	Enables angling of flue run if necessary	125mm	2505022	£105.70
	Provision for inspection and cleaning	150mm	2506022	£121.86
	<b>135°/45° Mitred Bend With Door</b>	100mm	2504020	£127.55
	Enables angling of flue run if necessary. Provision for inspection and cleaning	125mm	2505020	£140.98
		150mm	2506020	£152.57

Product Description	Diameter	Part No.	Price
 <b>90° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2504019	£112.20
	175mm	2507019	£157.83
	200mm	2508019	£185.33
 <b>90° Mitred Bend With Door</b> Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2504021	£149.18
	175mm	2507021	£196.64
	200mm	2508021	£221.94
 <b>90° Bend with Debris Trap</b> Bend with debris trap and cap, for cleaning and inspection	125mm	2505021DT	£206.39
	150mm	2506021DT	£218.74
 <b>135° Long Tail Bend with Door</b> Used when the install requires a greater distance between the appliance and flue than usual  Door on short vertical section  Provides 480mm offset	125mm	2505122	£231.14
	150mm	2506122	£255.17
 <b>Offset Section</b> Enables connection of chimney to appliance without joints  100mm offset, 520mm installed length	125mm	2505028	£212.29
	150mm	2506028	£218.98
 <b>Offset Section with Door</b> 100mm Offset Section with door placed 250mm up from base  520mm installed length	125mm	2505029	£237.95
	150mm	2506029	£265.06
 <b>Adjustable Height Offset Section</b> 100mm Offset Section minimum installed height 415mm maximum 520mm	125mm	2505030	£272.06
	150mm	2506030	£312.22
 <b>90° Tee Without Cap (Type D)</b> Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2504043	£145.49
	125mm	2505043	£154.96
	150mm	2506043	£163.32
	175mm	2507043	£174.20
 <b>90° Stabiliser Tee (Type B)</b> Standard 90° tee with socket branch	100mm	2504042	£145.49
	125mm	2505042	£154.96
	150mm	2506042	£163.32
	175mm	2507042	£174.20
	200mm	2508042	£264.75

Product Description	Diameter	Part No.	Price
 <b>135° Tee Without Cap</b> Angled tee with branch spigot	100mm	2504044	£160.10
	125mm	2505044	£170.40
	150mm	2506044	£179.61
	175mm	2507044	£259.32
	200mm	2508044	£292.20
 <b>Tee Cap (Stainless Steel)</b> Enables closure of tee piece at bottom of system  Enables cleaning and inspection	100mm	2504053	£39.30
	125mm	2505053	£39.30
	150mm	2506053	£41.51
	175mm	2507053	£46.55
	200mm	2508053	£55.70
<b>Accessories</b>			
 <b>Maintenance Clip</b> Enables connection of cut lengths to provide a means of manual inspection and cleaning	100mm	2504508	£37.47
	125mm	2505508	£37.47
	150mm	2506508	£37.47
	175mm	2507508	£50.28
	200mm	2508508	£50.28
 <b>Painted Wall Band</b> Enables lateral support of vitreous pipe  Can be cut to requirements	125mm	2505067	£52.44
	150mm	2506067	£53.62
	175mm	2507067	£56.56
 <b>Enamel Pole Type Wall Band</b> Enables lateral support of vitreous pipe  Can be cut to requirements	100mm	2504088	£70.93
	125mm	2505088	£70.93
	150mm	2506088	£70.93
	175mm	2507088	£70.93
	200mm	2508088	£73.82
 <b>Ceiling Trim Ring</b> Fits around pipe as it enters ceiling or wall 1 piece	100mm	2504085	£36.75
	125mm	2505085	£36.75
	150mm	2506085	£36.75
	175mm	2507085	£48.01
	200mm	2508085	£48.01
 <b>45° Angled Trim Ring</b> Fits around pipe as it enters ceiling or wall at an angle 2 piece	100mm	2504085A	£80.13
	125mm	2505085A	£80.30
	150mm	2506085A	£91.06
	175mm	2507085A	£91.06
	200mm	2508085A	£95.45
 <b>Flush Trim Ring</b> Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	125mm	2505085F	£71.20
	150mm	2506085F	£79.99
 <b>Split Trim Ring</b> Fits around pipe as it enters ceiling or wall 2 piece	100mm	2504085S	£81.71
	125mm	2505085S	£84.41
	150mm	2506085S	£84.41
	175mm	2507085S	£85.79
	200mm	2508085S	£86.88
 <b>1D5 Gasket</b> MK1 Door Gasket for 125mm swept bend	125mm	2500104	£7.67
 <b>1D6 Gasket</b> MK1 Door Gasket for 150mm swept bend	150mm	2500105	£7.67

Product Description	Diameter	Part No.	Price
 <b>MK2 Gasket</b> 100 – 150mm Oval Door Gasket		2500107	£7.96
 <b>MK3 Gasket</b> 130 – 190mm Oval Door Gasket		2500108	£7.61
 <b>MK4 Gasket</b> 200 – 240mm Square Door Gasket		2500109	£7.96
 <b>1D5 Door – Matt Black</b> MK1 Replacement Swept Bend Door for 125mm	125mm	2505MK1	£16.26
 <b>1D6 Door – Matt Black</b> MK1 Replacement Swept Bend Door for 150mm	150mm	2506MK1	£22.88
 <b>MK2 Door – Matt Black</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2504MK2	£23.08
	125mm	2505MK2	£23.08
	150mm	2506MK2	£23.08
 <b>MK3 Door – Matt Black</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2505MK3	£23.08
	150mm	2506MK3	£23.08
	175mm	2507MK3	£23.08
	200mm	2508MK3	£23.08
 <b>MK4 Door – Matt Black</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2505MK4	£28.39
	150mm	2506MK4	£28.39
	175mm	2507MK4	£28.39
	200mm	2508MK4	£26.97
 <b>MK2 Door – Stainless Steel</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£9.78

Product Description	Diameter	Part No.	Price
 <b>MK3 Door – Stainless Steel</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£11.64
 <b>MK4 Door – Stainless Steel</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£13.63
 <b>8mm Universal Test Point</b> Can be retro fitted to allow draught reading to be taken		34UTP	£12.75



## Do you need?

Fire Cement, Glass Fibre Cord or Sealant Adhesive


See the Installation Essentials section on page 5.12










# Vitreous Enamel Gloss Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil












Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✔	1 Year













Product Description	Diameter	Part No.	Price
<b>Adaptors</b>			
 <b>Economy Adaptor To Flex Liner</b> Enables connection to flexible liner Liner pushes in to socket	100mm	2304063	£67.10
	125mm	2305063	£72.83
	150mm	2306063	£77.06
	175mm	2307063	£99.47
	200mm	2308063	£86.88
 <b>Increasing Adaptor To Flex Liner</b> Enables connection to flexible liner with an increase in diameter	100 – 125mm	2305096	£73.38
	125 – 150mm	2306096	£78.94
 <b>Cut Length Adaptor</b> Enables connection of cut vitreous lengths. Replaces socket on the cut end	100mm	2304097	£64.00
	125mm	2305097	£64.00
	150mm	2306097	£64.00
	175mm	2307097	£71.99
 <b>Increasing Spun Adaptor</b> Enables an increase in diameter of the vitreous length	100 – 125mm	2304081	£61.75
	125 – 150mm	2305081	£62.75
	150 – 175mm	2306081	£66.98
	175 – 200mm	2307081	£82.01
 <b>Tapered Adaptor</b> Increases diameter by one step over 300mm taper	100 – 125mm	2304090	£76.86
	125 – 150mm	2305090	£78.16
	150 – 175mm	2306090	£89.94
	175 – 200mm	2307090	£101.22
 <b>Double Socket Adaptor</b> Enables female to female end connection in one length	100mm	2304603	£60.81
	125mm	2305603	£64.63
	150mm	2306603	£70.39
	200mm	2308603	£74.15
 <b>Double Spigot Adaptor</b> Enables male to male end connection in one length	100mm	2304604	£60.81
	125mm	2305604	£64.63
	150mm	2306604	£70.39
	175mm	2307604	£72.28
	200mm	2308604	£74.15

Product Description	Diameter	Part No.	Price
<b>Lengths</b>			
 <b>300mm Straight Pipe</b> 260mm installed length	100mm	2304012	£56.77
	125mm	2305012	£66.68
	150mm	2306012	£78.88
	175mm	2307012	£90.34
	200mm	2308012	£105.29
 <b>300mm Straight Pipe With Door</b> Installed length 260mm with provision for inspection and cleaning	100mm	2304015	£81.27
	125mm	2305015	£91.23
	150mm	2306015	£103.31
	175mm	2307015	£114.85
	200mm	2308015	£129.78
 <b>600mm Straight Pipe</b> Installed length 560mm	100mm	2304005	£81.67
	125mm	2305005	£82.90
	150mm	2306005	£94.25
	175mm	2307005	£109.38
	200mm	2308005	£125.38
 <b>600mm Straight Pipe With Door</b> Installed length 560mm with provision for inspection and cleaning	100mm	2304010	£113.33
	125mm	2305010	£115.66
	150mm	2306010	£126.93
	175mm	2307010	£142.14
	200mm	2308010	£158.00
 <b>900mm Straight Pipe</b> Installed length 860mm	100mm	2304003	£109.28
	125mm	2305003	£113.00
	150mm	2306003	£125.50
	175mm	2307003	£143.85
	200mm	2308003	£174.18
 <b>900mm Straight Pipe With Door</b> Installed length 860mm with provision for inspection and cleaning	100mm	2304004	£141.99
	125mm	2305004	£145.74
	150mm	2306004	£158.12
	175mm	2307004	£194.28
	200mm	2308004	£206.89
 <b>1200mm Straight Pipe</b> Installed length 1160mm	100mm	2304007	£141.90
	125mm	2305007	£149.64
	150mm	2306007	£165.39
	175mm	2307007	£181.32
	200mm	2308007	£223.79


Product Description	Diameter	Part No.	Price	
	<b>1200mm Straight Pipe With Door</b> Installed length 1160mm with provision for inspection and cleaning	100mm	2304014	£174.65
		125mm	2305014	£182.43
		150mm	2306014	£198.08
		175mm	2307014	£214.03
		200mm	2308014	£256.46
	<b>350 – 550mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths.	100mm	2304016	£113.46
		125mm	2305016	£133.26
		150mm	2306016	£157.82
		175mm	2307016	£180.80
	<b>600 – 900mm Adj Pipe With Door</b> Adjustable pipe used to achieve specific flue lengths Provision for inspection and cleaning	100mm	2304017	£138.93
		125mm	2305017	£157.45
		150mm	2306017	£175.88
	<b>600 – 1020mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths	150mm	2306013	£137.61
	<b>900 – 1450mm Adj Pipe With Door</b> Adjustable pipe used to achieve specific flue lengths Provision for inspection and cleaning	150mm	2306018	£276.78
	<b>900 – 1600mm Adj Pipe No Door</b> Adjustable pipe used to achieve specific flue lengths	150mm	2306018N	£259.82
	<b>Damper Unit</b> Reduces the adverse affects of a strong flue up draught	100mm	2304008	£106.24
		125mm	2305008	£112.51
		150mm	2306008	£123.90
		175mm	2307008	£152.08
<b>Elbows / Tees</b>				
	<b>165° / 15° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304025	£93.75
		125mm	2305025	£105.70
		150mm	2306025	£121.86
	<b>165° / 15° Mitred Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304027	£127.55
		125mm	2305027	£140.98
		150mm	2306027	£152.57
	<b>150° / 30° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304024	£93.75
		125mm	2305024	£105.70
		150mm	2306024	£121.86
		175mm	2307024	£143.85
	200mm	2308024	£175.43	

Product Description	Diameter	Part No.	Price	
	<b>150° / 30° Mitred Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	100mm	2304026	£127.55
		125mm	2305026	£140.98
		150mm	2306026	£152.57
		175mm	2307026	£174.01
	200mm	2308026	£205.93	
	<b>135° / 45° Swept Bend</b> Enables angling of flue run if necessary	125mm	2305022	£105.70
	150mm	2306022	£121.86	
	<b>135° / 45° Swept Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	125mm	2305020	£140.98
		150mm	2306020	£152.57
	<b>90° Swept Bend</b> Enables angling of flue run if necessary	125mm	2305019	£123.59
		150mm	2306019	£135.20
	<b>90° Swept Bend With Door</b> Enables angling of flue run if necessary Provision for inspection and cleaning	125mm	2305021	£161.52
		150mm	2306021	£173.78
	<b>135°/45° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304022	£93.75
		175mm	2307022	£143.85
		200mm	2308022	£175.43
	<b>135°/45° Mitred Bend With Door</b> Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2304020	£127.55
		175mm	2307020	£174.01
		200mm	2308020	£205.93
	<b>90° Mitred Bend</b> Enables angling of flue run if necessary	100mm	2304019	£112.20
		175mm	2307019	£157.83
		200mm	2308019	£185.33
	<b>90° Mitred Bend With Door</b> Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2304021	£149.18
		175mm	2307021	£196.64
		200mm	2308021	£221.94
	<b>Offset Section</b> Enables connection of chimney to appliance without joints 100mm offset, 520mm installed length	100mm	2304028	£193.26
		125mm	2305028	£212.29
		150mm	2306028	£218.90
	<b>90° Tee Without Cap (Type D)</b> Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2304043	£145.49
		125mm	2305043	£154.96
		150mm	2306043	£163.32
		175mm	2307043	£174.20
	200mm	2308043	£264.75	


Product Description	Diameter	Part No.	Price
 <b>90° Stabiliser Tee (Type B)</b> Standard 90° tee with socket branch	100mm	2304042	£145.49
	125mm	2305042	£154.96
	150mm	2306042	£163.29
	175mm	2307042	£174.20
	200mm	2308042	£264.75
 <b>135° Tee Without Cap</b> Angled tee with branch spigot	100mm	2304044	£160.10
	125mm	2305044	£170.40
	150mm	2306044	£179.61
	175mm	2307044	£259.32
 <b>Tee Cap (Stainless Steel)</b> Enables closure of tee piece at bottom of system Enables cleaning and inspection	100mm	2504053	£39.30
	125mm	2505053	£39.30
	150mm	2506053	£41.51
	175mm	2507053	£46.55
	200mm	2508053	£55.70
<b>Accessories</b>			
 <b>Painted Wall Band</b> Enables lateral support of vitreous pipe Can be cut to requirements	150mm	2306067	£52.65
 <b>Enamel Pole Type Wall Band</b> Enables lateral support of vitreous pipe Can be cut to requirements	100mm	2304088	£70.93
	125mm	2305088	£70.93
	150mm	2306088	£70.93
 <b>Ceiling Trim Ring</b> Fits around pipe as it enters ceiling or wall 1 piece	100mm	2304085	£36.75
	125mm	2305085	£36.75
	150mm	2306085	£36.75
	175mm	2307085	£48.01
	200mm	2308085	£48.01
 <b>45° Angled Trim Ring</b> Fits around pipe as it enters ceiling or wall at an angle 2 Piece	100mm	2304085A	£80.13
	125mm	2305085A	£80.30
	150mm	2306085A	£91.06
 <b>Flush Trim Ring</b> Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	100mm	2304085F	£77.62
	125mm	2305085F	£79.99
 <b>Split Trim Ring</b> Fits around pipe as it enters ceiling or wall 2 piece	100mm	2304085S	£81.71
	125mm	2305085S	£84.41
	150mm	2306085S	£84.41
	175mm	2307085S	£85.79
	200mm	2308085S	£86.88
 <b>1D5 Gasket</b> MK1 Door Gasket for 125mm swept bend	125mm	2500104	£7.67
 <b>1D6 Gasket</b> MK1 Door Gasket for 150mm swept bend	150mm	2500105	£7.67

Product Description	Diameter	Part No.	Price
 <b>MK2 Gasket</b> 100 – 150mm Oval Door Gasket		2500107	£7.96
 <b>MK3 Gasket</b> 130 – 190mm Oval Door Gasket		2500108	£7.61
 <b>MK4 Gasket</b> 200 – 240mm Square Door Gasket		2500109	£7.96
 <b>MK2 Door – Stainless Steel</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£9.78
 <b>MK3 Door – Stainless Steel</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£11.64
 <b>MK4 Door – Stainless Steel</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£13.63
 <b>1D5 Door – Gloss Black</b> MK1 Replacement Swept Bend Door for 125mm	125mm	2305MK1	£16.26
 <b>1D6 Door – Gloss Black</b> MK1 Replacement Swept Bend Door for 150mm	150mm	2306MK1	£22.88
 <b>MK2 Door – Gloss Black</b> Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2304MK2	£23.08
	125mm	2305MK2	£23.08
	150mm	2306MK2	£23.08
 <b>MK3 Door – Gloss Black</b> Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2305MK3	£23.08
	150mm	2306MK3	£23.08
	175mm	2307MK3	£23.08
	200mm	2308MK3	£22.00
 <b>MK4 Door – Gloss Black</b> Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2305MK4	£28.39
	150mm	2306MK4	£28.39
	175mm	2307MK4	£28.39
	200mm	2308MK4	£26.97
 <b>8mm Universal Test Point</b> Can be retro fitted to allow draught reading to be taken		34UTP	£12.75

Premier Vitreous Enamelled  
Mitred Bend Dimensions



Premier Vitreous Enamelled  
Swept Bend Dimensions



15 / 165° Elbow					
Diameter	100	125	150	175	200
A	100	114	100	153	159
B	143	156	150	193	197
C	60	70	89	184	100
D	492	543	518	718	732

90° Elbow			
Diameter	100	125	150
A	115	140	165
B	150	170	195
C	265	320	365
D	300	320	365

30 / 150° Elbow					
Diameter	100	125	150	175	200
A	137	88	82	128	121
B	140	137	140	179	185
C	130	127	134	190	165
D	554	453	438	638	624

45 / 135° Elbow			
Diameter	100	125	150
A	109	65	80
B	145	95	110
C	180	110	137
D	468	285	330

90° Elbow		
Diameter	175	200
A	160	185
B	195	220
C	350	405
D	385	440







45 / 135° Elbow		
Diameter	175	200
A	135	140
B	165	175
C	215	220
D	530	570

# Specvit

**Suitable for:** Woodburning, Solid Fuel, Gas & Oil

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
<b>X</b>	<b>X</b>	<b>X</b>	3 x Diameter	0.9mm Mild Steel, 1 Coat Enamel	N/A	Pennine		1 Year







Product Description	Diameter	Part No.	Price
<b>Adaptors</b>			
	<b>Double Socket Adaptor</b> Enables female to female end connection	125mm 2105603	<b>£40.64</b>
		150mm 2106603	<b>£41.87</b>
	<b>Double Spigot Adaptor</b> Enables male to male end connection	125mm 2105604	<b>£40.64</b>
		150mm 2106604	<b>£41.87</b>
<b>Lengths</b>			
	<b>Length 250mm</b> 205mm installed length	125mm 2105012	<b>£41.73</b>
		150mm 2106012	<b>£43.02</b>
	<b>Length 500mm</b> 455mm installed length	125mm 2105009	<b>£54.26</b>
		150mm 2106009	<b>£55.83</b>
	<b>Length 1000mm</b> 955mm installed length	125mm 2105002	<b>£83.49</b>
		150mm 2106002	<b>£85.95</b>
	<b>Length 330mm c/w Soot Door</b> 285mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105015	<b>£97.47</b>
		150mm 2106015	<b>£100.67</b>
	<b>Length 500mm c/w Soot Door</b> 455mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105011	<b>£103.59</b>
		150mm 2106011	<b>£106.17</b>

Product Description	Diameter	Part No.	Price
	<b>Length 1000mm c/w Soor Door</b> 955mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm 2105001	<b>£132.87</b>
		150mm 2106001	<b>£138.11</b>
	<b>Damper Unit</b> Reduces the adverse affects of a strong flue up draught, 205mm installed length	125mm 2105008	<b>£110.20</b>
		150mm 2106008	<b>£122.21</b>
	<b>Adjustable Length 1 Piece Max 275mm</b> Telescopic length used to extend a standard length up to 275mm	125mm 2105016	<b>£94.20</b>
		150mm 2106016	<b>£102.39</b>
	<b>Offset Section</b> 100mm offset in a one piece 515mm installed length	125mm 2105028	<b>£211.41</b>
		150mm 2106028	<b>£218.04</b>
	<b>Offset Section with Door</b> 100mm offset in a one piece 515mm installed length with access door (271mm up from base)	125mm 2105029	<b>£260.20</b>
		150mm 2106029	<b>£272.40</b>
	<b>Adjustable Offset Section</b> 100mm offset one piece 395mm installed length, used with another fixed length to telescope with	125mm 2105030	<b>£263.13</b>
		150mm 2106030	<b>£276.63</b>


## Did you know?

Specvit now comes in super matt black as standard

#designedtobebetter

Product Description	Diameter	Part No.	Price	
<b>Elbows / Tees</b>				
	<b>30° Bend No Door</b>	125mm	2105024	<b>£86.23</b>
	Used for changing flue direction	150mm	2106024	<b>£89.00</b>
	<b>45° Bend No Door</b>	125mm	2105022	<b>£86.23</b>
	Used for changing flue direction	150mm	2106022	<b>£89.00</b>
	<b>45° Bend c/w Soot Door</b>	125mm	2105020	<b>£135.70</b>
	Used for changing flue direction with provision for inspection and cleaning	150mm	2106020	<b>£144.04</b>
	<b>90° Bend No Door</b>	125mm	2105019	<b>£86.23</b>
	Used for changing flue direction	150mm	2106019	<b>£88.70</b>
	<b>90° Bend c/w Soot Door</b>	125mm	2105021	<b>£135.33</b>
	Used for changing flue direction with provision for inspection and cleaning	150mm	2106021	<b>£143.66</b>
	<b>90° Tee Piece</b>	125mm	2105043	<b>£182.15</b>
	Enables connection at rear of appliance with horizontal connection Cap included	150mm	2106043	<b>£183.88</b>

Specvit Mitred Bend Dimensions



<b>30° Elbow</b>		
Diameter	125mm	150mm
<b>A</b>	63	90
<b>B</b>	83	130
<b>C</b>	73	90
<b>D</b>	273	381

<b>45° Elbow</b>		
Diameter	125mm	150mm
<b>A</b>	105	110
<b>B</b>	120	150
<b>C</b>	122	140
<b>D</b>	336	383

<b>90° Elbow</b>		
Diameter	125mm	150mm
<b>A</b>	75	110
<b>B</b>	165	175
<b>C</b>	303	357
<b>D</b>	348	402



**? Did you know?**

Specvit is friction fit so only needs fire cement or sealant adhesive used at the appliance connection

**#designedtobebetter**

# Prima Smooth

**Suitable for:** Woodburning, Solid Fuel, Gas & Oil

**Designation Number:** Connecting pipe: T600 N1 W V2 L50060 G / Liner: T600 N1 DV2 L50060 G

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
<b>X</b>	<b>X</b>	<b>X</b>	3 x Diameter	1mm Stainless Steel	N/A	Schiedel		10 years

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

**Adaptors**

	<b>Increaseer Adaptor</b> used to increase flue diameter	100 – 125mm	1905081	<b>£48.93</b>
		125 – 150mm	1906081	<b>£48.93</b>
		150 – 180mm	1907081	<b>£62.14</b>
		180 – 200mm	1908081	<b>£66.73</b>

	<b>Appliance Connector</b> Allows connection from appliance outlet to flue pipe	123– 125mm	1905094	<b>£56.45</b>
		128– 125mm	1905095	<b>£56.45</b>
		148– 150mm	1906094	<b>£57.65</b>
		153– 150mm	1906095	<b>£33.39</b>
		178– 180mm	1907094	<b>£73.35</b>
		183– 180mm	1907095	<b>£44.49</b>
		198– 200mm	1908094	<b>£78.74</b>
	203 – 200mm	1908095	<b>£47.26</b>	

	<b>1000mm Swaged Starter Pipe</b> Starter pipe with swage 40mm from base	123 – 125mm	1905003	<b>£129.11</b>
		148 – 150mm	1906003	<b>£137.54</b>

	<b>500mm Swaged Starter Pipe</b> Starter pipe with swage 40mm from base	123 – 125mm	1905006	<b>£83.73</b>
		148 – 150mm	1906006	<b>£88.37</b>

	<b>250mm Swaged Starter Pipe</b> Starter pipe with swage 40mm from base	123 – 125mm	1905013	<b>£49.69</b>
		148 – 150mm	1906013	<b>£54.42</b>

**Lengths**

	<b>1000mm Length (950mm Effective)</b> Standard straight flue pipe	125mm	1905002	<b>£111.23</b>
		150mm	1906002	<b>£115.68</b>
		180mm	1907002	<b>£151.81</b>
		200mm	1908002	<b>£191.19</b>

	<b>950mm Inspection Pipe (New)</b> Flue pipe with door for inspection access located in middle	125mm	1905004NEW	<b>£164.62</b>
		150mm	1906004NEW	<b>£177.96</b>
		180mm	1907004NEW	<b>£253.01</b>
		200mm	1908004NEW	<b>£268.20</b>

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

	<b>500mm Length (450mm Effective)</b> Standard straight flue pipe	125mm	1905005	<b>£80.06</b>
		150mm	1906005	<b>£84.54</b>
		180mm	1907005	<b>£105.64</b>
		200mm	1908005	<b>£126.54</b>

	<b>450mm Inspection Pipe</b> Flue pipe with door for inspection access located in middle	125mm	1905010NEW	<b>£115.68</b>
		150mm	1906010NEW	<b>£124.56</b>
		180mm	1907010NEW	<b>£159.36</b>
		200mm	1908010NEW	<b>£166.97</b>

	<b>250mm Length (200mm Effective)</b> Standard straight flue pipe	125mm	1905012	<b>£44.49</b>
		150mm	1906012	<b>£44.49</b>
		180mm	1907012	<b>£65.78</b>
	200mm	1908012	<b>£70.94</b>	

	<b>250mm Inspection Pipe</b> Flue pipe with door for inspection access	125mm	1905011	<b>£97.88</b>
		150mm	1906011	<b>£106.76</b>
		180mm	1907011	<b>£122.36</b>
		200mm	1908011	<b>£127.90</b>














	<b>500mm Adjustable Pipe (1 Piece) Max Adj. 370mm</b> One piece pipe used to adjust the length of existing pipe inc locking band	125mm	1905015	<b>£119.55</b>
		150mm	1906015	<b>£139.03</b>
		180mm	1907015	<b>£144.59</b>
		200mm	1908015	<b>£150.15</b>









	<b>Lowering Pipe</b> Can be used to lower pipe down tall shaft / stack when being used as a chimney liner	125mm	1905008	<b>£108.44</b>
		150mm	1906008	<b>£116.78</b>
		180mm	1907008	<b>£122.36</b>
		200mm	1908008	<b>£133.47</b>

	<b>200mm Adjustable Pipe (1 Piece) Max Adj. 70mm</b> One piece pipe used to adjust the length of existing pipe inc locking band	125mm	1905009	<b>£63.19</b>
		150mm	1906009	<b>£66.78</b>
		180mm	1907009	<b>£69.50</b>
		200mm	1908009	<b>£72.30</b>

	<b>Cover Band</b> Used to provide an aesthetic finish to the joint from a cut down length	125mm	1905999	<b>£13.21</b>
		150mm	1906999	<b>£13.21</b>

	<b>Probe Length</b> 450mm flue pipe with test point	125mm	1905014	<b>£82.52</b>
		150mm	1906014	<b>£87.26</b>
		180mm	1907014	<b>£103.01</b>
		200mm	1908014	<b>£109.43</b>

Product Description	Diameter	Part No.	Price
<b>Elbows / Tees</b>			
	<b>0 – 90° Adjustable Bend</b> Rotating segmented bend to allow changeable angles	125mm 1905021	<b>£122.36</b>
		150mm 1906021	<b>£133.47</b>
		180mm 1907021	<b>£135.14</b>
		200mm 1908021	<b>£151.81</b>
	<b>90° Fixed Bend</b> Used for changing flue direction	125mm 1905028	<b>£80.07</b>
		150mm 1906028	<b>£84.54</b>
		180mm 1907028	<b>£108.44</b>
		200mm 1908028	<b>£125.13</b>
	<b>90° Fixed Inspection Bend (Access Door)</b> Used for changing flue direction with added access door	125mm 1905029	<b>£124.56</b>
		150mm 1906029	<b>£133.47</b>
		180mm 1907029	<b>£177.96</b>
		200mm 1908029	<b>£191.86</b>
	<b>45° Fixed Bend</b> Used for changing flue direction	125mm 1905022	<b>£62.29</b>
		150mm 1906022	<b>£66.73</b>
		180mm 1907022	<b>£91.10</b>
		200mm 1908022	<b>£116.37</b>
	<b>45° Fixed Inspection Bend (Access Door)</b> Used for changing flue direction with added access door	125mm 1905020	<b>£111.23</b>
		150mm 1906020	<b>£115.68</b>
		180mm 1907020	<b>£155.69</b>
		200mm 1908020	<b>£161.26</b>
	<b>0 – 45° Adjustable Bend</b> Rotating segmented bend to allow changeable angles	125mm 1905026	<b>£86.05</b>
		150mm 1906026	<b>£91.10</b>
		180mm 1907026	<b>£106.18</b>
		200mm 1908026	<b>£116.37</b>
	<b>45° Integral Offset Section 50mm</b> 300mm high one piece offset	125mm 1905128	<b>£87.84</b>
		150mm 1906128	<b>£110.19</b>
	<b>45° Integral Offset Section 100mm</b> 300mm high one piece offset	125mm 1905129	<b>£89.48</b>
		150mm 1906129	<b>£110.49</b>
	<b>30° Fixed Bend</b> Used for changing flue direction	125mm 1905023	<b>£62.29</b>
		150mm 1906023	<b>£66.73</b>
		180mm 1907023	<b>£91.10</b>
		200mm 1908023	<b>£116.37</b>
	<b>30° Fixed Inspection Bend (Access Door)</b> Used for changing flue direction with added access door	125mm 1905024	<b>£111.23</b>
		150mm 1906024	<b>£115.68</b>
		180mm 1907024	<b>£155.69</b>
		200mm 1908024	<b>£161.26</b>
	<b>15° Fixed Bend</b> Used for changing flue direction	125mm 1905025	<b>£62.28</b>
		150mm 1906025	<b>£66.73</b>
		180mm 1907025	<b>£91.10</b>
	<b>90° Tee Without Tee Cap</b> Used for rear flue outlet or for draught stabiliser location on branch	125mm 1905043	<b>£106.76</b>
		150mm 1906043	<b>£111.23</b>
		180mm 1907043	<b>£152.92</b>
		200mm 1908043	<b>£166.97</b>
	<b>135° Tee Without Tee Cap</b> Used to connect at 45° angle from outlet	125mm 1905044	<b>£253.59</b>
		150mm 1906044	<b>£266.94</b>
		180mm 1907044	<b>£355.90</b>
		200mm 1908044	<b>£378.16</b>

Product Description	Diameter	Part No.	Price
	<b>Wrap Around Door</b> Used when creating access in flue pipe or replacement for inspection pipe door with clip fastening	125mm 1905107	<b>£58.58</b>
		150mm 1906107	<b>£64.85</b>
		180mm 1907107	<b>£68.97</b>
		200mm 1908107	<b>£91.26</b>
	<b>Tee Cap</b> For use on base of tee	125mm 1905053	<b>£33.92</b>
		150mm 1906053	<b>£40.03</b>
	Locking band recommended to fasten	180mm 1907053	<b>£45.90</b>
		200mm 1908053	<b>£50.05</b>
<b>Support Components</b>			
	<b>Wall Band 60mm</b> Lateral support for flue pipe to wall or other surface	125mm 1905088	<b>£36.25</b>
		150mm 1906088	<b>£37.28</b>
		180mm 1907088	<b>£39.39</b>
		200mm 1908088	<b>£39.39</b>
	<b>Wall Band 300mm Adjustable</b> Extended lateral support for flue pipe to wall or other surface	125mm 1905067	<b>£93.39</b>
		150mm 1906067	<b>£98.02</b>
		180mm 1907067	<b>£100.15</b>
		200mm 1908067	<b>£100.15</b>
	<b>Support Plate</b> Can be used in conjunction with cantilevers to use as a wall support	125mm 1905027	<b>£278.05</b>
		150mm 1906027	<b>£291.94</b>
		180mm 1907027	<b>£305.84</b>
		200mm 1908027	<b>£333.66</b>
	<b>Cantilever Support</b> Used in conjunction with Support Plate to create a wall support	Type 325 0600004	<b>£158.76</b>
		Type 475 0600005	<b>£170.96</b>
		Type 570 0600006	<b>£219.81</b>
	<b>Locking Band</b> Used to provide extra support when an offset is in the system or to secure joints when being lowered into a chimney stack as a liner.	125mm 1905086	<b>£29.21</b>
		150mm 1906086	<b>£29.21</b>
		180mm 1907086	<b>£34.79</b>
		200mm 1908086	<b>£34.79</b>
	<b>Adjustable Pipe Locking Band</b> Provides joint integrity on adjustable pipes	125mm 1905087	<b>£42.89</b>
		150mm 1906087	<b>£44.47</b>
		180mm 1907087	<b>£46.98</b>
		200mm 1908087	<b>£108.45</b>



## Do you need?


Self Tapping Screws  
or Rivets

**See the Installation  
Essentials section  
on page 5.12**



Product Description	Diameter	Part No.	Price
<b>Terminals / Flashings</b>			
 <b>Rain Cap</b> Used in conjunction with the Expansion Joint (19**087) at the top of an existing masonry stack when Prima Smooth is used as a liner	125mm	1905074	£101.20
	150mm	1906074	£111.31
	180mm	1907074	£121.44
	200mm	1908074	£126.54
 <b>Adaptor to Eco ICID</b> Adaptor designed to exclusively slide into the female top of Prima Smooth when using ICID twinwall above	125mm	1905063	£66.73
	150mm	1906063	£71.27
	180mm	1907063	£88.98
	200mm	1908063	£97.31
 <b>Adaptor to Tecnoflex</b> Prima Smooth to flexible flue liner (plain end style)	125mm	1905090	£44.49
	150mm	1906090	£44.49
	180mm	1907090	£97.31
	200mm	1908090	£97.31
 <b>Adjustable Flashing 5 – 45°</b> Aluminium adjustable pitch flashing complete with storm collar	125mm	1905035	£144.04
	150mm	1906035	£146.41
	180mm	1907035	£168.46
	200mm	1908035	£184.92
 <b>Flat Flashing</b> Aluminium flat roof flashing complete with storm collar	125mm	1905038	£140.20
	150mm	1906038	£142.73
	180mm	1907038	£164.08
	200mm	1908038	£184.92
 <b>Storm Collar</b> Storm collar provides protection from water ingress	125mm	1905041	£61.67
	150mm	1906041	£65.82
	180mm	1907041	£66.03
	200mm	1908041	£68.37
 <b>8mm Universal Test Point</b> Can be retro fitted to allow draught reading to be taken		34UTP	£12.75

Prima Smooth Mitred Bend Dimensions



30° Elbow				
Diameter	125	150	180	200
A	50	50	50	50
B	98	98	98	98
C	74	74	74	74
D	276	276	276	276

45° Elbow				
Diameter	125	150	180	200
A	73	73	73	73
B	122	122	122	122
C	138	138	138	138
D	333	333	333	333

90° Elbow				
Diameter	125	150	180	200
A	131	131	134	134
B	190	190	184	184
C	338	331	336	336
D	338	331	336	336








# Schiedel UED

Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T400 N1 D V3 L50040 G200

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓	✗	✗	200mm	0.4mm 316/304	Air Gap – 7.5mm	Ontop	✗	2 years

Product Description	Diameter	Part No.	Price	
<b>Starting Components</b>				
	<b>Appliance Adaptor UEDAS</b>	130mm	1705094	£98.69
	70mm Installed length with 149mm diameter spigot	150mm	1706094	£109.18
<b>Lengths</b>				
	<b>250mm Pipe UED 25</b>	130mm	1705012	£116.96
	200mm Installed length	150mm	1706012	£117.06
	<b>500mm Pipe UED 50</b>	130mm	1705005	£148.39
	450mm Installed length	150mm	1706005	£150.08
	<b>1000mm Pipe UED100</b>	130mm	1705002	£198.19
	960mm Installed length	150mm	1706002	£206.62
	<b>Adjustable Pipe UEDPP</b>	130mm	1705015	£116.96
	Adjust between 70mm – 250mm installed length	150mm	1706015	£218.41

Product Description	Diameter	Part No.	Price	
<b>Elbows</b>				
	<b>45° Elbow UEDB45</b>	130mm	1705022	£93.04
	Used for change of flue direction	150mm	1706022	£173.61
<b>Support / Penetration Components</b>				
	<b>Mounting Band UEEB</b>	130mm	1705088	£24.33
	Lateral support for flue pipe back to wall	150mm	1706088	£28.23
	<b>Rosette Smooth Trim Collar UEDR</b>	130mm	1705108	£37.19
	Fits around pipe as it enters ceiling or wall	150mm	1706108	£40.48

# Flex & Fittings

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

### Tecnoflex

	<b>316 Tecnoflex Plus Liner (per metre)</b>	125mm	9705111	<b>£162.27</b>
	Twin skinned 316L grade stainless steel flexible liner	155mm	9706111	<b>£227.27</b>
		180mm	9707111	<b>£272.73</b>
		200mm	9708111	<b>£309.10</b>
Lifetime warranty T450 N1 W V2 L50012 G				

	<b>904 Tecnoflex Plus Liner (per metre)</b>	125mm	9205904R	<b>£261.45</b>
	Twin skinned 904L grade stainless steel flexible liner	155mm	9206904R	<b>£315.87</b>
		180mm	9207904R	<b>£359.10</b>
		200mm	9208904R	<b>£411.84</b>
25 year warranty T450 N1 W V2 L70012 G				

### Tecnoflex Fittings

	<b>Adaptor to Tecnoflex (screw / twist on)</b>	125mm	1305090RV	<b>£43.50</b>
		155mm	1306090RV	<b>£50.70</b>
		180mm	1307090RV	<b>£57.97</b>
		200mm	1308090RV	<b>£65.22</b>
		100 – 125mm	1305097RV	<b>£61.97</b>
		125 – 155mm	1306097RV	<b>£69.49</b>
Sealant not required on high temperature applications.				
	155 – 180mm	1307097RV	<b>£68.03</b>	
	180 – 200mm	1308097RV	<b>£75.30</b>	

	<b>Nose Cone (screw / twist on for tecnoflex)</b>	125mm	9505105S	<b>£43.20</b>
		155mm	9506105S	<b>£43.19</b>
		180mm	9507105S	<b>£43.20</b>
		200mm	9508105S	<b>£43.20</b>
Lightweight nose cone used to help pull the liner down the stack.				

	<b>Pot Hanger (screw / twist on for tecnoflex)</b>	125mm	9505041RV	<b>£106.71</b>
		155mm	9506041RV	<b>£109.80</b>
Screw fit fastening on to top of liner used to hang liner from the chimney pot (up to 15m)				

	<b>Pot Hanger and Terminal (screw / twist on for tecnoflex)</b>	125mm	9505040RV	<b>£191.09</b>
		155mm	9506040RV	<b>£203.83</b>
Screw fit fastening on to top of liner used to hang liner from the chimney pot with rain cap terminal attached (up to 15m)				

	<b>Joiner (screw / twist on for tecnoflex)</b>	125mm	9505100S	<b>£79.70</b>
		155mm	9506100S	<b>£86.95</b>
		180mm	9507100S	<b>£94.21</b>
		200mm	9508100S	<b>£101.45</b>
Used to join two pieces of tecnoflex liner together.				

## Did you know?

316 Tecnoflex now comes with a lifetime guarantee.

#designedtobebetter

### Screw Fit Illustration













Image courtesy of Schiedel







Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

### Specflex

	<b>316 Specflex (per metre)</b>	125mm	9805111	<b>£82.93</b>
	Twin skinned 316L grade stainless steel flexible liner	155mm	9806111	<b>£103.66</b>
		180mm	9807111	<b>£165.87</b>
		200mm	9808111	<b>£186.60</b>
10 year warranty T600 N1 W V2 L50012 G				

	<b>904 Specflex (per metre)</b>	125mm	9305904	<b>£184.29</b>
	Twin skinned 904L grade stainless steel flexible liner	155mm	9306904	<b>£230.37</b>
		180mm	9307904	<b>£368.56</b>
		200mm	9308904	<b>£414.66</b>
25 year warranty T600 N1 W V2 L70012 G				

Product Description	Diameter	Part No.	Price	
<b>Universal Fittings</b>				
 <b>Top Plate</b> 375mm <sup>2</sup> top plate used with top clamp to support liner on top of brick stack	100mm	9504113	£69.56	
	125mm	9505113	£65.34	
	155mm	9506113	£65.52	
	180mm	9507113	£65.52	
 <b>Top Clamp</b> Used with top plate to support liner on top of brick stack	100mm	9504114	£40.92	
	125mm	9505114	£41.62	
	155mm	9506114	£41.62	
	180mm	9507114	£60.41	
	200mm	9508114	£60.41	
 <b>Top Insert</b> Used to protect the top of the liner 194mm high	100mm	9504101	£40.10	
	125mm	9505101	£40.10	
	155mm	9506101	£43.72	
	180mm	9507101	£51.08	
	200mm	9508101	£65.66	
 <b>Top Insert 1000mm Long</b> Used to protect the top of the liner with longer length	125mm	9505101E	£144.48	
	155mm	9506101E	£160.60	
	180mm	9507101E	£225.15	
	200mm	9508101E	£188.88	
 <b>Adaptor to Flex (1mm Thick)</b> Pushfit adaptor from connecting flue to flexible liner	100mm	1304090	£66.86	
	125mm	1305090	£66.86	
	155mm	1306090	£66.86	
	180mm	1307090	£86.75	
	200mm	1308090	£89.36	
 <b>Adaptor to Flex (Extended)</b> Pushfit adaptor from connecting flue to flexible liner with 195mm tail	125mm	1305090T	£91.22	
	155mm	1306090T	£100.38	
	180mm	1307090T	£127.79	
	200mm	1308090T	£141.49	
 <b>Increasing Adaptor to Flex</b> Pushfit adaptor from connecting flue to flexible liner allowing an increase in diameter	100 – 125mm	1305097	£100.55	
	100 – 150mm	1306096	£139.66	
	125 – 155mm	1306097	£100.55	
	155 – 180mm	1307097	£118.27	
	180 – 200mm	1308097	£118.27	
	 <b>Register Plate Adaptor to Flex</b> 300mm <sup>2</sup> Plate with pushfit adaptor	125mm	1305065	£150.37
		155mm	1306065	£158.56
180mm		1307065	£183.67	
200mm		1308065	£196.57	
 <b>Increasing Register Plate Adaptor to Flex (300mm SQ Plate)</b> 300mm <sup>2</sup> plate with pushfit adaptor allowing an increase in diameter	100 – 125mm	1305066	£214.88	
	125 – 155mm	1306066	£158.56	
	155 – 180mm	1307066	£183.67	
	180 – 200mm	1308066	£196.57	


Product Description	Diameter	Part No.	Price
 <b>Register Plate Slip Adaptor</b> 300mm <sup>2</sup> plate with pushfit adaptor Underside allows connecting pipe to slip into the adaptor for a neat finish	125mm	1305063	£118.11
	155mm	1306063	£123.94
 <b>Bottom Support Bracket</b> Used to fasten the liner to the wall of the masonry chimney to prevent lateral movement	125mm	9505028	£59.39
	155mm	9506028	£62.63
	180mm	9507028	£65.93
	200mm	9508028	£65.93
 <b>Rain Cap (Top Insert Required)</b> Used to help prevent excess water entering the chimney	125mm	9505074	£93.35
	155mm	9506074	£106.31
	180mm	9507074	£115.04
	200mm	9508074	£124.87
 <b>Pot Hanger</b> Easyfit fastening to top of liner used to hang liner from the chimney pot	100mm	9504041	£89.87
	125mm	9505041	£90.83
	155mm	9506041	£98.45
	180mm	9507041	£102.32
	200mm	9508041	£106.90
 <b>Pot Hanging Cowl – S/S Terracotta</b> All in one liner hanger from pot with rain & birdguard attached	125mm	3505001	£197.16
	155mm	3506001	£197.16
	180mm	3507001	£197.16
 <b>Pot Hanging Cowl – S/S Buff</b> All in one liner hanger from pot with rain & birdguard attached	125mm	3505001B	£197.16
	155mm	3506001B	£197.16
 <b>S/S Nose Cone (Heavy Duty)</b> 316 1mm stainless steel heavy duty nose cone used to help pull liner down chimney stack	125mm	9505105	£156.01
	155mm	9506105	£178.91
	180mm	9507105	£186.59
	200mm	9508105	£194.15
 <b>Ali Nose Cone and Cord (Lightweight)</b> Lightweight nose cone used to help pull the liner down the stack	100mm	9504105F	£16.23
	125mm	9505105F	£20.30
	155mm	9506105F	£20.30
	180mm	9507105F	£20.30
	200mm	9508105F	£20.30

? Did you know?

Our pot hanging cowls will support up to 20m of liner (not including chimwrap or rockwool pipe sections)

#designedtobetter

Product Description	Diameter	Part No.	Price
 <b>Gather Adaptor (300mm x 300mm Base)</b> 45° angled gather with liner adaptor attached	125mm	9505089	£166.38
	155mm	9506089	£185.31
	180mm	9507089	£194.89
	200mm	9508089	£197.22
 <b>Gather Adaptor (300mm x 230mm Base)</b> 45° angled gather with liner adaptor attached	125mm	9505088	£166.38
	155mm	9506088	£185.31
	180mm	9507088	£194.89
	200mm	9508088	£197.22
 <b>Gather Adaptor (230mm x 230mm Base)</b> 45° angled gather with liner adaptor attached	155mm	9506087	£185.31
	180mm	9507087	£194.89
	200mm	9508087	£197.22
 <b>Gather Adaptor (230mm x 350mm Base)</b> 45° angled gather with liner adaptor attached	180mm	9507090	£194.89
	200mm	9508090	£197.22
 <b>Gather Adaptor (230mm x 400mm Base)</b> 45° angled gather with liner adaptor attached	155mm	9506091	£196.34
	180mm	9507091	£194.89
	200mm	9508091	£197.22
 <b>Joiner (Flex to Flex)</b> Used to join two pieces of flexible liner together.	100mm	9504100	£78.91
	125mm	9505100	£79.80
	155mm	9506100	£87.16
	180mm	9507100	£93.21
	200mm	9508100	£96.81
 <b>Sump Adaptor – 280mm Dish</b> Used to attach stove connecting pipe to the underside of a masonry stack	125mm	1305087	£121.64
	155mm	1306087	£130.76
	180mm	1307087	£139.93
	200mm	1308087	£150.97
 <b>Sump Adaptor – 330mm Dish</b> Used to attach stove connecting pipe to the underside of a masonry stack	125mm	1305050	£121.64
	155mm	1306050	£130.76
	180mm	1307050	£139.93
	200mm	1308050	£150.97

Product Description	Diameter	Part No.	Price
 <b>Adaptor to Clay Flue Liner</b> Used to connect stove connecting pipe to clayliner	125 – 175mm	1305088	£202.79
	155 – 175mm	1306088	£202.79
	175mm	1307088	£202.79
	125 – 200mm	13050888	£202.79
	155 – 200mm	13060888	£202.79
	175 – 200mm	13070888	£202.79
	200mm	1308088	£202.79
	125 – 225mm	1305089	£202.79
	155 – 225mm	1306089	£202.79
	175 – 225mm	1307089	£202.79
	200 – 225mm	1308089	£202.79

## ⚠ Do you need?

Chimney Pots

See page 5.9 or for a wider selection speak to our Sales Team



## 🔍 Can't find what you're looking for?


Send us a drawing and we can get a quote to get it especially made for you.

#designedtobebetter

## ⚠ Do you need?







Chimwrap

See the Insulation section on page 5.9












# ICID Plus

<b>Suitable for:</b> Woodburning, Solid Fuel, Gas & Oil								
<b>Designation Number:</b> T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)								
Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance










Product Description	Diameter	Part No.	Price
<b>Starting Components</b>			
 <b>SW-DW Connector Closed</b> Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905093	<b>£84.50</b>
	150mm	0906093	<b>£89.76</b>
	180mm	0907093	<b>£110.90</b>
	200mm	0908093	<b>£132.02</b>
 <b>SW-DW Connector (Open Uninsulated)</b> For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094	<b>£47.51</b>
	150mm	0906094	<b>£52.82</b>
	180mm	0907094	<b>£68.65</b>
	200mm	0908094	<b>£73.92</b>
 <b>Insulated Appliance Connector</b> For connecting directly on to appliance	125mm	0905101	<b>£135.02</b>
	150mm	0906101	<b>£139.22</b>
	180mm	0907101	<b>£163.08</b>
	200mm	0908101	<b>£176.52</b>
 <b>Increasing S/W – ICID Adaptor With Case (Insulated)</b> Increasing adaptor from single wall / appliance with step covered by insulated case to provide an appealing aesthetic	125mm	0905098	<b>£95.05</b>
	150mm	0906098	<b>£105.60</b>
	180mm	0907098	<b>£126.74</b>
	200mm	0908098	<b>£140.76</b>
 <b>Increasing S/W – ICID Adaptor Closed (Uninsulated For Use On Rear Outlets)</b> Increasing adaptor from single wall/appliance. Uninsulated and increasing step shown – best for rear outlet installations	125mm	0905097	<b>£105.60</b>
	150mm	0906097	<b>£116.18</b>
 <b>SW-DW Starter Pipe 473mm (Short)</b> Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905102	<b>£179.52</b>
	150mm	0906102	<b>£190.11</b>

Product Description	Diameter	Part No.	Price
 <b>SW-DW Increasing Starter Pipe 1018mm (Long)</b> Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125 – 150mm	0906104	<b>£264.03</b>
 <b>SW-DW Starter Pipe 973mm (Long)</b> Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905202	<b>£227.07</b>
	150mm	0906202	<b>£237.63</b>
 <b>Prima Smooth to ICID Starter Pipe 1200mm</b> Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201	<b>£332.06</b>
	150mm	0906201	<b>£356.63</b>
 <b>Anchor Plate (Plain)</b> For use on top of a firechest or the top of an existing cut off stack	125mm	0905089	<b>£179.52</b>
	150mm	0906089	<b>£179.52</b>
	180mm	0907089	<b>£211.23</b>
	200mm	0908089	<b>£242.91</b>
 <b>Anchor Plate (Screw Type)</b> For use on top of a firechest or top of an existing cut off stack. For use with Tecnoflex Liner	125mm	0905089S	<b>£208.44</b>
	150mm	0906089S	<b>£208.44</b>
	180mm	0907089S	<b>£241.36</b>
	200mm	0908089S	<b>£274.23</b>
 <b>Prima Smooth to ICID Starter Adaptor (Slip In Adaptor)</b> Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905099	<b>£157.40</b>
	150mm	0906099	<b>£167.57</b>
	180mm	0907099	<b>£177.32</b>
	200mm	0908099	<b>£226.56</b>

Product Description	Diameter	Part No.	Price
 <b>Increasing Prima Smooth Starter Adaptor (Slip In Adaptor)</b> Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 – 150mm	0906100	£219.25
 <b>Adjustable Starter Section 1035mm</b> Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905014	£296.14
	150mm	0906014	£323.30
 <b>Adjustable Starter Section 890mm</b> Designed for ease of use when installing and disconnecting a stove for inspection	180mm	0907014	£388.77
	200mm	0908014	£412.31
 <b>Adjustable Starter Section 600mm</b> Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905999	£224.65
	150mm	0906999	£235.77
	180mm	0907999	£299.69
	200mm	0908999	£318.62
<b>Lengths</b>			
 <b>1460mm Straight Length</b> Standard straight length of flue	125mm	0905001	£324.32
	150mm	0906001	£343.13
 <b>960mm Straight Length</b> Standard straight length of flue	125mm	0905002	£175.32
	150mm	0906002	£198.56
	180mm	0907002	£253.47
	200mm	0908002	£264.03
 <b>750mm Straight Length</b> Standard straight length of flue	125mm	0905004	£158.42
	150mm	0906004	£174.27
	180mm	0907004	£211.23
	200mm	0908004	£232.34
 <b>460mm Straight Length</b> Standard straight length of flue	125mm	0905005	£133.05
	150mm	0906005	£145.74
	180mm	0907005	£168.97
	200mm	0908005	£174.27
 <b>293mm Straight Length</b> Standard straight length of flue	125mm	0905012	£96.11
	150mm	0906012	£103.51
	180mm	0907012	£132.02
	200mm	0908012	£137.29
 <b>160mm Straight Length</b> Standard straight length of flue	125mm	0905006	£85.54
	150mm	0906006	£92.95
	180mm	0907006	£105.60
	200mm	0908006	£110.90
 <b>50 – 230mm Telescopic Length (1 Piece)</b> 1 piece section used to add length to a standard length	125mm	0905015	£154.19
	150mm	0906015	£158.42

Product Description	Diameter	Part No.	Price
 <b>350 – 570mm Adjustable Length</b> 2 piece adjustable sliding length	125mm	0905016	£216.49
	150mm	0906016	£221.77
	180mm	0907016	£264.03
	200mm	0908016	£290.44
 <b>215 – 310mm Adjustable Length</b> 2 piece adjustable sliding length	125mm	0905018	£195.38
	150mm	0906018	£200.67
	180mm	0907018	£237.63
	200mm	0908018	£264.03
 <b>585 – 885mm Adjustable Length</b> 2 piece adjustable sliding length	125mm	0905017	£287.51
	150mm	0906017	£290.79
 <b>Inspection Length 460mm</b> Installed as a standard length the inspection hatch offers facility for flue access & cleaning For dry systems only	125mm	0905013	£639.99
	150mm	0906013	£677.31
	180mm	0907013	£739.27
 <b>Inspection Pipe with Test Point (Dry Only)</b> Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a spring gasket. 302mm installed length	125mm	0905013D	£353.31
	150mm	0906013D	£407.17
	180mm	0907013D	£509.55
	200mm	0908013D	£476.86
 <b>Stabiliser Section</b> Stabiliser Section which can be fitted to a tee branch	125mm	0905007	£141.07
	150mm	0906007	£162.05
	180mm	0907007	£238.60
	200mm	0908007	£294.85
 <b>Locking Band</b> Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	125mm	0905086	£10.55
	150mm	0906086	£10.55
	180mm	0907086	£18.49
	200mm	0908086	£18.49
<b>Elbows / Tees</b>			
 <b>15° Bend</b> Used for changing flue direction	125mm	0905025	£143.63
	150mm	0906025	£166.87
	180mm	0907025	£190.11
	200mm	0908025	£195.38
 <b>30° Bend</b> Used for changing flue direction	125mm	0905023	£143.63
	150mm	0906023	£166.87
	180mm	0907023	£190.11
	200mm	0908023	£195.38
 <b>45° Bend</b> Used for changing flue direction	125mm	0905022	£143.63
	150mm	0906022	£166.87
	180mm	0907022	£190.11
	200mm	0908022	£195.38
 <b>90° Bend</b> Used for changing flue direction	125mm	0905021	£191.15
	150mm	0906021	£209.12
	180mm	0907021	£290.44
	200mm	0908021	£306.29

Product Description	Diameter	Part No.	Price
 <b>90° Inspection Bend</b> Used for changing flue direction with facility for inspection via door	125mm	0905019	<b>£270.38</b>
	150mm	0906019	<b>£298.88</b>
	200mm	0908019	<b>£395.22</b>
 <b>90° Tee Including Cap (Cap Suitable For Tee Only)</b> Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	125mm	0905043	<b>£402.36</b>
	150mm	0906043	<b>£439.34</b>
	180mm	0907043	<b>£475.25</b>
	200mm	0908043	<b>£501.64</b>
 <b>135° Tee Including Cap (Cap Suitable For Tee Only)</b> Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	125mm	0905044	<b>£375.96</b>
	150mm	0906044	<b>£439.34</b>
	180mm	0907044	<b>£501.64</b>
	200mm	0908044	<b>£528.07</b>
 <b>Tee Cap</b> Standard tee cap for tee – fits base of tee only	125mm	0905091	<b>£52.82</b>
	150mm	0906091	<b>£52.82</b>
	180mm	0907091	<b>£63.37</b>
	200mm	0908091	<b>£73.92</b>
 <b>Tee Cap &amp; Drain</b> Tee cap with drain off fitting – fits base of tee only	125mm	0905532	<b>£63.37</b>
	150mm	0906532	<b>£63.37</b>
	180mm	0907532	<b>£73.92</b>
	200mm	0908532	<b>£84.50</b>
 <b>Insulated Tee Cap (Fits Wall Support Top Plate)</b> Tee cap designed to fit onto tee or any ICID fitting	125mm	0905053	<b>£155.78</b>
	150mm	0906053	<b>£165.02</b>
 <b>Insulated Tee Cap &amp; Drain (Fits Wall Support Top Plate)</b> Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	125mm	0905533	<b>£158.42</b>
	150mm	0906533	<b>£168.97</b>
	180mm	0907533	<b>£179.52</b>
	200mm	0908533	<b>£184.82</b>
 <b>H&amp;S Stabiliser Adaptor</b> Used with 90° tee to connect H&S stabiliser	125mm	0905099	<b>£78.99</b>
	150mm	0906099	<b>£83.82</b>
	200mm	0908099	<b>£93.48</b>
<b>Support / Penetration Components</b>			
 <b>135° Wall Sleeve (Combustible Wall)</b> Mitred sleeve used to protect the building where the flue passes through	125mm	0905050	<b>£66.54</b>
	150mm	0906050	<b>£100.66</b>
	180mm	0907050	<b>£100.66</b>
	200mm	0908050	<b>£100.66</b>
 <b>135° Wall Sleeve (Non Combustible Wall)</b> Mitred sleeve used to protect the building where the flue passes through	125mm	0905051	<b>£66.54</b>
	150mm	0906051	<b>£66.54</b>
	180mm	0907051	<b>£66.54</b>
	200mm	0908051	<b>£66.54</b>

Product Description	Diameter	Part No.	Price
 <b>90° Wall Sleeve (Non Combustible Wall)</b> Sleeve used to protect the building where the flue passes through	125mm	0905052	<b>£31.68</b>
	150mm	0906052	<b>£31.68</b>
 <b>Top Plate</b> Supporting plate with Socket above and spigot below Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066	<b>£137.29</b>
	150mm	0906066	<b>£147.86</b>
	180mm	0907066	<b>£184.82</b>
	200mm	0908066	<b>£190.11</b>
 <b>Wall Support Side Plates</b> Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994	<b>£121.45</b>
	150mm	0906994	<b>£132.02</b>
	180mm	0907994	<b>£137.29</b>
	200mm	0908994	<b>£147.86</b>
 <b>Standard Wall Support 60mm Stand Off</b> Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998	<b>£258.73</b>
	150mm	0906998	<b>£279.87</b>
	180mm	0907998	<b>£322.13</b>
	200mm	0908998	<b>£337.94</b>
 <b>Adj Wall Support 100mm Stand Off (Type 325 Arms)</b> Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325	<b>£306.29</b>
	150mm	0906325	<b>£316.83</b>
	180mm	0907325	<b>£353.80</b>
	200mm	0908325	<b>£352.95</b>
 <b>Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms)</b> Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475	<b>£322.13</b>
	150mm	0906475	<b>£332.68</b>
	180mm	0907475	<b>£369.09</b>
	200mm	0908475	<b>£374.91</b>
 <b>Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms)</b> Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570	<b>£374.91</b>
	150mm	0906570	<b>£385.50</b>
	180mm	0907570	<b>£422.45</b>
	200mm	0908570	<b>£427.73</b>
 <b>Retrofit Wall Support</b> Band with triangular side plates providing 60-200mm stand off	125mm	0905200	<b>£150.28</b>
	150mm	0906200	<b>£152.27</b>
 <b>Wall Band 60mm</b> Standard lateral support wall band (suitable for internal & external application)	125mm	0905088	<b>£32.84</b>
	150mm	0906088	<b>£32.84</b>
	180mm	0907088	<b>£36.97</b>
	200mm	0908088	<b>£42.25</b>



# Do you need?









Guy Wire, Grips and Strainers or Rigid Roof Stays




















See the Fixings section on page 5.10




Product Description	Diameter	Part No.	Price
<b>Adjustable Wall Band 60 – 300mm (Band &amp; Bracket)</b> 09**088 & 09**067 combined as an extension band and bracket kit	125mm	0905067	£89.76
	150mm	0906067	£95.05
	180mm	0907067	£105.60
	200mm	0908067	£116.18
<b>Wall Band Extension 50 – 100mm</b> Back bracket allowing extension of flue when using 09**088	125mm	0905064	£16.00
	150mm	0906064	£17.13
<b>Retrofit Wall Band 60mm</b> Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088RF	£58.02
	150mm	0906088RF	£62.86
	180mm	0907088RF	£72.53
	200mm	0908088RF	£77.39
<b>Retrofit Wall Band Extension W1 – 130mm</b> Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001	£44.91
<b>Retrofit Wall Band Extension L1 – 300mm</b> Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002	£145.20
<b>Retrofit Wall Band Extension L2 – 450mm</b> Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003	£158.42
<b>Guy Wire Bracket</b> Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092	£43.00
	150mm	0906092	£43.44
	180mm	0907092	£47.51
	200mm	0908092	£47.51

Product Description	Diameter	Part No.	Price
<b>Flue Enclosure Kit 2400mm (Mesh, Bands &amp; Fittings)</b> 2 x 1200mm long galvanised mesh enclosures with bands and fittings, designed to be used within a loft space to ensure distance & ventilation around chimney system	125mm	0905559	£389.00
	150mm	0906559	£389.00
	180mm	0907557	£389.00
	200mm	0908557	£389.00
<b>Roof (Rafter) Support</b> Flue band with side gimble plates comes as a kit for fixing to the roof trusses, offering lateral support	125mm	0905029	£107.04
	150mm	0906029	£112.13
	180mm	0907029	£117.20
	200mm	0908029	£127.37
<b>Ceiling / Joist Support Plate With 700mm Arms</b> Ventilated support plate for use where chimney systems passes through ceiling joists, complete with joist arms for support	125mm	0905033	£174.14
	150mm	0906033	£173.99
	180mm	0907033	£202.71
	200mm	0908033	£203.00
<b>Extended / Structural Locking Band</b> Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof  Can support up to 3m from last support	125mm	0905086E	£35.69
	150mm	0906086E	£37.50
	180mm	0907086E	£42.51
	200mm	0908086E	£45.94
<b>Structural Locking Band For Bend</b> As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086EB	£15.84
	150mm	0906086EB	£15.84
	180mm	0907086EB	£21.11
	200mm	0908086EB	£21.11
<b>Ceiling / Joist Support Plate (Non-Combustible Floor)</b> Used where the chimney system passes through a non-combustible floor for weight bearing support	125mm	0905032	£52.82
	150mm	0906032	£52.82
	180mm	0907032	£79.21
	200mm	0908032	£84.50
<b>Firestop Spacer Two Piece (Non-Combustible Floor)</b> Two piece plate for use where chimney system passes through a non combustible ceiling / floor	125mm	0905082	£15.84
	150mm	0906082	£15.84
	180mm	0907082	£26.41
	200mm	0908082	£36.97


Product Description	Diameter	Part No.	Price
 <b>90° Trim Collar One Piece</b> To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111	<b>£53.81</b>
	150mm	0906111	<b>£54.75</b>
	180mm	0907105	<b>£64.69</b>
	200mm	0908105	<b>£74.73</b>
 <b>135° Trim Collar One Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113	<b>£65.64</b>
	150mm	0906113	<b>£67.05</b>
	180mm	0907106	<b>£94.91</b>
	200mm	0908106	<b>£97.32</b>
 <b>135° Trim Collar Two Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114	<b>£56.61</b>
	150mm	0906114	<b>£61.93</b>
	180mm	0907107	<b>£84.39</b>
	200mm	0908107	<b>£89.30</b>
 <b>135° Trim Collar Two Piece (White)</b> To cover when chimney system passes through the wall at 135° Covers 75mm around external diameter of flue	125mm	0905107W	<b>£75.52</b>
	150mm	0906107W	<b>£82.91</b>
	180mm	0907107W	<b>£108.75</b>
	200mm	0908107W	<b>£115.89</b>
 <b>0 – 20° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245	<b>£65.99</b>
	150mm	0906245	<b>£65.99</b>
	180mm	0907245	<b>£81.23</b>
	200mm	0908245	<b>£91.39</b>
 <b>20 – 35° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246	<b>£65.99</b>
	150mm	0906246	<b>£65.99</b>
	180mm	0907246	<b>£81.23</b>
	200mm	0908246	<b>£91.39</b>
 <b>35 – 45° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247	<b>£65.99</b>
	150mm	0906247	<b>£65.99</b>
	180mm	0907247	<b>£81.23</b>
	200mm	0908247	<b>£91.39</b>
 <b>Ventilated Firestop Two Piece Rectangular (Combustible Floor)</b> To be used where the chimney passes through a combustible floor or ceiling	125mm	0905087	<b>£68.65</b>
	150mm	0906087	<b>£68.65</b>
	180mm	0907087	<b>£89.76</b>
	200mm	0908087	<b>£95.05</b>

Product Description	Diameter	Part No.	Price
 <b>Ventilated Firestop Support Plate 1 Piece (Combustible Floor)</b> To be used where the chimney passes through a combustible floor or ceiling	125mm	0905028	<b>£123.43</b>
	150mm	0906028	<b>£129.15</b>
	180mm	0907028	<b>£135.79</b>
	200mm	0908028	<b>£150.87</b>
 <b>Ventilated Firestop Round One Piece Steel (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083S	<b>£68.65</b>
	150mm	0906083S	<b>£73.92</b>
	180mm	0907083S	<b>£84.50</b>
	200mm	0908083S	<b>£95.05</b>
 <b>Ventilated Firestop Round One Piece White (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083W	<b>£93.85</b>
	150mm	0906083W	<b>£93.85</b>
	180mm	0907083W	<b>£104.88</b>
	200mm	0908083W	<b>£115.94</b>
 <b>Ventilated Firestop Round Two Piece Steel (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084S	<b>£79.21</b>
	150mm	0906084S	<b>£84.50</b>
	180mm	0907084S	<b>£95.05</b>
	200mm	0908084S	<b>£105.60</b>
 <b>Ventilated Firestop Round Two Piece White (Combustible Floor)</b> Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084W	<b>£93.85</b>
	150mm	0906084W	<b>£99.36</b>
	180mm	0907084W	<b>£115.94</b>
	200mm	0908084W	<b>£121.46</b>
 <b>Bungalow Circular Firestop One Piece Steel (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183S	<b>£33.08</b>
	150mm	0906183S	<b>£34.09</b>
	180mm	0907183S	<b>£39.25</b>
	200mm	0908183S	<b>£40.74</b>
 <b>Bungalow Circular Firestop One Piece White (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183W	<b>£58.79</b>
	150mm	0906183W	<b>£62.98</b>
	180mm	0907183W	<b>£72.05</b>
	200mm	0908183W	<b>£77.28</b>

Product Description	Diameter	Part No.	Price
 <b>Bungalow Circular Firestop Two Piece Steel (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184G	£81.86
 <b>Bungalow Circular Firestop Two Piece White (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184W	£85.58
 <b>Magnetic Cover Ring White</b> Optional decorative addition to ventilated firestop plate	125mm	0905110W	£65.72
	150mm	0906110W	£65.72
	180mm	0907110W	£75.83
	200mm	0908110W	£75.83
<b>Terminals / Flashings</b>			
 <b>Rain Cap No Mesh</b> Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074	£95.05
	150mm	0906074	£101.42
	180mm	0907074	£110.90
	200mm	0908074	£116.18
 <b>Rain Cap With Mesh</b> Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076	£116.18
	150mm	0906076	£121.45
	180mm	0907076	£132.02
	200mm	0908076	£137.29
 <b>Anti Splash Terminal (Without Mesh)</b> Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	125mm	0905075	£225.67
	150mm	0906075	£239.64
	180mm	0907075	£291.39
	200mm	0908075	£318.42
 <b>Insulated Tapered Terminal</b> Open tapered terminal, terminates chimney system	125mm	0905073	£168.97
	150mm	0906073	£184.82
	180mm	0907073	£184.82
	200mm	0908073	£195.38
 <b>Round Terminal</b> Terminal offering extra protection in excessive rain	125mm	0905079	£225.83
	150mm	0906079	£234.45
 <b>Adaptor To Flex</b> Twinwall chimney system to flexible liner adaptor	125mm	0905090	£85.54
	150mm	0906090	£87.66
	180mm	0907090	£95.05
	200mm	0908090	£105.60
 <b>Top Adaptor for Kevington</b> Allows connection to prefabricated Kevington chimney	125mm	0905078	£101.86
	150mm	0906078	£102.45
	180mm	0907078	£119.88
	200mm	0908078	£123.56

Product Description	Diameter	Part No.	Price
 <b>Flat Flashing (Including Storm Collar)</b> Aluminium flat roof flashing including storm collar	125mm	0905038	£157.01
	150mm	0906038	£169.05
	180mm	0907038	£190.11
	200mm	0908038	£195.38
 <b>Angled Flashing 5 - 45° (Including Storm Collar)</b> Aluminium angled roof flashing including storm collar	125mm	0905035	£158.43
	150mm	0906035	£169.05
	180mm	0907035	£190.11
	200mm	0908035	£195.38
 <b>Storm Collar</b> Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041	£63.25
	150mm	0906041	£65.35
	180mm	0907041	£63.37
	200mm	0908041	£63.37

ICID Mitred Bend Dimensions



15° Elbow				
Diameter	125	150	180	200
A	63	63	63	64
B	55	56	56	57
C	31	31	31	31
D	232	234	234	238


30° Elbow				
Diameter	125	150	180	200
A	66	70	73	77
B	57	61	64	68
C	62	66	69	73
D	230	244	256	271

45° Elbow				
Diameter	125	150	180	200
A	79	83	91	95
B	70	74	82	86
C	105	111	122	128
D	254	268	295	309


Image courtesy of Schiedel

# Typical ICID Plus Installations


## INTERNAL HOUSE Combustible Floors




## INTERNAL HOUSE Non Combustible Floors



## INTERNAL BUNGALOW (VENTILATED LOFT SPACE) Combustible and Non-Combustible floors



## EXTERNAL System Chimney



# ICID Plus Matt Black








**Suitable for:** Woodburning, Solid Fuel, Gas & Oil

**Designation Number:** T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance













Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

**Starting Components**

	<b>SW-DW Connector Closed</b>	125mm	0905093MB	<b>£101.58</b>
	Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	150mm	0906093MB	<b>£108.58</b>
	<b>SW-DW Connector (Open Uninsulated)</b>	125mm	0905094MB	<b>£57.12</b>
	For connecting to stove pipe. Must be sealed for a gas tight joint	150mm	0906094MB	<b>£63.50</b>
	<b>Insulated Appliance Connector</b>	125mm	0905101MB	<b>£163.08</b>
	For connecting directly on to appliance	150mm	0906101MB	<b>£167.77</b>
	<b>Increasing S/W – ICID Adaptor With Case (Insulated)</b>	125mm	0905098MB	<b>£124.98</b>
	Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	150mm	0906098MB	<b>£126.97</b>
	<b>Increasing Appliance Connector Closed (Insulated)</b>	100 – 125mm	0905097MB	<b>£126.97</b>
	Closed around base for connecting to stove pipe or directly onto appliance. Must be sealed for a gas tight joint	125 – 150mm	0906097MB	<b>£139.68</b>
	<b>SW-DW Starter Pipe 473mm (Short)</b>	125mm	0905103	<b>£206.47</b>
	Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	150mm	0906103	<b>£218.62</b>
	<b>SW-DW Starter Pipe 973mm (Long)</b>	125mm	0905203	<b>£261.12</b>
	Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	150mm	0906203	<b>£273.25</b>

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

	<b>SW-DW Increasing Starter Pipe 1018mm (Long)</b>	125 – 150mm	0906104MB	<b>£331.23</b>
	Gives a tapered increase from single to twinwall – must only be used on stove connection pipe not directly onto appliance			
	<b>Prima Smooth to ICID Starter Adaptor (Slip In Adaptor)</b>	150mm	0906099MB	<b>£218.99</b>
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall			
	<b>Increasing Prima Smooth Starter Adaptor (Slip In Adaptor)</b>	125 – 150mm	0906100MB	<b>£232.55</b>
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall			
	<b>Prima Smooth to ICID Starter Pipe 1200mm</b>	125mm	0905201MB	<b>£407.38</b>
	Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	150mm	0906201MB	<b>£435.77</b>
	<b>Adjustable Starter Section 1035mm</b>	125mm	0905014MB	<b>£484.22</b>
	Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906014MB	<b>£333.59</b>
	<b>Adjustable Starter Section 600mm</b>	125mm	0905999MB	<b>£240.92</b>
	Designed for ease of use when installing and disconnecting a stove for inspection	150mm	0906999MB	<b>£259.46</b>

Product Description	Diameter	Part No.	Price
<b>Lengths</b>			
	<b>1460mm Straight Length</b>	125mm 0905001MB	<b>£392.26</b>
	Standard straight length of flue	150mm 0906001MB	<b>£412.31</b>
	<b>960mm Straight Length</b>	125mm 0905002MB	<b>£210.77</b>
	Standard straight length of flue	150mm 0906002MB	<b>£238.75</b>
	<b>750mm Straight Length</b>	125mm 0905004MB	<b>£190.46</b>
	Standard straight length of flue	150mm 0906004MB	<b>£209.79</b>
	<b>460mm Straight Length</b>	125mm 0905005MB	<b>£159.98</b>
	Standard straight length of flue	150mm 0906005MB	<b>£175.74</b>
	<b>293mm Straight Length</b>	125mm 0905012MB	<b>£115.53</b>
	Standard straight length of flue	150mm 0906012MB	<b>£124.68</b>
	<b>160mm Straight Length</b>	125mm 0905006MB	<b>£102.86</b>
	Standard straight length of flue	150mm 0906006MB	<b>£111.80</b>
	<b>50 – 230mm Telescopic Length (1 Piece)</b>	125mm 0905015MB	<b>£236.48</b>
	1 Piece section used to add length to a standard length	150mm 0906015MB	<b>£190.46</b>
	<b>350 – 570mm Adjustable Length</b>	125mm 0905016MB	<b>£260.32</b>
	2 Piece adjustable sliding length	150mm 0906016MB	<b>£266.68</b>
	<b>215 – 310mm Adjustable Length</b>	125mm 0905018MB	<b>£234.89</b>
	2 Piece adjustable sliding length	150mm 0906018MB	<b>£241.25</b>
	<b>585 – 885mm Adjustable Length</b>	125mm 0905017MB	<b>£282.00</b>
	2 piece adjustable sliding length	150mm 0906017MB	<b>£300.15</b>
	<b>Locking Band</b>	125mm 0905086MB	<b>£12.69</b>
	Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	150mm 0906086MB	<b>£12.87</b>
	<b>Inspection Pipe with Test Point (Dry Applications Only)</b>	125mm 0905013 DMB	<b>£394.72</b>
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm 0906013 DMB	<b>£443.94</b>

Product Description	Diameter	Part No.	Price
<b>Elbows / Tees</b>			
	<b>15° Elbow</b>	125mm 0905025MB	<b>£172.68</b>
	Used for changing flue direction	150mm 0906025MB	<b>£200.62</b>
	<b>30° Elbow</b>	125mm 0905023MB	<b>£172.68</b>
	Used for changing flue direction	150mm 0906023MB	<b>£200.58</b>
	<b>45° Elbow</b>	125mm 0905022MB	<b>£172.68</b>
	Used for changing flue direction	150mm 0906022MB	<b>£200.58</b>
	<b>90° Elbow</b>	150mm 0906021MB	<b>£251.39</b>
	Used for changing flue direction		
	<b>90° Tee Including Cap (Cap Suitable For Tee Only)</b>	125mm 0905043MB	<b>£483.78</b>
	Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	150mm 0906043MB	<b>£528.14</b>
	<b>135° Tee Including Cap (Cap Suitable For Tee Only)</b>	125mm 0905044MB	<b>£452.03</b>
	Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	150mm 0906044MB	<b>£528.14</b>
	<b>Tee Cap</b>	150mm 0906091MB	<b>£63.50</b>
	Standard tee cap for tee – fits base of tee only		
	<b>Insulated Tee Cap (Fits Wall Support Top Plate)</b>	125mm 0905053MB	<b>£187.30</b>
	Tee cap designed to fit onto tee or any ICID fitting	150mm 0906053MB	<b>£198.40</b>
	<b>Insulated Tee Cap &amp; Drain (Fits Wall Support Top Plate)</b>	125mm 0905533MB	<b>£186.59</b>
	Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	150mm 0906533MB	<b>£203.34</b>




















## Do you need?









Guy Wire, Grips and Strainers or Rigid Roof Stays

See the Fixings section on page 5.10



Product Description	Diameter	Part No.	Price
<b>Support / Penetration Components</b>			
 <b>Top Plate</b> Supporting plate with socket above and spigot below. Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066MB	£169.34
	150mm	0906066MB	£177.74
 <b>Wall Support Side Plates</b> Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994MB	£146.02
	150mm	0906994MB	£158.74
 <b>Standard Wall Support 60mm Stand Off</b> Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998MB	£311.08
	150mm	0906998MB	£336.48
 <b>Adj Wall Support 100mm Stand Off (Type 325 Arms)</b> Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325MB	£372.67
	150mm	0906325MB	£380.92
 <b>Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms)</b> Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475MB	£391.17
	150mm	0906475MB	£399.96
 <b>Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms)</b> Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570MB	£450.74
	150mm	0906570MB	£463.73
 <b>Retrofit Wall Support</b> Band with triangular side plates providing 60-200mm stand off	125mm	0905200MB	£157.11
	150mm	0906200MB	£159.20
 <b>Wall Band 60mm</b> Standard lateral support wall band (suitable for internal & external application)	125mm	0905088MB	£43.82
	150mm	0906088MB	£45.53

Product Description	Diameter	Part No.	Price
 <b>Wall Band Extension 50 – 100mm</b> Back bracket allowing extension of flue when using 09**088MB	125mm	0905064MB	£13.68
	150mm	0906064MB	£27.51
 <b>Adjustable Wall Band 60 – 300mm (Band &amp; Bracket)</b> 09**088MB & 09**067MB combined as an extension band and bracket kit	125mm	0905067MB	£99.77
	150mm	0906067MB	£134.49
 <b>Retrofit Wall Band 60mm</b> Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088 RFMB	£94.66
	150mm	0906088 RFMB	£99.48
 <b>Structural Wall Band Extension W1 – 130mm</b> Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001MB	£60.87
 <b>Structural Wall Band Extension L1 – 300mm</b> Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002MB	£178.63
 <b>Structural Wall Band Extension L2 – 450mm</b> Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003MB	£190.46
 <b>Guy Wire Bracket</b> Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092MB	£51.77
	150mm	0906092MB	£48.44
 <b>Extended / Structural Locking Band</b> Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof  Can support up to 3m from last support	125mm	0905086 EMB	£42.90
	150mm	0906086 EMB	£44.78
 <b>Structural Locking Band For Bend</b> As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086 EBMB	£19.06
	150mm	0906086 EBMB	£19.05

Product Description	Diameter	Part No.	Price
 <b>90° Trim Collar One Piece</b> To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111B	<b>£67.17</b>
	150mm	0906111B	<b>£68.17</b>
	180mm	0907105B	<b>£83.04</b>
	200mm	0908105B	<b>£95.07</b>
 <b>135° Trim Collar One Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113B	<b>£78.70</b>
	150mm	0906113B	<b>£87.37</b>
	180mm	0907106B	<b>£120.59</b>
	200mm	0908106B	<b>£125.23</b>
 <b>135° Trim Collar Two Piece</b> To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114B	<b>£74.28</b>
	150mm	0906114B	<b>£81.56</b>
	180mm	0907107B	<b>103.57</b>
	200mm	0908107B	<b>£115.89</b>
 <b>0 – 20° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245B	<b>£86.95</b>
	150mm	0906245B	<b>£79.61</b>
	180mm	0907245B	<b>£100.86</b>
	200mm	0908245B	<b>£106.17</b>
 <b>20 – 35° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246B	<b>£79.61</b>
	150mm	0906246B	<b>£79.61</b>
	180mm	0907246B	<b>£100.86</b>
	200mm	0908246B	<b>£106.17</b>
 <b>35 – 45° Trim Collar Two Piece</b> Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247B	<b>£79.61</b>
	150mm	0906247B	<b>£79.61</b>
	180mm	0907247B	<b>£100.86</b>
	200mm	0908247B	<b>£105.45</b>
 <b>Ventilated Firestop Round One Piece Black (Combustible Floor)</b> To be used where chimney passes through a combustible floor or ceiling	125mm	0905083B	<b>£93.85</b>
	150mm	0906083B	<b>£93.85</b>
	180mm	0907083B	<b>£104.88</b>
	200mm	0908083B	<b>£115.94</b>
 <b>Ventilated Firestop Round Two Piece Black (Combustible Floor)</b> To be used where chimney passes through a combustible floor or ceiling	125mm	0905084B	<b>£93.85</b>
	150mm	0906084B	<b>£99.36</b>
	180mm	0907084B	<b>£115.94</b>
	200mm	0908084B	<b>£121.46</b>












Product Description	Diameter	Part No.	Price
 <b>Bungalow Circular Firestop One Piece Black (Unvented)</b> Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183B	<b>£58.79</b>
	150mm	0906183B	<b>£62.98</b>
	180mm	0907183B	<b>£72.05</b>
	200mm	0908183B	<b>£77.28</b>
 <b>Magnetic Cover Ring Black</b> Optional decorative addition to ventilated firestop plate	125mm	0905110B	<b>£65.72</b>
	150mm	0906110B	<b>£65.72</b>
	180mm	0907110B	<b>£75.83</b>
	200mm	0908110B	<b>£75.83</b>
<b>Terminals / Flashings</b>			
 <b>Rain Cap No Mesh</b> Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074MB	<b>£114.31</b>
	150mm	0906074MB	<b>£120.53</b>
 <b>Rain Cap With Mesh</b> Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076MB	<b>£139.67</b>
	150mm	0906076MB	<b>£146.01</b>
 <b>Anti Splash Terminal (Without Mesh)</b> Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	150mm	0906075MB	<b>£355.58</b>
 <b>Insulated Tapered Terminal</b> Open tapered terminal, terminates chimney system	125mm	0905073MB	<b>£203.15</b>
	150mm	0906073MB	<b>£242.98</b>
 <b>Round Terminal</b> Terminal offering extra protection in excessive rain	125mm	0905079MB	<b>£246.04</b>
	150mm	0906079MB	<b>£262.85</b>
 <b>Angled Flashing 5 – 45° (Including Storm Collar)</b> Aluminium angled roof flashing including storm collar	150mm	0906035MB	<b>£360.85</b>
 <b>Storm Collar</b> Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041MB	<b>£75.93</b>
	150mm	0906041MB	<b>£75.93</b>











# Core Twin Wall

**Suitable for:** Woodburning, solid fuel, gas, oil

**Designation Number:** CE certified to EN 1856-1:2009 with designations T450 N1 W V2 L50050 G60 (Painted) T450 N1 D V3 L50050 G60 (Painted) T450 N1 W V2 L50050 G50 (Painted) T450 N1 D V3 L50050 G50 (Painted)













Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Warranty
<b>X</b>	<b>✓</b>	<b>✓</b>	50mm / 60mm	316 stainless steel liner	25mm	Schiedel Chimney Systems	10 years












Product Description	Diameter	Part No.	Price
<b>Starting Components</b>			
	Adjustable starter section 600mm - with test point	100mm	4804999MB <b>£142.83</b>
		130mm	4805999MB <b>£158.81</b>
		150mm	4806999MB <b>£167.29</b>
	Adjustable starter section 1037mm - with test point	100mm	4804998MB <b>£166.66</b>
		130mm	4805998MB <b>£188.81</b>
		150mm	4806998MB <b>£205.04</b>
	600mm adjustable starter section with 45 deg bend - with test point	130mm	4805997MB <b>£165.11</b>
		150mm	4806997MB <b>£174.63</b>
	Insulated appliance connector - direct from appliance or Premier Vitreous	100mm	4804101MB <b>£71.20</b>
		130mm	4805101MB <b>£76.04</b>
		150mm	4806101MB <b>£77.73</b>
	Prima Smooth / Specvit to Core adaptor	130mm	4805093MB <b>£65.78</b>
		150mm	4806093MB <b>£71.40</b>
	Core to Prima Smooth adaptor	130mm	4805099MB <b>£48.87</b>
		150mm	4806099MB <b>£55.25</b>
	Increasing insulated appliance connector - direct from appliance or Premier Vitreous	130mm	4805098MB <b>£95.02</b>
		150mm	4806098MB <b>£98.73</b>
	Anchor plate (Screwtype) - to fit TecnoFlex only	100mm	4804089S <b>£70.99</b>
		130mm	4805089S <b>£91.96</b>
		150mm	4806089S <b>£95.05</b>
	Adaptor to Flex (Screwtype) - to fit TecnoFlex only. Core below, Flex above	100mm	4804090 <b>£67.40</b>
		130mm	4805090 <b>£69.95</b>
		150mm	4806090 <b>£72.74</b>
<b>Pipe lengths</b>			
	150mm length <i>installed length 113mm</i>	100mm	4804006MB <b>£53.86</b>
		130mm	4805006MB <b>£59.54</b>
		150mm	4806006MB <b>£60.74</b>
	250mm length <i>installed length 213mm</i>	100mm	4804012MB <b>£63.79</b>
		130mm	4805012MB <b>£65.18</b>
		150mm	4806012MB <b>£66.95</b>

Product Description	Diameter	Part No.	Price
	500mm length <i>installed length 463mm</i>	100mm	4804005MB <b>£74.70</b>
		130mm	4805005MB <b>£75.87</b>
		150mm	4806005MB <b>£78.85</b>
	750mm length <i>installed length 750mm</i>	100mm	4804004MB <b>£77.32</b>
		130mm	4805004MB <b>£79.83</b>
		150mm	4806004MB <b>£84.52</b>
	1000mm length <i>installed length 963mm</i>	100mm	4804002MB <b>£87.71</b>
		130mm	4805002MB <b>£96.44</b>
		150mm	4806002MB <b>£102.30</b>
	Inspection pipe <i>installed length 496mm</i>	100mm	4804013MB <b>£207.00</b>
		130mm	4805013MB <b>£237.38</b>
		150mm	4806013MB <b>£241.80</b>
	2 Piece adjustable 250-365mm	100mm	4804015MB <b>£110.43</b>
		130mm	4805015MB <b>£113.92</b>
		150mm	4806015MB <b>£116.15</b>
	2 Piece adjustable 360-580mm	100mm	4804016MB <b>£115.61</b>
		130mm	4805016MB <b>£135.33</b>
		150mm	4806016MB <b>£140.13</b>
	2 Piece adjustable 525-915mm	100mm	4804017MB <b>£145.42</b>
		130mm	4805017MB <b>£150.03</b>
		150mm	4806017MB <b>£157.66</b>
	1 piece adjustable 50-230mm - use with another length telescopically	100mm	4804018MB <b>£109.01</b>
		130mm	4805018MB <b>£110.02</b>
		150mm	4806018MB <b>£111.30</b>
	Standard locking band	100mm	4804086MB <b>£7.39</b>
		130mm	4805086MB <b>£7.69</b>
		150mm	4806086MB <b>£7.96</b>
	Structural locking band	100mm	
		130mm	Coming soon
		150mm	

Product Description	Diameter	Part No.	Price
<b>Bends</b>			
	45 degree bend	100mm 4804022MB	£80.32
		130mm 4805022MB	£91.04
		150mm 4806022MB	£95.95
	30 degree bend	100mm 4804023MB	£80.15
		130mm 4805023MB	£90.95
		150mm 4806023MB	£92.92
	15 degree bend	100mm 4804025MB	£80.15
		130mm 4805025MB	£90.95
		150mm 4806025MB	£92.92
	45/135 degree tee	100mm 4804044MB	£265.45
		130mm 4805044MB	£269.86
		150mm 4806044MB	£278.05
	90 degree tee	100mm 4804043MB	£361.20
		130mm 4805043MB	£370.55
		150mm 4806043MB	£377.32
	Drain plug - to be ordered with Tee	100mm 4804053MB	£115.83
		130mm 4805053MB	£116.95
		150mm 4806053MB	£118.66
<b>Wall sleeves</b>			
	Non-combustible Wall Sleeve 45 / 135 degree	100mm 4804051	£42.48
		130mm 4805051	£28.36
		150mm 4806051	£38.70
	Combustible Wall Sleeve 45 / 135 degree	100mm 4804050	£51.90
		130mm 4805050	£44.65
		150mm 4806050	£48.08
	Non-combustible Wall Sleeve 90 Degree	100mm 4804052	£19.63
		130mm 4805052	£17.74
		150mm 4806052	£18.52
	Combustible Wall Sleeve 90 Degree	100mm 4804054	£23.45
		130mm 4805054	£23.35
		150mm 4806054	£21.06
<b>Firestop components</b>			
	1 piece round G50 fire stop plate - ventilated	100mm 4804283MB	£59.32
		130mm 4805283MB	£63.68
		150mm 4806283MB	£66.85
	1 piece square G50 firestop plate - ventilated	100mm 4804281	£54.95
		130mm 4805281	£60.65
		150mm 4806281	£64.28
	1 piece round G60 firestop plate - ventilated	100mm 4804083MB	£54.11
		130mm 4805083MB	£58.20
		150mm 4806083MB	£60.11
	1 piece square G60 firestop plate - ventilated	100mm 4804081	£57.65
		130mm 4805081	£62.35
		150mm 4806081	£65.51
	1 piece bungalow / single story firestop - black	100mm 4804183MB	£26.21
		130mm 4805183MB	£27.60
		150mm 4806183MB	£28.77

Product Description	Diameter	Part No.	Price
	2 piece bungalow / single story firestop - black	100mm 4804184MB	£40.39
		130mm 4805184MB	£42.08
		150mm 4806184MB	£43.04
	1 piece bungalow / single story firestop - white	100mm 4804183W	£27.33
		130mm 4805183W	£28.96
		150mm 4806183W	£30.16
	2 piece bungalow / single story firestop - white	100mm 4804184W	£41.51
		130mm 4805184W	£43.45
		150mm 4806184W	£44.45
<b>Support components</b>			
	Roof/rafter support	100mm 4804029	£50.80
		130mm 4805029	£58.55
		150mm 4806029	£58.94
	1 piece square support plate G50	100mm 4804228	£92.62
		130mm 4805228	£98.84
		150mm 4806228	£101.10
	1 piece square support plate G60	100mm 4804028	£95.29
		130mm 4805028	£100.47
		150mm 4806028	£102.30
	Retrofit wall support	100mm 4804200MB	£51.80
		130mm 4805200MB	£53.32
		150mm 4806200MB	£59.05
	Retrofit wall support - extended	100mm 4804375MB	£69.95
		130mm 4805375MB	£70.09
		150mm 4806375MB	£71.37
	Adjustable wall band 50-90mm	100mm 4804088MB	£39.60
		130mm 4805088MB	£39.95
		150mm 4806088MB	£43.58
	Adjustable wall band 90-200mm	100mm 4804067MB	£70.42
		130mm 4805067MB	£71.02
		150mm 4806067MB	£71.56
	Adjustable wall band 190-300mm	100mm 4804068MB	£84.49
		130mm 4805068MB	£84.68
		150mm 4806068MB	£84.79
	Adjustable wall band 290-400mm	100mm 4804069MB	£101.18
		130mm 4805069MB	£101.35
		150mm 4806069MB	£101.37
	Telescopic roof stays 1.6m to 2.5m range	100mm 4804029RS	£161.02
		130mm 4805029RS	£152.78
		150mm 4806029RS	£153.69
 Ridged roof stay M10 bolts - 2 to be used with Telescopic Roof Stay		HBA	£9.67
	Guywire bracket	100mm 4804092MB	£66.08
		130mm 4805092MB	£63.43
		150mm 4806092MB	£65.65

Product Description	Diameter	Part No.	Price
<b>Trim collars</b>			
	1 Piece 45 / 135 degree trim collar	100mm 4804106MB	<b>£23.05</b>
		130mm 4805106MB	<b>£24.38</b>
		150mm 4806106MB	<b>£25.66</b>
	2 Piece 45 / 135 degree trim collar	100mm 4804107MB	<b>£23.54</b>
		130mm 4805107MB	<b>£24.76</b>
		150mm 4806107MB	<b>£24.76</b>
	1 Piece 90 degree trim collar	100mm 4804111MB	<b>£21.98</b>
		130mm 4805111MB	<b>£23.65</b>
		150mm 4806111MB	<b>£23.89</b>
	2 Piece 90 degree trim collar	100mm 4804112MB	<b>£22.55</b>
		130mm 4805112MB	<b>£23.05</b>
		150mm 4806112MB	<b>£23.78</b>
	Adjustable 0-20 degree trim collar	100mm 4804245MB	<b>£23.97</b>
		130mm 4805245MB	<b>£24.95</b>
		150mm 4806245MB	<b>£25.61</b>
	Adjustable 20-35 degree trim collar	100mm 4804246MB	<b>£24.55</b>
		130mm 4805246MB	<b>£25.88</b>
		150mm 4806246MB	<b>£26.81</b>
	Adjustable 35-45 degree trim collar	100mm 4804247MB	<b>£25.04</b>
		130mm 4805247MB	<b>£26.73</b>
		150mm 4806247MB	<b>£27.46</b>
<b>Terminals</b>			
	Raincap with 25mm mesh	100mm 4804076MB	<b>£95.32</b>
		130mm 4805076MB	<b>£96.47</b>
		150mm 4806076MB	<b>£99.65</b>
	Anti-downdraught round top terminal	100mm 4804079MB	<b>£151.15</b>
		130mm 4805079MB	<b>£155.10</b>
		150mm 4806079MB	<b>£154.91</b>
	Anti-splash terminal with mesh - suitable for gas and oil	100mm 4804077MB	<b>£219.85</b>
		130mm 4805077MB	<b>£236.40</b>
		150mm 4806077MB	<b>£235.64</b>
	Tapered terminal	100mm 4804073MB	<b>£128.45</b>
		130mm 4805073MB	<b>£132.74</b>
		150mm 4806073MB	<b>£134.21</b>
	Adaptor to Flex (Screwtype) - to fit TecnoFlex only. Core below, Flex above	100mm 4804090	<b>£67.40</b>
		130mm 4805090	<b>£82.75</b>
		150mm 4806090	<b>£72.74</b>

Product Description	Diameter	Part No.	Price
<b>Flashings</b>			
	Storm collar	100mm 4804041MB	<b>£31.50</b>
		130mm 4805041MB	<b>£17.98</b>
		150mm 4806041MB	<b>£19.28</b>
	Storm collar with seal	100mm	Coming soon
		130mm	
		150mm	
	Angled aluminium flashing 5-45 degree	100mm 4804035MB	<b>£160.49</b>
		130mm 4805035MB	<b>£165.93</b>
		150mm 4806035MB	<b>£171.44</b>
	Flat aluminium flashing	100mm 4804038MB	<b>£161.45</b>
		130mm 4805038MB	<b>£149.85</b>
		150mm 4806038MB	<b>£152.32</b>
	Lead flashing 35 degree	100mm 8806035	<b>£95.53</b>
		130mm 8807035	<b>£168.36</b>
		150mm 8808035	<b>£173.23</b>
	Lead flashing 45 degree	100mm 8806045	<b>£95.53</b>
		130mm 8807045	<b>£173.23</b>
		150mm 8808045	<b>£182.92</b>
	Masterflash rubber flashing (black) EPDM	100mm 54MF106	<b>£70.79</b>
		130mm 54MF107	<b>£95.06</b>
		150mm 54MF108	<b>£115.82</b>
	Masterflash rubber flashing (red) Silicone	100mm 54MF206	<b>£114.42</b>
		130mm 54MF207	<b>£144.40</b>
		150mm 54MF208	<b>£173.75</b>
 Masterflash fixing kit 4-5 kits required		5500901	<b>£16.05</b>
<b>Accessories</b>			
	Loft guard 1000mm	0900559	<b>£131.25</b>
	Touch up paint 400ml	48SP	<b>£29.58</b>