



Woodburning / Multifuel

Vitreous Enamel Matt Black	1.2
Vitreous Enamel Gloss Black	1.6
Specvit	1.10
Prima Smooth	1.12
Schiedel UED	1.15
Flex & Fittings	1.16
ICID Plus	1.19
ICID Plus Matt Black	1.26
Core Twin Wall	1.30

Vitreous Enamel Matt Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✔	1 Year












Product Description	Diameter	Part No.	Price	
Adaptors				
	Economy Adaptor To Flex Liner	100mm	2504063	£70.45
	Enables connection to flexible liner	125mm	2505063	£76.47
		150mm	2506063	£80.91
	Liner pushes in to socket	175mm	2507063	£104.44
		200mm	2508063	£91.22
	Increasing Adaptor To Flex Liner	100 – 125mm	2505096	£77.05
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2506096	£82.89
	Cut Length Adaptor	100mm	2504097	£67.20
	Enables connection of cut vitreous lengths.	125mm	2505097	£67.20
		150mm	2506097	£67.20
	Replaces socket on the cut end	175mm	2507097	£75.59
		200mm	2508097	£78.44
	Increasing Spun Adaptor	100 – 125mm	2504081	£64.84
	Enables an increase in diameter of the vitreous length	125 – 150mm	2505081	£65.89
		150 – 175mm	2506081	£70.33
		175 – 200mm	2507081	£86.11
	Tapered Adaptor	100 – 125mm	2504090	£80.70
	Increases diameter by one step over 300mm taper	125 – 150mm	2505090	£82.07
		150 – 175mm	2506090	£94.44
		175 – 200mm	2507090	£106.28
	Double Socket Adaptor	100mm	2504603	£63.85
	Enables female to female end connection in one length	125mm	2505603	£67.86
		150mm	2506603	£73.91
		175mm	2507603	£75.89
		200mm	2508603	£77.86
	Double Spigot Adaptor	100mm	2504604	£63.85
	Enables male to male end connection in one length	125mm	2505604	£67.86
		150mm	2506604	£73.91
		175mm	2507604	£75.89
		200mm	2508604	£77.86
	Continental Adaptor	117– 125mm	2505094	£76.01
	Allows for continental appliance spigot sizes	135 – 150mm	2506094	£80.05

Product Description	Diameter	Part No.	Price	
Lengths				
	150mm Straight Pipe	125mm	2505006	£64.45
	Standard length	150mm	2506006	£76.72
	150mm			
	300mm Straight Pipe	100mm	2504012	£59.61
	260mm installed length	125mm	2505012	£70.01
		150mm	2506012	£82.82
		175mm	2507012	£94.86
		200mm	2508012	£110.55
	300mm Straight Pipe With Door	100mm	2504015	£85.33
	Installed length	125mm	2505015	£95.79
	260mm with provision for inspection and cleaning	150mm	2506015	£108.48
		175mm	2507015	£120.59
		200mm	2508015	£136.35
	500mm Straight Pipe	125mm	2505009	£87.05
	Installed length	150mm	2506009	£98.96
	500mm Straight Pipe With Door	125mm	2505011	£121.44
	Installed length	150mm	2506011	£133.28
	600mm Straight Pipe	100mm	2504005	£85.75
	Installed length	125mm	2505005	£87.05
	560mm	150mm	2506005	£98.96
		175mm	2507005	£114.85
		200mm	2508005	£131.65
	600mm Straight Pipe With Door	100mm	2504010	£119.00
	Installed length	125mm	2505010	£121.44
	560mm with provision for inspection and cleaning	150mm	2506010	£133.28
		175mm	2507010	£149.25
		200mm	2508010	£165.90
	900mm Straight Pipe	100mm	2504003	£114.74
	Installed length	125mm	2505003	£118.65
	860mm	150mm	2506003	£131.78
		175mm	2507003	£151.04
		200mm	2508003	£182.89

Product Description	Diameter	Part No.	Price	
	900mm Straight Pipe With Door	100mm	2504004	£149.09
	Installed length 125mm	125mm	2505004	£153.03
	860mm with provision for inspection and cleaning	150mm	2506004	£166.03
		175mm	2507004	£203.99
		200mm	2508004	£217.23
	1000mm Straight Pipe	125mm	2505002	£118.65
	Installed length 960mm	150mm	2506002	£131.78
	1000mm Straight Pipe With Door	125mm	2505001	£153.03
	Installed length 960mm with provision for inspection and cleaning	150mm	2506001	£166.03
	1200mm Straight Pipe	100mm	2504007	£149.00
	Installed length 1160mm	125mm	2505007	£157.12
		150mm	2506007	£173.66
		175mm	2507007	£190.39
	1200mm Straight Pipe With Door	100mm	2504014	£183.38
	Installed length 1160mm with provision for inspection and cleaning	125mm	2505014	£191.55
		150mm	2506014	£207.98
		175mm	2507014	£224.73
	350 – 550mm Adj Pipe No Door	100mm	2504016	£119.13
	Adjustable pipe used to achieve specific flue lengths.	125mm	2505016	£139.92
		150mm	2506016	£154.74
		175mm	2507016	£189.84
	600 – 900mm Adj Pipe With Door	100mm	2504017	£145.88
	Adjustable pipe used to achieve specific flue lengths	125mm	2505017	£165.32
	Provision for inspection and cleaning	150mm	2506017	£184.67
		175mm	2507017	£207.89
	600 – 1020mm Adj Pipe No Door	100mm	2504018	£242.50
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018	£272.73
	900 – 1450mm Adj Pipe With Door	100mm	2504018	£242.50
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018	£272.73
	Provision for inspection and cleaning	150mm	2506018	£290.62
		175mm	2507018	£343.27
	900 – 1600mm Adj Pipe No Door	100mm	2504018	£242.50
	Adjustable pipe used to achieve specific flue lengths	125mm	2505018N	£242.78
		150mm	2506018N	£272.81
		175mm	2507018N	£293.25

Product Description	Diameter	Part No.	Price	
	Damper Unit	100mm	2504008	£111.57
	Reduces the adverse effects of a strong flue up draught,	125mm	2505008	£118.14
	75mm installed length	150mm	2506008	£130.09
		175mm	2507008	£159.68
Bends / Tees				
	165° / 15° Mitred Bend	100mm	2504025	£98.44
	Enables angling of flue run if necessary	125mm	2505025	£110.99
		150mm	2506025	£127.95
		175mm	2507025	£151.04
	165° / 15° Mitred Bend With Door	100mm	2504027	£133.93
	Enables angling of flue run if necessary	125mm	2505027	£148.03
	Provision for inspection and cleaning	150mm	2506027	£160.20
		200mm	2508027	£216.13
	150° / 30° Mitred Bend	100mm	2504024	£98.44
	Enables angling of flue run if necessary	125mm	2505024	£110.99
		150mm	2506024	£127.95
		175mm	2507024	£151.04
	150° / 30° Mitred Bend With Door	100mm	2504026	£133.93
	Enables angling of flue run if necessary	125mm	2505026	£148.03
	Provision for inspection and cleaning	150mm	2506026	£160.20
		175mm	2507026	£182.71
	135° / 45° Swept Bend	100mm	2504022	£98.44
	Enables angling of flue run if necessary	125mm	2505022	£110.99
		150mm	2506022	£127.95
		175mm	2507022	£151.04
	135° / 45° Swept Bend With Door	100mm	2504020	£133.93
	Enables angling of flue run if necessary	125mm	2505020	£148.03
	Provision for inspection and cleaning	150mm	2506020	£160.20
		175mm	2507020	£182.71
	90° Swept Bend	125mm	2505019	£129.77
	Enables angling of flue run if necessary	150mm	2506019	£141.96
	90° Swept Bend With Door	125mm	2505021	£169.60
	Enables angling of flue run if necessary	150mm	2506021	£182.47
	135°/45° Mitred Bend	100mm	2504022	£98.44
	Enables angling of flue run if necessary	125mm	2505022	£110.99
	Provision for inspection and cleaning	150mm	2506022	£127.95
	135°/45° Mitred Bend With Door	100mm	2504020	£133.93
	Enables angling of flue run if necessary. Provision for inspection and cleaning	125mm	2505020	£148.03
		150mm	2506020	£160.20

Product Description	Diameter	Part No.	Price
 90° Mitred Bend Enables angling of flue run if necessary	100mm	2504019	£117.81
	175mm	2507019	£165.72
	200mm	2508019	£194.60
 90° Mitred Bend With Door Enables angling of flue run if necessary. Provision for inspection and cleaning	100mm	2504021	£156.64
	175mm	2507021	£206.47
	200mm	2508021	£233.04
 90° Bend with Debris Trap Bend with debris trap and cap, for cleaning and inspection	125mm	2505021DT	£216.71
	150mm	2506021DT	£229.68
 135° Long Tail Bend with Door Used when the install requires a greater distance between the appliance and flue than usual Door on short vertical section Provides 480mm offset	125mm	2505122	£242.70
	150mm	2506122	£267.93
 Offset Section Enables connection of chimney to appliance without joints 100mm offset, 520mm installed length	125mm	2505028	£222.90
	150mm	2506028	£229.93
 Offset Section with Door 100mm Offset Section with door placed 250mm up from base 520mm installed length	125mm	2505029	£249.85
	150mm	2506029	£278.31
 Adjustable Height Offset Section 100mm Offset Section minimum installed height 415mm maximum 520mm	125mm	2505030	£285.66
	150mm	2506030	£327.83
 90° Tee Without Cap (Type D) Enables connection at rear of appliance with horizontal connection (spigot branch)	100mm	2504043	£152.76
	125mm	2505043	£162.71
	150mm	2506043	£171.49
	175mm	2507043	£182.91
 90° Stabiliser Tee (Type B) Standard 90° tee with socket branch	100mm	2504042	£152.76
	125mm	2505042	£162.71
	150mm	2506042	£171.49
	175mm	2507042	£182.91
	200mm	2508042	£277.99

Product Description	Diameter	Part No.	Price
 135° Tee Without Cap Angled tee with branch spigot	100mm	2504044	£168.10
	125mm	2505044	£178.92
	150mm	2506044	£188.59
	175mm	2507044	£272.29
	200mm	2508044	£306.81
 Tee Cap (Stainless Steel) Enables closure of tee piece at bottom of system Enables cleaning and inspection	100mm	2504053	£41.27
	125mm	2505053	£41.27
	150mm	2506053	£43.59
	175mm	2507053	£48.88
	200mm	2508053	£58.49
Accessories			
 Maintenance Clip Enables connection of cut lengths to provide a means of manual inspection and cleaning	100mm	2504508	£39.34
	125mm	2505508	£39.34
	150mm	2506508	£39.34
	175mm	2507508	£52.79
	200mm	2508508	£52.79
 Painted Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	125mm	2505067	£55.06
	150mm	2506067	£56.30
	175mm	2507067	£59.39
 Enamel Pole Type Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	100mm	2504088	£74.48
	125mm	2505088	£74.48
	150mm	2506088	£74.48
	175mm	2507088	£74.48
	200mm	2508088	£77.51
 Ceiling Trim Ring Fits around pipe as it enters ceiling or wall 1 piece	100mm	2504085	£38.59
	125mm	2505085	£38.59
	150mm	2506085	£38.59
	175mm	2507085	£50.41
	200mm	2508085	£50.41
 45° Angled Trim Ring Fits around pipe as it enters ceiling or wall at an angle 2 piece	100mm	2504085A	£84.14
	125mm	2505085A	£84.31
	150mm	2506085A	£95.61
	175mm	2507085A	£95.61
	200mm	2508085A	£100.22
 Flush Trim Ring Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	125mm	2505085F	£74.76
	150mm	2506085F	£83.99
 Split Trim Ring Fits around pipe as it enters ceiling or wall 2 piece	100mm	2504085S	£85.80
	125mm	2505085S	£88.63
	150mm	2506085S	£88.63
	175mm	2507085S	£90.08
	200mm	2508085S	£91.22
 1D5 Gasket MK1 Door Gasket for 125mm swept bend	125mm	2500104	£8.05
 1D6 Gasket MK1 Door Gasket for 150mm swept bend	150mm	2500105	£8.05

Product Description	Diameter	Part No.	Price
 MK2 Gasket 100 – 150mm Oval Door Gasket		2500107	£8.36
 MK3 Gasket 130 – 190mm Oval Door Gasket		2500108	£7.99
 MK4 Gasket 200 – 240mm Square Door Gasket		2500109	£8.36
 1D5 Door – Matt Black MK1 Replacement Swept Bend Door for 125mm	125mm	2505MK1	£17.07
 1D6 Door – Matt Black MK1 Replacement Swept Bend Door for 150mm	150mm	2506MK1	£24.02
 MK2 Door – Matt Black Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2504MK2	£24.23
	125mm	2505MK2	£24.23
	150mm	2506MK2	£24.23
 MK3 Door – Matt Black Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2505MK3	£24.23
	150mm	2506MK3	£24.23
	175mm	2507MK3	£24.23
	200mm	2508MK3	£24.23
 MK4 Door – Matt Black Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2505MK4	£29.81
	150mm	2506MK4	£29.81
	175mm	2507MK4	£29.81
	200mm	2508MK4	£28.32
 MK2 Door – Stainless Steel Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£10.27

Product Description	Diameter	Part No.	Price
 MK3 Door – Stainless Steel Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£12.22
 MK4 Door – Stainless Steel Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£14.31
 8mm Universal Test Point Can be retro fitted to allow draught reading to be taken		34UTP	£13.39



Do you need?

Fire Cement, Glass Fibre Cord or Sealant Adhesive

See the Installation Essentials section on page 5.12










Vitreous Enamel Gloss Black

Suitable for: Woodburning, Solid Fuel, Gas & Oil












Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
X	X	X	3 x Diameter	1.2mm Mild Steel 2 coats of enamel	N/A	Pennine	✓	1 Year





Product Description	Diameter	Part No.	Price	
Adaptors				
	Economy Adaptor To Flex Liner	100mm	2304063	£70.45
	Enables connection to flexible liner	125mm	2305063	£76.47
		150mm	2306063	£80.91
	Liner pushes in to socket	175mm	2307063	£104.44
		200mm	2308063	£91.22
	Increasing Adaptor To Flex Liner	100 – 125mm	2305096	£77.05
	Enables connection to flexible liner with an increase in diameter	125 – 150mm	2306096	£82.89
	Cut Length Adaptor	100mm	2304097	£67.20
	Enables connection of cut vitreous lengths.	125mm	2305097	£67.20
	Replaces socket on the cut end	150mm	2306097	£67.20
		175mm	2307097	£75.59
		200mm	2308097	£78.44
	Increasing Spun Adaptor	100 – 125mm	2304081	£64.84
	Enables an increase in diameter of the vitreous length	125 – 150mm	2305081	£65.89
		150 – 175mm	2306081	£70.33
		175 – 200mm	2307081	£86.11
	Tapered Adaptor	100 – 125mm	2304090	£80.70
	Increases diameter by one step over 300mm taper	125 – 150mm	2305090	£82.07
		150 – 175mm	2306090	£94.44
		175 – 200mm	2307090	£106.28
	Double Socket Adaptor	100mm	2304603	£63.85
	Enables female to female end connection in one length	125mm	2305603	£67.86
		150mm	2306603	£73.91
		200mm	2308603	£77.86
	Double Spigot Adaptor	100mm	2304604	£63.85
	Enables male to male end connection in one length	125mm	2305604	£67.86
		150mm	2306604	£73.91
		175mm	2307604	£75.89
		200mm	2308604	£77.86

Product Description	Diameter	Part No.	Price	
Lengths				
	300mm Straight Pipe	100mm	2304012	£59.61
	260mm installed length	125mm	2305012	£70.01
		150mm	2306012	£82.82
		175mm	2307012	£94.86
		200mm	2308012	£110.55
	300mm Straight Pipe With Door	100mm	2304015	£85.33
	Installed length 260mm with provision for inspection and cleaning	125mm	2305015	£95.79
		150mm	2306015	£108.48
		175mm	2307015	£120.59
		200mm	2308015	£136.27
	600mm Straight Pipe	100mm	2304005	£85.75
	Installed length 560mm	125mm	2305005	£87.05
		150mm	2306005	£98.96
		175mm	2307005	£114.85
		200mm	2308005	£131.65
	600mm Straight Pipe With Door	100mm	2304010	£119.00
	Installed length 560mm with provision for inspection and cleaning	125mm	2305010	£121.44
		150mm	2306010	£133.28
		175mm	2307010	£149.25
		200mm	2308010	£165.90
	900mm Straight Pipe	100mm	2304003	£114.74
	Installed length 860mm	125mm	2305003	£118.65
		150mm	2306003	£131.78
		175mm	2307003	£151.04
		200mm	2308003	£182.89
	900mm Straight Pipe With Door	100mm	2304004	£149.09
	Installed length 860mm with provision for inspection and cleaning	125mm	2305004	£153.03
		150mm	2306004	£166.03
		175mm	2307004	£203.99
		200mm	2308004	£217.23
	1200mm Straight Pipe	100mm	2304007	£149.00
	Installed length 1160mm	125mm	2305007	£157.12
		150mm	2306007	£173.66
		175mm	2307007	£190.39
		200mm	2308007	£234.98


Product Description	Diameter	Part No.	Price	
	1200mm Straight Pipe With Door	100mm	2304014	£183.38
	Installed length 1160mm with provision for inspection and cleaning	125mm	2305014	£191.55
		150mm	2306014	£207.98
		175mm	2307014	£224.73
		200mm	2308014	£269.28
	350 – 550mm Adj Pipe No Door	100mm	2304016	£119.13
	Adjustable pipe used to achieve specific flue lengths.	125mm	2305016	£139.92
		150mm	2306016	£165.71
		175mm	2307016	£189.84
	600 – 900mm Adj Pipe With Door	100mm	2304017	£145.88
	Adjustable pipe used to achieve specific flue lengths	125mm	2305017	£165.32
	Provision for inspection and cleaning	150mm	2306017	£184.67
	600 – 1020mm Adj Pipe No Door	150mm	2306013	£144.49
	Adjustable pipe used to achieve specific flue lengths			
	900 – 1450mm Adj Pipe With Door	150mm	2306018	£290.62
	Adjustable pipe used to achieve specific flue lengths			
	900 – 1600mm Adj Pipe No Door	150mm	2306018N	£272.81
	Adjustable pipe used to achieve specific flue lengths			
	Damper Unit	100mm	2304008	£111.55
	Reduces the adverse affects of a strong flue up draught	125mm	2305008	£118.14
		150mm	2306008	£130.09
		175mm	2307008	£159.68
Elbows / Tees				
	165° / 15° Mitred Bend	100mm	2304025	£98.44
	Enables angling of flue run if necessary	125mm	2305025	£110.99
		150mm	2306025	£127.95
	165° / 15° Mitred Bend With Door	100mm	2304027	£133.93
	Enables angling of flue run if necessary	125mm	2305027	£148.03
	Provision for inspection and cleaning	150mm	2306027	£160.20
	150° / 30° Mitred Bend	100mm	2304024	£98.44
	Enables angling of flue run if necessary	125mm	2305024	£110.99
		150mm	2306024	£127.95
		175mm	2307024	£151.04
	200mm	2308024	£184.20	

Product Description	Diameter	Part No.	Price	
	150° / 30° Mitred Bend With Door	100mm	2304026	£133.93
	Enables angling of flue run if necessary	125mm	2305026	£148.03
		150mm	2306026	£160.20
	Provision for inspection and cleaning	175mm	2307026	£182.71
	200mm	2308026	£216.23	
	135° / 45° Swept Bend	125mm	2305022	£110.99
	Enables angling of flue run if necessary	150mm	2306022	£127.95
	135° / 45° Swept Bend With Door	125mm	2305020	£148.03
	Enables angling of flue run if necessary	150mm	2306020	£160.20
	Provision for inspection and cleaning			
	90° Swept Bend	125mm	2305019	£129.77
	Enables angling of flue run if necessary	150mm	2306019	£141.96
	90° Swept Bend With Door	125mm	2305021	£169.60
	Enables angling of flue run if necessary	150mm	2306021	£182.47
	Provision for inspection and cleaning			
	135°/45° Mitred Bend	100mm	2304022	£98.44
	Enables angling of flue run if necessary	175mm	2307022	£151.04
		200mm	2308022	£184.20
	135°/45° Mitred Bend With Door	100mm	2304020	£133.93
	Enables angling of flue run if necessary. Provision for inspection and cleaning	175mm	2307020	£182.71
		200mm	2308020	£216.23
	90° Mitred Bend	100mm	2304019	£117.81
	Enables angling of flue run if necessary	175mm	2307019	£165.72
		200mm	2308019	£194.60
	90° Mitred Bend With Door	100mm	2304021	£156.64
	Enables angling of flue run if necessary. Provision for inspection and cleaning	175mm	2307021	£206.47
		200mm	2308021	£233.04
	Offset Section	100mm	2304028	£202.92
	Enables connection of chimney to appliance without joints	125mm	2305028	£222.90
	100mm offset, 520mm installed length	150mm	2306028	£229.85
	90° Tee Without Cap (Type D)	100mm	2304043	£152.76
	Enables connection at rear of appliance with horizontal connection (spigot branch)	125mm	2305043	£162.71
		150mm	2306043	£171.49
		175mm	2307043	£182.91
		200mm	2308043	£277.99


Product Description	Diameter	Part No.	Price
 90° Stabiliser Tee (Type B) Standard 90° tee with socket branch	100mm	2304042	£152.76
	125mm	2305042	£162.71
	150mm	2306042	£171.45
	175mm	2307042	£182.91
	200mm	2308042	£277.99
 135° Tee Without Cap Angled tee with branch spigot	100mm	2304044	£168.10
	125mm	2305044	£178.92
	150mm	2306044	£188.59
	175mm	2307044	£272.29
 Tee Cap (Stainless Steel) Enables closure of tee piece at bottom of system Enables cleaning and inspection	100mm	2504053	£41.27
	125mm	2505053	£41.27
	150mm	2506053	£43.59
	175mm	2507053	£48.88
	200mm	2508053	£58.49
Accessories			
 Painted Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	150mm	2306067	£55.28
 Enamel Pole Type Wall Band Enables lateral support of vitreous pipe Can be cut to requirements	100mm	2304088	£74.48
	125mm	2305088	£74.48
	150mm	2306088	£74.48
 Ceiling Trim Ring Fits around pipe as it enters ceiling or wall 1 piece	100mm	2304085	£38.59
	125mm	2305085	£38.59
	150mm	2306085	£38.59
	175mm	2307085	£50.41
	200mm	2308085	£50.41
 45° Angled Trim Ring Fits around pipe as it enters ceiling or wall at an angle 2 Piece	100mm	2304085A	£84.14
	125mm	2305085A	£84.31
	150mm	2306085A	£95.61
 Flush Trim Ring Fits around pipe as it enters ceiling or wall, with upstand on one edge 2 piece	100mm	2304085F	£81.50
	125mm	2305085F	£83.99
 Split Trim Ring Fits around pipe as it enters ceiling or wall 2 piece	100mm	2304085S	£85.80
	125mm	2305085S	£88.63
	150mm	2306085S	£88.63
	175mm	2307085S	£90.08
	200mm	2308085S	£91.22
 1D5 Gasket MK1 Door Gasket for 125mm swept bend	125mm	2500104	£8.05
 1D6 Gasket MK1 Door Gasket for 150mm swept bend	150mm	2500105	£8.05

Product Description	Diameter	Part No.	Price
 MK2 Gasket 100 – 150mm Oval Door Gasket		2500107	£8.36
 MK3 Gasket 130 – 190mm Oval Door Gasket		2500108	£7.99
 MK4 Gasket 200 – 240mm Square Door Gasket		2500109	£8.36
 MK2 Door – Stainless Steel Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes		2300MK2	£10.27
 MK3 Door – Stainless Steel Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends		2300MK3	£12.22
 MK4 Door – Stainless Steel Replacement Door for 125 – 200mm, 500mm – 1200mm pipes		2300MK4	£14.31
 1D5 Door – Gloss Black MK1 Replacement Swept Bend Door for 125mm	125mm	2305MK1	£17.07
 1D6 Door – Gloss Black MK1 Replacement Swept Bend Door for 150mm	150mm	2306MK1	£24.02
 MK2 Door – Gloss Black Replacement Oval Door for Mitred Bends 100 – 150mm & all 100mm pipes	100mm	2304MK2	£24.23
	125mm	2305MK2	£24.23
	150mm	2306MK2	£24.23
 MK3 Door – Gloss Black Replacement Door for 125 – 150mm 300mm pipes & 175 – 200mm 300mm pipes & bends	125mm	2305MK3	£24.23
	150mm	2306MK3	£24.23
	175mm	2307MK3	£24.23
	200mm	2308MK3	£23.10
 MK4 Door – Gloss Black Replacement Door for 125 – 200mm, 500mm – 1200mm pipes	125mm	2305MK4	£29.81
	150mm	2306MK4	£29.81
	175mm	2307MK4	£29.81
	200mm	2308MK4	£28.32
 8mm Universal Test Point Can be retro fitted to allow draught reading to be taken		34UTP	£13.39

Premier Vitreous Enamelled
Mitred Bend Dimensions



Premier Vitreous Enamelled
Swept Bend Dimensions



15 / 165° Elbow					
Diameter	100	125	150	175	200
A	100	114	100	153	159
B	143	156	150	193	197
C	60	70	89	184	100
D	492	543	518	718	732

90° Elbow			
Diameter	100	125	150
A	115	140	165
B	150	170	195
C	265	320	365
D	300	320	365

30 / 150° Elbow					
Diameter	100	125	150	175	200
A	137	88	82	128	121
B	140	137	140	179	185
C	130	127	134	190	165
D	554	453	438	638	624

45 / 135° Elbow			
Diameter	100	125	150
A	109	65	80
B	145	95	110
C	180	110	137
D	468	285	330

90° Elbow		
Diameter	175	200
A	160	185
B	195	220
C	350	405
D	385	440







45 / 135° Elbow		
Diameter	175	200
A	135	140
B	165	175
C	215	220
D	530	570

Specvit

Suitable for: Woodburning, Solid Fuel, Gas & Oil

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✗	✗	✗	3 x Diameter	0.9mm Mild Steel, 1 Coat Enamel	N/A	Pennine	✔	1 Year







Product Description	Diameter	Part No.	Price
Adaptors			
 Double Socket Adaptor Enables female to female end connection	125mm	2105603	£42.67
	150mm	2106603	£43.96
 Double Spigot Adaptor Enables male to male end connection	125mm	2105604	£42.67
	150mm	2106604	£43.96
Lengths			
 Length 250mm 205mm installed length	125mm	2105012	£43.82
	150mm	2106012	£45.17
 Length 500mm 455mm installed length	125mm	2105009	£56.97
	150mm	2106009	£58.62
 Length 1000mm 955mm installed length	125mm	2105002	£87.66
	150mm	2106002	£90.25
 Length 330mm c/w Soot Door 285mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm	2105015	£102.34
	150mm	2106015	£105.70
 Length 500mm c/w Soot Door 455mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm	2105011	£108.77
	150mm	2106011	£111.48

Product Description	Diameter	Part No.	Price
 Length 1000mm c/w Soor Door 955mm installed length with provision for inspection and cleaning (door 145mm up from base)	125mm	2105001	£139.51
	150mm	2106001	£145.02
 Damper Unit Reduces the adverse affects of a strong flue up draught, 205mm installed length	125mm	2105008	£115.71
	150mm	2106008	£128.32
 Adjustable Length 1 Piece Max 275mm Telescopic length used to extend a standard length up to 275mm	125mm	2105016	£98.91
	150mm	2106016	£107.51
 Offset Section 100mm offset in a one piece 515mm installed length	125mm	2105028	£221.98
	150mm	2106028	£228.94
 Offset Section with Door 100mm offset in a one piece 515mm installed length with access door (271mm up from base)	125mm	2105029	£273.21
	150mm	2106029	£286.02
 Adjustable Offset Section 100mm offset one piece 395mm installed length, used with another fixed length to telescope with	125mm	2105030	£276.29
	150mm	2106030	£290.46


⓪ Did you know?

Specvit now comes in super matt black as standard

#designedtobebetter

Product Description	Diameter	Part No.	Price	
Elbows / Tees				
	30° Bend No Door	125mm	2105024	£90.54
	Used for changing flue direction	150mm	2106024	£93.45
	45° Bend No Door	125mm	2105022	£90.54
	Used for changing flue direction	150mm	2106022	£93.45
	45° Bend c/w Soot Door	125mm	2105020	£142.48
	Used for changing flue direction with provision for inspection and cleaning	150mm	2106020	£151.24
	90° Bend No Door	125mm	2105019	£90.54
	Used for changing flue direction	150mm	2106019	£93.14
	90° Bend c/w Soot Door	125mm	2105021	£142.10
	Used for changing flue direction with provision for inspection and cleaning	150mm	2106021	£150.84
	90° Tee Piece	125mm	2105043	£191.26
	Enables connection at rear of appliance with horizontal connection Cap included	150mm	2106043	£193.07

Specvit Mitred Bend Dimensions



30° Elbow		
Diameter	125mm	150mm
A	63	90
B	83	130
C	73	90
D	273	381

45° Elbow		
Diameter	125mm	150mm
A	105	110
B	120	150
C	122	140
D	336	383

90° Elbow		
Diameter	125mm	150mm
A	75	110
B	165	175
C	303	357
D	348	402



? Did you know?

Specvit is friction fit so only needs fire cement or sealant adhesive used at the appliance connection

#designedtobebetter

Prima Smooth


Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: Connecting pipe: T600 N1 W V2 L50060 G / Liner: T600 N1 DV2 L50060 G


Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
X	X	X	3 x Diameter	1mm Stainless Steel	N/A	Schiedel	✓	10 years


Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------


Adaptors

	Increaseer Adaptor used to increase flue diameter	100 – 125mm	1905081	£51.38
		125 – 150mm	1906081	£51.38
		150 – 180mm	1907081	£65.25
		180 – 200mm	1908081	£70.07


	Appliance Connector Allows connection from appliance outlet to flue pipe	123–125mm	1905094	£59.27
		128–125mm	1905095	£59.27
		148–150mm	1906094	£60.53
		153–150mm	1906095	£35.06
		178–180mm	1907094	£77.02
		183–180mm	1907095	£46.71
		198–200mm	1908094	£82.68
	203 – 200mm	1908095	£49.62	


	1000mm Swaged Starter Pipe Starter pipe with swage 40mm from base	123 – 125mm	1905003	£135.57
		148 – 150mm	1906003	£144.42

	500mm Swaged Starter Pipe Starter pipe with swage 40mm from base	123 – 125mm	1905006	£87.92
		148 – 150mm	1906006	£92.79


	250mm Swaged Starter Pipe Starter pipe with swage 40mm from base	123 – 125mm	1905013	£52.17
		148 – 150mm	1906013	£57.14


Lengths


	1000mm Length (950mm Effective) Standard straight flue pipe	125mm	1905002	£116.79
		150mm	1906002	£121.46
		180mm	1907002	£159.40
		200mm	1908002	£200.75


	950mm Inspection Pipe (New) Flue pipe with door for inspection access located in middle	125mm	1905004NEW	£172.85
		150mm	1906004NEW	£186.86
		180mm	1907004NEW	£265.66
		200mm	1908004NEW	£281.61


Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------


	500mm Length (450mm Effective) Standard straight flue pipe	125mm	1905005	£84.06
		150mm	1906005	£88.77
		180mm	1907005	£110.92
		200mm	1908005	£132.87


	450mm Inspection Pipe Flue pipe with door for inspection access located in middle	125mm	1905010NEW	£121.46
		150mm	1906010NEW	£130.79
		180mm	1907010NEW	£167.33
		200mm	1908010NEW	£175.32


	250mm Length (200mm Effective) Standard straight flue pipe	125mm	1905012	£46.71
		150mm	1906012	£46.71
		180mm	1907012	£69.07
	200mm	1908012	£74.49	


	250mm Inspection Pipe Flue pipe with door for inspection access	125mm	1905011	£102.77
		150mm	1906011	£112.10
		180mm	1907011	£128.48
		200mm	1908011	£134.30














	500mm Adjustable Pipe (1 Piece) Max Adj. 370mm One piece pipe used to adjust the length of existing pipe inc locking band	125mm	1905015	£125.53
		150mm	1906015	£145.98
		180mm	1907015	£151.82
		200mm	1908015	£157.66





	Lowering Pipe Can be used to lower pipe down tall shaft / stack when being used as a chimney liner	125mm	1905008	£113.86
		150mm	1906008	£122.62
		180mm	1907008	£128.48
		200mm	1908008	£140.14

	200mm Adjustable Pipe (1 Piece) Max Adj. 70mm One piece pipe used to adjust the length of existing pipe inc locking band	125mm	1905009	£66.35
		150mm	1906009	£70.12
		180mm	1907009	£72.98
		200mm	1908009	£75.92

	Cover Band Used to provide an aesthetic finish to the joint from a cut down length	125mm	1905999	£13.87
		150mm	1906999	£13.87

	Probe Length 450mm flue pipe with test point	125mm	1905014	£86.65
		150mm	1906014	£91.62
		180mm	1907014	£108.16
		200mm	1908014	£114.90

Product Description	Diameter	Part No.	Price
Elbows / Tees			
	0 – 90° Adjustable Bend Rotating segmented bend to allow changeable angles	125mm 1905021	£128.48
		150mm 1906021	£140.14
		180mm 1907021	£141.90
		200mm 1908021	£159.40
	90° Fixed Bend Used for changing flue direction	125mm 1905028	£84.07
		150mm 1906028	£88.77
		180mm 1907028	£113.86
		200mm 1908028	£131.39
	90° Fixed Inspection Bend (Access Door) Used for changing flue direction with added access door	125mm 1905029	£130.79
		150mm 1906029	£140.14
		180mm 1907029	£186.86
		200mm 1908029	£201.45
	45° Fixed Bend Used for changing flue direction	125mm 1905022	£65.40
		150mm 1906022	£70.07
		180mm 1907022	£95.66
		200mm 1908022	£122.19
	45° Fixed Inspection Bend (Access Door) Used for changing flue direction with added access door	125mm 1905020	£116.79
		150mm 1906020	£121.46
		180mm 1907020	£163.47
		200mm 1908020	£169.32
	0 – 45° Adjustable Bend Rotating segmented bend to allow changeable angles	125mm 1905026	£90.35
		150mm 1906026	£95.66
		180mm 1907026	£111.49
		200mm 1908026	£122.19
	45° Integral Offset Section 50mm 300mm high one piece offset	125mm 1905128	£92.23
		150mm 1906128	£115.70
	45° Integral Offset Section 100mm 300mm high one piece offset	125mm 1905129	£93.95
		150mm 1906129	£116.01
	30° Fixed Bend Used for changing flue direction	125mm 1905023	£65.40
		150mm 1906023	£70.07
		180mm 1907023	£95.66
		200mm 1908023	£122.19
	30° Fixed Inspection Bend (Access Door) Used for changing flue direction with added access door	125mm 1905024	£116.79
		150mm 1906024	£121.46
		180mm 1907024	£163.47
		200mm 1908024	£169.32
	15° Fixed Bend Used for changing flue direction	125mm 1905025	£65.39
		150mm 1906025	£70.07
		180mm 1907025	£95.66
	90° Tee Without Tee Cap Used for rear flue outlet or for draught stabiliser location on branch	125mm 1905043	£112.10
		150mm 1906043	£116.79
		180mm 1907043	£160.57
		200mm 1908043	£175.32
	135° Tee Without Tee Cap Used to connect at 45° angle from outlet	125mm 1905044	£266.27
		150mm 1906044	£280.29
		180mm 1907044	£373.69
		200mm 1908044	£397.07

Product Description	Diameter	Part No.	Price
	Wrap Around Door Used when creating access in flue pipe or replacement for inspection pipe door with clip fastening	125mm 1905107	£61.51
		150mm 1906107	£68.09
		180mm 1907107	£72.42
		200mm 1908107	£95.82
	Tee Cap For use on base of tee	125mm 1905053	£35.62
		150mm 1906053	£42.03
	Locking band recommended to fasten	180mm 1907053	£48.20
		200mm 1908053	£52.55
Support Components			
	Wall Band 60mm Lateral support for flue pipe to wall or other surface	125mm 1905088	£38.06
		150mm 1906088	£39.14
		180mm 1907088	£41.36
		200mm 1908088	£41.36
	Wall Band 300mm Adjustable Extended lateral support for flue pipe to wall or other surface	125mm 1905067	£98.06
		150mm 1906067	£102.92
		180mm 1907067	£105.16
		200mm 1908067	£105.16
	Support Plate Can be used in conjunction with cantilevers to use as a wall support	125mm 1905027	£291.95
		150mm 1906027	£306.54
		180mm 1907027	£321.13
		200mm 1908027	£350.34
	Cantilever Support Used in conjunction with Support Plate to create a wall support	Type 325 0600004	£166.70
		Type 475 0600005	£179.51
		Type 570 0600006	£230.80
	Locking Band Used to provide extra support when an offset is in the system or to secure joints when being lowered into a chimney stack as a liner.	125mm 1905086	£30.67
		150mm 1906086	£30.67
		180mm 1907086	£36.53
		200mm 1908086	£36.53
	Adjustable Pipe Locking Band Provides joint integrity on adjustable pipes	125mm 1905087	£45.03
		150mm 1906087	£46.69
		180mm 1907087	£49.33
		200mm 1908087	£113.87



Do you need?


Self Tapping Screws
or Rivets

**See the Installation
Essentials section
on page 5.12**



Product Description	Diameter	Part No.	Price
Terminals / Flashings			
 Rain Cap Used in conjunction with the Expansion Joint (19**087) at the top of an existing masonry stack when Prima Smooth is used as a liner	125mm	1905074	£106.26
	150mm	1906074	£116.88
	180mm	1907074	£127.51
	200mm	1908074	£132.87
 Adaptor to Eco ICID Adaptor designed to exclusively slide into the female top of Prima Smooth when using ICID twinwall above	125mm	1905063	£70.07
	150mm	1906063	£74.83
	180mm	1907063	£93.43
	200mm	1908063	£102.18
 Adaptor to Tecnoflex Prima Smooth to flexible flue liner (plain end style)	125mm	1905090	£46.71
	150mm	1906090	£46.71
	180mm	1907090	£102.18
	200mm	1908090	£102.18
 Adjustable Flashing 5 – 45° Aluminium adjustable pitch flashing complete with storm collar	125mm	1905035	£151.24
	150mm	1906035	£153.73
	180mm	1907035	£176.88
	200mm	1908035	£194.17
 Flat Flashing Aluminium flat roof flashing complete with storm collar	125mm	1905038	£147.21
	150mm	1906038	£149.87
	180mm	1907038	£172.28
	200mm	1908038	£194.17
 Storm Collar Storm collar provides protection from water ingress	125mm	1905041	£64.75
	150mm	1906041	£69.11
	180mm	1907041	£69.33
	200mm	1908041	£71.79
 8mm Universal Test Point Can be retro fitted to allow draught reading to be taken		34UTP	£13.39

Prima Smooth Mitred Bend Dimensions



30° Elbow				
Diameter	125	150	180	200
A	50	50	50	50
B	98	98	98	98
C	74	74	74	74
D	276	276	276	276

45° Elbow				
Diameter	125	150	180	200
A	73	73	73	73
B	122	122	122	122
C	138	138	138	138
D	333	333	333	333

90° Elbow				
Diameter	125	150	180	200
A	131	131	134	134
B	190	190	184	184
C	338	331	336	336
D	338	331	336	336









Schiedel UED

Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T400 N1 D V3 L50040 G200


Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓	✗	✗	200mm	0.4mm 316/304	Air Gap – 7.5mm	Ontop	✗	2 years


Product Description	Diameter	Part No.	Price	
Starting Components				
	Appliance Adaptor UEDAS	130mm	1705094	£103.62
	70mm Installed length with 149mm diameter spigot	150mm	1706094	£114.64
Lengths				
	250mm Pipe UED 25	130mm	1705012	£122.81
	200mm Installed length	150mm	1706012	£122.91
	500mm Pipe UED 50	130mm	1705005	£155.81
	450mm Installed length	150mm	1706005	£157.58
	1000mm Pipe UED100	130mm	1705002	£208.10
	960mm Installed length	150mm	1706002	£216.95
	Adjustable Pipe UEDPP	130mm	1705015	£122.81
	Adjust between 70mm – 250mm installed length	150mm	1706015	£229.33

Product Description	Diameter	Part No.	Price	
Elbows				
	45° Elbow UEDB45	130mm	1705022	£97.69
	Used for change of flue direction	150mm	1706022	£182.29
Support / Penetration Components				
	Mounting Band UEEB	130mm	1705088	£25.55
	Lateral support for flue pipe back to wall	150mm	1706088	£29.64
	Rosette Smooth Trim Collar UEDR	130mm	1705108	£39.05
	Fits around pipe as it enters ceiling or wall	150mm	1706108	£42.50


Flex & Fittings


Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------


Tecnoflex				
	316 Tecnoflex Plus Liner (per metre)	125mm	9705111	£170.38
	Twin skinned 316L grade stainless steel flexible liner	155mm	9706111	£238.63
		180mm	9707111	£286.37
		200mm	9708111	£324.56
Lifetime warranty T450 N1 W V2 L50012 G				


	904 Tecnoflex Plus Liner (per metre)	125mm	9205904R	£274.52
	Twin skinned 904L grade stainless steel flexible liner	155mm	9206904R	£331.66
		180mm	9207904R	£377.06
		200mm	9208904R	£432.43
25 year warranty T450 N1 W V2 L70012 G				


Tecnoflex Fittings

	Adaptor to Tecnoflex (screw / twist on)	125mm	1305090RV	£45.68
	Adaptor to connect between connecting flue pipe and Tecnoflex 316 or 904L liner	155mm	1306090RV	£53.24
		180mm	1307090RV	£60.87
		200mm	1308090RV	£68.48
		100 – 125mm	1305097RV	£65.07
Sealant not required on high temperature applications.		125 – 155mm	1306097RV	£72.96
		155 – 180mm	1307097RV	£71.43
		180 – 200mm	1308097RV	£79.06

	Nose Cone (screw / twist on for tecnoflex)	125mm	9505105S	£45.36
	Lightweight nose cone used to help pull the liner down the stack.	155mm	9506105S	£45.35
		180mm	9507105S	£45.36
		200mm	9508105S	£45.36

	Pot Hanger (screw / twist on for tecnoflex)	125mm	9505041RV	£112.05
	Screw fit fastening on to top of liner used to hang liner from the chimney pot (up to 15m)	155mm	9506041RV	£115.29

	Pot Hanger and Terminal (screw / twist on for tecnoflex)	125mm	9505040RV	£200.64
	Screw fit fastening on to top of liner used to hang liner from the chimney pot with rain cap terminal attached (up to 15m)	155mm	9506040RV	£214.02

	Joiner (screw / twist on for tecnoflex)	125mm	9505100S	£83.69
	Used to join two pieces of tecnoflex liner together.	155mm	9506100S	£91.30
		180mm	9507100S	£98.92
		200mm	9508100S	£106.52

? Did you know?

316 Tecnoflex now comes with a lifetime guarantee.

#designedtobebetter

Screw Fit Illustration























Image courtesy of Schiedel

Product Description	Diameter	Part No.	Price
---------------------	----------	----------	-------

Specflex				
	316 Specflex (per metre)	125mm	9805111	£87.08
	Twin skinned 316L grade stainless steel flexible liner	155mm	9806111	£108.84
		180mm	9807111	£174.16
		200mm	9808111	£195.93
10 year warranty T600 N1 W V2 L50012 G				

	904 Specflex (per metre)	125mm	9305904	£193.50
	Twin skinned 904L grade stainless steel flexible liner	155mm	9306904	£241.89
		180mm	9307904	£386.99
		200mm	9308904	£435.39
25 year warranty T600 N1 W V2 L70012 G				

Product Description	Diameter	Part No.	Price	
Universal Fittings				
 Top Plate 375mm ² top plate used with top clamp to support liner on top of brick stack	100mm	9504113	£73.04	
	125mm	9505113	£68.61	
	155mm	9506113	£68.80	
	180mm	9507113	£68.80	
 Top Clamp Used with top plate to support liner on top of brick stack	100mm	9504114	£42.97	
	125mm	9505114	£43.70	
	155mm	9506114	£43.70	
	180mm	9507114	£63.43	
	200mm	9508114	£63.43	
 Top Insert Used to protect the top of the liner 194mm high	100mm	9504101	£42.11	
	125mm	9505101	£42.11	
	155mm	9506101	£45.91	
	180mm	9507101	£53.63	
	200mm	9508101	£68.94	
 Top Insert 1000mm Long Used to protect the top of the liner with longer length	125mm	9505101E	£151.70	
	155mm	9506101E	£168.63	
	180mm	9507101E	£236.41	
	200mm	9508101E	£198.32	
 Adaptor to Flex (1mm Thick) Pushfit adaptor from connecting flue to flexible liner	100mm	1304090	£70.20	
	125mm	1305090	£70.20	
	155mm	1306090	£70.20	
	180mm	1307090	£91.09	
	200mm	1308090	£93.83	
 Adaptor to Flex (Extended) Pushfit adaptor from connecting flue to flexible liner with 195mm tail	125mm	1305090T	£95.78	
	155mm	1306090T	£105.40	
	180mm	1307090T	£134.18	
	200mm	1308090T	£148.56	
 Increasing Adaptor to Flex Pushfit adaptor from connecting flue to flexible liner allowing an increase in diameter	100 – 125mm	1305097	£105.58	
	100 – 150mm	1306096	£146.64	
	125 – 155mm	1306097	£105.58	
	155 – 180mm	1307097	£124.18	
	180 – 200mm	1308097	£124.18	
	 Register Plate Adaptor to Flex 300mm ² Plate with pushfit adaptor	125mm	1305065	£157.89
		155mm	1306065	£166.49
180mm		1307065	£192.85	
200mm		1308065	£206.40	
 Increasing Register Plate Adaptor to Flex (300mm SQ Plate) 300mm ² plate with pushfit adaptor allowing an increase in diameter	100 – 125mm	1305066	£225.62	
	125 – 155mm	1306066	£166.49	
	155 – 180mm	1307066	£192.85	
	180 – 200mm	1308066	£206.40	


Product Description	Diameter	Part No.	Price
 Register Plate Slip Adaptor 300mm ² plate with pushfit adaptor Underside allows connecting pipe to slip into the adaptor for a neat finish	125mm	1305063	£124.02
	155mm	1306063	£130.14
 Bottom Support Bracket Used to fasten the liner to the wall of the masonry chimney to prevent lateral movement	125mm	9505028	£62.36
	155mm	9506028	£65.76
	180mm	9507028	£69.23
	200mm	9508028	£69.23
 Rain Cap (Top Insert Required) Used to help prevent excess water entering the chimney	125mm	9505074	£98.02
	155mm	9506074	£111.63
	180mm	9507074	£120.79
	200mm	9508074	£131.11
 Pot Hanger Easyfit fastening to top of liner used to hang liner from the chimney pot	100mm	9504041	£94.36
	125mm	9505041	£95.37
	155mm	9506041	£103.37
	180mm	9507041	£107.44
	200mm	9508041	£112.25
 Pot Hanging Cowl – S/S Terracotta All in one liner hanger from pot with rain & birdguard attached	125mm	3505001	£207.02
	155mm	3506001	£207.02
	180mm	3507001	£207.02
 Pot Hanging Cowl – S/S Buff All in one liner hanger from pot with rain & birdguard attached	125mm	3505001B	£207.02
	155mm	3506001B	£207.02
 S/S Nose Cone (Heavy Duty) 316 1mm stainless steel heavy duty nose cone used to help pull liner down chimney stack	125mm	9505105	£163.81
	155mm	9506105	£187.86
	180mm	9507105	£195.92
	200mm	9508105	£203.86
 Ali Nose Cone and Cord (Lightweight) Lightweight nose cone used to help pull the liner down the stack	100mm	9504105F	£17.04
	125mm	9505105F	£21.32
	155mm	9506105F	£21.32
	180mm	9507105F	£21.32
	200mm	9508105F	£21.32

? Did you know?

Our pot hanging cowls will support up to 20m of liner (not including chimwrap or rockwool pipe sections)

#designedtobebetter

Product Description	Diameter	Part No.	Price
 Gather Adaptor (300mm x 300mm Base) 45° angled gather with liner adaptor attached	125mm	9505089	£174.70
	155mm	9506089	£194.58
	180mm	9507089	£204.63
	200mm	9508089	£207.08
 Gather Adaptor (300mm x 230mm Base) 45° angled gather with liner adaptor attached	125mm	9505088	£174.70
	155mm	9506088	£194.58
	180mm	9507088	£204.63
	200mm	9508088	£207.08
 Gather Adaptor (230mm x 230mm Base) 45° angled gather with liner adaptor attached	155mm	9506087	£194.58
	180mm	9507087	£204.63
	200mm	9508087	£207.08
 Gather Adaptor (230mm x 350mm Base) 45° angled gather with liner adaptor attached	180mm	9507090	£204.63
	200mm	9508090	£207.08
 Gather Adaptor (230mm x 400mm Base) 45° angled gather with liner adaptor attached	155mm	9506091	£206.16
	180mm	9507091	£204.63
	200mm	9508091	£207.08
 Joiner (Flex to Flex) Used to join two pieces of flexible liner together.	100mm	9504100	£82.86
	125mm	9505100	£83.79
	155mm	9506100	£91.52
	180mm	9507100	£97.87
	200mm	9508100	£101.65
 Sump Adaptor – 280mm Dish Used to attach stove connecting pipe to the underside of a masonry stack	125mm	1305087	£127.72
	155mm	1306087	£137.30
	180mm	1307087	£146.93
	200mm	1308087	£158.52
 Sump Adaptor – 330mm Dish Used to attach stove connecting pipe to the underside of a masonry stack	125mm	1305050	£127.72
	155mm	1306050	£137.30
	180mm	1307050	£146.93
	200mm	1308050	£158.52

Product Description	Diameter	Part No.	Price
 Adaptor to Clay Flue Liner Used to connect stove connecting pipe to clayliner	125 – 175mm	1305088	£212.93
	155 – 175mm	1306088	£212.93
	175mm	1307088	£212.93
	125 – 200mm	13050888	£212.93
	155 – 200mm	13060888	£212.93
	175 – 200mm	13070888	£212.93
	200mm	1308088	£212.93
	125 – 225mm	1305089	£212.93
	155 – 225mm	1306089	£212.93
	175 – 225mm	1307089	£212.93
	200 – 225mm	1308089	£212.93

⚠ Do you need?

Chimney Pots

See page 5.9 or for a wider selection speak to our Sales Team



🔍 Can't find what you're looking for?


Send us a drawing and we can get a quote to get it especially made for you.

#designedtobebetter

⚠ Do you need?







Chimwrap

See the Insulation section on page 5.9










ICID Plus

Suitable for: Woodburning, Solid Fuel, Gas & Oil								
Designation Number: T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)								
Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance



Product Description	Diameter	Part No.	Price
Starting Components			
 SW-DW Connector Closed Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905093	£88.73
	150mm	0906093	£94.25
	180mm	0907093	£116.45
	200mm	0908093	£138.62
 SW-DW Connector (Open Uninsulated) For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094	£49.89
	150mm	0906094	£55.46
	180mm	0907094	£72.08
	200mm	0908094	£77.62
 Insulated Appliance Connector For connecting directly on to appliance	125mm	0905101	£141.77
	150mm	0906101	£146.18
	180mm	0907101	£171.23
	200mm	0908101	£185.35
 Increasing S/W – ICID Adaptor With Case (Insulated) Increasing adaptor from single wall / appliance with step covered by insulated case to provide an appealing aesthetic	125mm	0905098	£99.80
	150mm	0906098	£110.88
	180mm	0907098	£133.08
	200mm	0908098	£147.80
 Increasing S/W – ICID Adaptor Closed (Uninsulated) For Use On Rear Outlets) Increasing adaptor from single wall/appliance. Uninsulated and increasing step shown – best for rear outlet installations	125mm	0905097	£110.88
	150mm	0906097	£121.99
 SW-DW Starter Pipe 473mm (Short) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905102	£188.50
	150mm	0906102	£199.62










Product Description	Diameter	Part No.	Price
 SW-DW Increasing Starter Pipe 1018mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125 – 150mm	0906104	£277.23
 SW-DW Starter Pipe 973mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe, not directly onto appliance	125mm	0905202	£238.42
	150mm	0906202	£249.51
 Prima Smooth to ICID Starter Pipe 1200mm Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201	£348.66
	150mm	0906201	£374.46
 Anchor Plate (Plain) For use on top of a firechest or the top of an existing cut off stack	125mm	0905089	£188.50
	150mm	0906089	£188.50
	180mm	0907089	£221.79
	200mm	0908089	£255.06
 Anchor Plate (Screw Type) For use on top of a firechest or top of an existing cut off stack. For use with Tecnoflex Liner	125mm	0905089S	£218.86
	150mm	0906089S	£218.86
	180mm	0907089S	£253.43
	200mm	0908089S	£287.94
 Prima Smooth to ICID Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905099	£165.27
	150mm	0906099	£175.95
	180mm	0907099	£186.19
	200mm	0908099	£237.89

Product Description	Diameter	Part No.	Price
 Increasing Prima Smooth Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 – 150mm	0906100	£230.21
 Adjustable Starter Section 1035mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905014	£310.95
	150mm	0906014	£339.47
 Adjustable Starter Section 890mm Designed for ease of use when installing and disconnecting a stove for inspection	180mm	0907014	£408.21
	200mm	0908014	£432.93
 Adjustable Starter Section 600mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905999	£235.88
	150mm	0906999	£247.56
	180mm	0907999	£314.67
	200mm	0908999	£334.55
Lengths			
 1460mm Straight Length Standard straight length of flue	125mm	0905001	£340.54
	150mm	0906001	£360.29
 960mm Straight Length Standard straight length of flue	125mm	0905002	£184.09
	150mm	0906002	£208.49
	180mm	0907002	£266.14
	200mm	0908002	£277.23
 750mm Straight Length Standard straight length of flue	125mm	0905004	£166.34
	150mm	0906004	£182.98
	180mm	0907004	£221.79
	200mm	0908004	£243.96
 460mm Straight Length Standard straight length of flue	125mm	0905005	£139.70
	150mm	0906005	£153.03
	180mm	0907005	£177.42
	200mm	0908005	£182.98
 293mm Straight Length Standard straight length of flue	125mm	0905012	£100.92
	150mm	0906012	£108.69
	180mm	0907012	£138.62
	200mm	0908012	£144.15
 160mm Straight Length Standard straight length of flue	125mm	0905006	£89.82
	150mm	0906006	£97.60
	180mm	0907006	£110.88
	200mm	0908006	£116.45
 50 – 230mm Telescopic Length (1 Piece) 1 piece section used to add length to a standard length	125mm	0905015	£161.90
	150mm	0906015	£166.34

Product Description	Diameter	Part No.	Price
 350 – 570mm Adjustable Length 2 piece adjustable sliding length	125mm	0905016	£227.31
	150mm	0906016	£232.86
	180mm	0907016	£277.23
	200mm	0908016	£304.96
 215 – 310mm Adjustable Length 2 piece adjustable sliding length	125mm	0905018	£205.15
	150mm	0906018	£210.70
	180mm	0907018	£249.51
	200mm	0908018	£277.23
 585 – 885mm Adjustable Length 2 piece adjustable sliding length	125mm	0905017	£301.89
	150mm	0906017	£305.33
 Inspection Length 460mm Installed as a standard length the inspection hatch offers facility for flue access & cleaning For dry systems only	125mm	0905013	£671.99
	150mm	0906013	£711.18
	180mm	0907013	£776.23
 Inspection Pipe with Test Point (Dry Only) Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a spring gasket. 302mm installed length	125mm	0905013D	£370.98
	150mm	0906013D	£427.53
	180mm	0907013D	£535.03
	200mm	0908013D	£500.70
 Stabiliser Section Stabiliser Section which can be fitted to a tee branch	125mm	0905007	£148.12
	150mm	0906007	£170.15
	180mm	0907007	£250.53
	200mm	0908007	£309.59
 Locking Band Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	125mm	0905086	£11.08
	150mm	0906086	£11.08
	180mm	0907086	£19.41
	200mm	0908086	£19.41
Elbows / Tees			
 15° Bend Used for changing flue direction	125mm	0905025	£150.81
	150mm	0906025	£175.21
	180mm	0907025	£199.62
	200mm	0908025	£205.15
 30° Bend Used for changing flue direction	125mm	0905023	£150.81
	150mm	0906023	£175.21
	180mm	0907023	£199.62
	200mm	0908023	£205.15
 45° Bend Used for changing flue direction	125mm	0905022	£150.81
	150mm	0906022	£175.21
	180mm	0907022	£199.62
	200mm	0908022	£205.15
 90° Bend Used for changing flue direction	125mm	0905021	£200.71
	150mm	0906021	£219.58
	180mm	0907021	£304.96
	200mm	0908021	£321.60

Product Description	Diameter	Part No.	Price
 90° Inspection Bend Used for changing flue direction with facility for inspection via door	125mm	0905019	£283.90
	150mm	0906019	£313.82
	200mm	0908019	£414.98
 90° Tee Including Cap (Cap Suitable For Tee Only) Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	125mm	0905043	£422.48
	150mm	0906043	£461.31
	180mm	0907043	£499.01
	200mm	0908043	£526.72
 135° Tee Including Cap (Cap Suitable For Tee Only) Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	125mm	0905044	£394.76
	150mm	0906044	£461.31
	180mm	0907044	£526.72
	200mm	0908044	£554.47
 Tee Cap Standard tee cap for tee – fits base of tee only	125mm	0905091	£55.46
	150mm	0906091	£55.46
	180mm	0907091	£66.54
	200mm	0908091	£77.62
 Tee Cap & Drain Tee cap with drain off fitting – fits base of tee only	125mm	0905532	£66.54
	150mm	0906532	£66.54
	180mm	0907532	£77.62
	200mm	0908532	£88.73
 Insulated Tee Cap (Fits Wall Support Top Plate) Tee cap designed to fit onto tee or any ICID fitting	125mm	0905053	£163.57
	150mm	0906053	£173.27
 Insulated Tee Cap & Drain (Fits Wall Support Top Plate) Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	125mm	0905533	£166.34
	150mm	0906533	£177.42
	180mm	0907533	£188.50
	200mm	0908533	£194.06
 H&S Stabiliser Adaptor Used with 90° tee to connect H&S stabiliser	125mm	0905099	£82.94
	150mm	0906099	£88.01
	200mm	0908099	£98.15

Support / Penetration Components			
 135° Wall Sleeve (Combustible Wall) Mitred sleeve used to protect the building where the flue passes through	125mm	0905050	£69.87
	150mm	0906050	£105.69
	180mm	0907050	£105.69
	200mm	0908050	£105.69
 135° Wall Sleeve (Non Combustible Wall) Mitred sleeve used to protect the building where the flue passes through	125mm	0905051	£69.87
	150mm	0906051	£69.87
	180mm	0907051	£69.87
	200mm	0908051	£69.87

Product Description	Diameter	Part No.	Price
 90° Wall Sleeve (Non Combustible Wall) Sleeve used to protect the building where the flue passes through	125mm	0905052	£33.26
	150mm	0906052	£33.26
 Top Plate Supporting plate with Socket above and spigot below Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066	£144.15
	150mm	0906066	£155.25
	180mm	0907066	£194.06
	200mm	0908066	£199.62
 Wall Support Side Plates Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994	£127.52
	150mm	0906994	£138.62
	180mm	0907994	£144.15
	200mm	0908994	£155.25
 Standard Wall Support 60mm Stand Off Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998	£271.67
	150mm	0906998	£293.86
	180mm	0907998	£338.24
	200mm	0908998	£354.84
 Adj Wall Support 100mm Stand Off (Type 325 Arms) Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325	£321.60
	150mm	0906325	£332.67
	180mm	0907325	£371.49
	200mm	0908325	£370.60
 Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms) Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475	£338.24
	150mm	0906475	£349.31
	180mm	0907475	£387.54
	200mm	0908475	£393.66
 Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms) Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570	£393.66
	150mm	0906570	£404.78
	180mm	0907570	£443.57
	200mm	0908570	£449.12
 Retrofit Wall Support Band with triangular side plates providing 60-200mm stand off	125mm	0905200	£157.79
	150mm	0906200	£159.88
 Wall Band 60mm Standard lateral support wall band (suitable for internal & external application)	125mm	0905088	£34.48
	150mm	0906088	£34.48
	180mm	0907088	£38.82
	200mm	0908088	£44.36



Do you need?









Guy Wire, Grips and Strainers or Rigid Roof Stays




















See the Fixings section on page 5.10




Product Description	Diameter	Part No.	Price
Adjustable Wall Band 60 – 300mm (Band & Bracket) 09**088 & 09**067 combined as an extension band and bracket kit	125mm	0905067	£94.25
	150mm	0906067	£99.80
	180mm	0907067	£110.88
	200mm	0908067	£121.99
Wall Band Extension 50 – 100mm Back bracket allowing extension of flue when using 09**088	125mm	0905064	£16.80
	150mm	0906064	£17.99
Retrofit Wall Band 60mm Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088RF	£60.92
	150mm	0906088RF	£66.00
	180mm	0907088RF	£76.16
	200mm	0908088RF	£81.26
Retrofit Wall Band Extension W1 – 130mm Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001	£47.16
Retrofit Wall Band Extension L1 – 300mm Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002	£152.46
Retrofit Wall Band Extension L2 – 450mm Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003	£166.34
Guy Wire Bracket Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092	£45.15
	150mm	0906092	£45.61
	180mm	0907092	£49.89
	200mm	0908092	£49.89

Product Description	Diameter	Part No.	Price
Flue Enclosure Kit 2400mm (Mesh, Bands & Fittings) 2 x 1200mm long galvanised mesh enclosures with bands and fittings, designed to be used within a loft space to ensure distance & ventilation around chimney system	125mm	0905559	£408.45
	150mm	0906559	£408.45
	180mm	0907557	£408.45
	200mm	0908557	£408.45
Roof (Rafter) Support Flue band with side gimble plates comes as a kit for fixing to the roof trusses, offering lateral support	125mm	0905029	£112.39
	150mm	0906029	£117.74
	180mm	0907029	£123.06
	200mm	0908029	£133.74
Ceiling / Joist Support Plate With 700mm Arms Ventilated support plate for use where chimney systems passes through ceiling joists, complete with joist arms for support	125mm	0905033	£182.85
	150mm	0906033	£182.69
	180mm	0907033	£212.85
	200mm	0908033	£213.15
Extended / Structural Locking Band Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086E	£37.47
	150mm	0906086E	£39.38
	180mm	0907086E	£44.64
	200mm	0908086E	£48.24
Structural Locking Band For Bend As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086EB	£16.63
	150mm	0906086EB	£16.63
	180mm	0907086EB	£22.17
	200mm	0908086EB	£22.17
Ceiling / Joist Support Plate (Non-Combustible Floor) Used where the chimney system passes through a non-combustible floor for weight bearing support	125mm	0905032	£55.46
	150mm	0906032	£55.46
	180mm	0907032	£83.17
	200mm	0908032	£88.73
Firestop Spacer Two Piece (Non-Combustible Floor) Two piece plate for use where chimney system passes through a non combustible ceiling / floor	125mm	0905082	£16.63
	150mm	0906082	£16.63
	180mm	0907082	£27.73
	200mm	0908082	£38.82


Product Description	Diameter	Part No.	Price
 90° Trim Collar One Piece To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111	£56.50
	150mm	0906111	£57.49
	180mm	0907105	£67.92
	200mm	0908105	£78.47
 135° Trim Collar One Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113	£68.92
	150mm	0906113	£70.40
	180mm	0907106	£99.66
	200mm	0908106	£102.19
 135° Trim Collar Two Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114	£59.44
	150mm	0906114	£65.03
	180mm	0907107	£88.61
	200mm	0908107	£93.77
 135° Trim Collar Two Piece (White) To cover when chimney system passes through the wall at 135° Covers 75mm around external diameter of flue	125mm	0905107W	£79.30
	150mm	0906107W	£87.06
	180mm	0907107W	£114.19
	200mm	0908107W	£121.68
 0 – 20° Trim Collar Two Piece Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245	£69.29
	150mm	0906245	£69.29
	180mm	0907245	£85.29
	200mm	0908245	£95.96
 20 – 35° Trim Collar Two Piece Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246	£69.29
	150mm	0906246	£69.29
	180mm	0907246	£85.29
	200mm	0908246	£95.96
 35 – 45° Trim Collar Two Piece Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247	£69.29
	150mm	0906247	£69.29
	180mm	0907247	£85.29
	200mm	0908247	£95.96
 Ventilated Firestop Two Piece Rectangular (Combustible Floor) To be used where the chimney passes through a combustible floor or ceiling	125mm	0905087	£72.08
	150mm	0906087	£72.08
	180mm	0907087	£94.25
	200mm	0908087	£99.80

Product Description	Diameter	Part No.	Price
 Ventilated Firestop Support Plate 1 Piece (Combustible Floor) To be used where the chimney passes through a combustible floor or ceiling	125mm	0905028	£129.60
	150mm	0906028	£135.61
	180mm	0907028	£142.58
	200mm	0908028	£158.41
 Ventilated Firestop Round One Piece Steel (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083S	£72.08
	150mm	0906083S	£77.62
	180mm	0907083S	£88.73
	200mm	0908083S	£99.80
 Ventilated Firestop Round One Piece White (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905083W	£98.54
	150mm	0906083W	£98.54
	180mm	0907083W	£110.12
	200mm	0908083W	£121.74
 Ventilated Firestop Round Two Piece Steel (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084S	£83.17
	150mm	0906084S	£88.73
	180mm	0907084S	£99.80
	200mm	0908084S	£110.88
 Ventilated Firestop Round Two Piece White (Combustible Floor) Circular firestop to be used where chimney passes through a combustible floor or ceiling	125mm	0905084W	£98.54
	150mm	0906084W	£104.33
	180mm	0907084W	£121.74
	200mm	0908084W	£127.53
 Bungalow Circular Firestop One Piece Steel (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183S	£34.73
	150mm	0906183S	£35.79
	180mm	0907183S	£41.21
	200mm	0908183S	£42.78
 Bungalow Circular Firestop One Piece White (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183W	£61.73
	150mm	0906183W	£66.13
	180mm	0907183W	£75.65
	200mm	0908183W	£81.14

Product Description	Diameter	Part No.	Price
 Bungalow Circular Firestop Two Piece Steel (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184G	£85.95
 Bungalow Circular Firestop Two Piece White (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	150mm	0906184W	£89.86
 Magnetic Cover Ring White Optional decorative addition to ventilated firestop plate	125mm	0905110W	£69.01
	150mm	0906110W	£69.01
	180mm	0907110W	£79.62
	200mm	0908110W	£79.62
Terminals / Flashings			
 Rain Cap No Mesh Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074	£99.80
	150mm	0906074	£106.49
	180mm	0907074	£116.45
	200mm	0908074	£121.99
 Rain Cap With Mesh Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076	£121.99
	150mm	0906076	£127.52
	180mm	0907076	£138.62
	200mm	0908076	£144.15
 Anti Splash Terminal (Without Mesh) Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	125mm	0905075	£236.95
	150mm	0906075	£251.62
	180mm	0907075	£305.96
	200mm	0908075	£334.34
 Insulated Tapered Terminal Open tapered terminal, terminates chimney system	125mm	0905073	£177.42
	150mm	0906073	£194.06
	180mm	0907073	£194.06
	200mm	0908073	£205.15
 Round Terminal Terminal offering extra protection in excessive rain	125mm	0905079	£237.12
	150mm	0906079	£246.17
 Adaptor To Flex Twinwall chimney system to flexible liner adaptor	125mm	0905090	£89.82
	150mm	0906090	£92.04
	180mm	0907090	£99.80
	200mm	0908090	£110.88
 Top Adaptor for Kevington Allows connection to prefabricated Kevington chimney	125mm	0905078	£106.95
	150mm	0906078	£107.57
	180mm	0907078	£125.87
	200mm	0908078	£129.74

Product Description	Diameter	Part No.	Price
 Flat Flashing (Including Storm Collar) Aluminium flat roof flashing including storm collar	125mm	0905038	£164.86
	150mm	0906038	£177.50
	180mm	0907038	£199.62
	200mm	0908038	£205.15
 Angled Flashing 5 - 45° (Including Storm Collar) Aluminium angled roof flashing including storm collar	125mm	0905035	£166.35
	150mm	0906035	£177.50
	180mm	0907035	£199.62
	200mm	0908035	£205.15
 Storm Collar Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041	£66.41
	150mm	0906041	£68.62
	180mm	0907041	£66.54
	200mm	0908041	£66.54

ICID Mitred Bend Dimensions



15° Elbow				
Diameter	125	150	180	200
A	63	63	63	64
B	55	56	56	57
C	31	31	31	31
D	232	234	234	238


30° Elbow				
Diameter	125	150	180	200
A	66	70	73	77
B	57	61	64	68
C	62	66	69	73
D	230	244	256	271

45° Elbow				
Diameter	125	150	180	200
A	79	83	91	95
B	70	74	82	86
C	105	111	122	128
D	254	268	295	309


Image courtesy of Schiedel

Typical ICID Plus Installations


INTERNAL HOUSE Combustible Floors




INTERNAL HOUSE Non Combustible Floors



INTERNAL BUNGALOW (VENTILATED LOFT SPACE) Combustible and Non-Combustible floors



EXTERNAL System Chimney










ICID Plus Matt Black













Suitable for: Woodburning, Solid Fuel, Gas & Oil

Designation Number: T450 N1 D V3 L50050 G50 (in free air / non combustible shaft), T450 N1 D V3 L50050 G60 (in combustible shaft)

Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Manufactured in the UK	Warranty
✓ (add seals)	✓	✓	60mm	316 / 304 Stainless Steel	25mm	Schiedel	✓	20 years or lifetime of appliance

Product Description	Diameter	Part No.	Price
Starting Components			
 SW-DW Connector Closed Closed around base for connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905093MB	£106.66
	150mm	0906093MB	£114.01
 SW-DW Connector (Open Uninsulated) For connecting to stove pipe. Must be sealed for a gas tight joint	125mm	0905094MB	£59.98
	150mm	0906094MB	£66.67
 Insulated Appliance Connector For connecting directly on to appliance	125mm	0905101MB	£171.23
	150mm	0906101MB	£176.16
 Increasing S/W – ICID Adaptor With Case (Insulated) Increasing adaptor from single wall / appliance with step covered by insulated case to provide a more appealing aesthetic	125mm	0905098MB	£131.23
	150mm	0906098MB	£133.32
 Increasing Appliance Connector Closed (Insulated) Closed around base for connecting to stove pipe or directly onto appliance. Must be sealed for a gas tight joint	100 – 125mm	0905097MB	£133.32
	125 – 150mm	0906097MB	£146.66
 SW-DW Starter Pipe 473mm (Short) Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	125mm	0905103	£216.79
	150mm	0906103	£229.55
 SW-DW Starter Pipe 973mm (Long) Gives a tapered increase from single to double wall – must only be used on stove connection pipe not directly onto appliance	125mm	0905203	£274.18
	150mm	0906203	£286.91

Product Description	Diameter	Part No.	Price
 SW-DW Increasing Starter Pipe 1018mm (Long) Gives a tapered increase from single to twinwall – must only be used on stove connection pipe not directly onto appliance	125 – 150mm	0906104MB	£347.79
 Prima Smooth to ICID Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	150mm	0906099MB	£229.94
 Increasing Prima Smooth Starter Adaptor (Slip In Adaptor) Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125 – 150mm	0906100MB	£244.18
 Prima Smooth to ICID Starter Pipe 1200mm Tapered adaptor designed exclusively for Prima Smooth to slide inside the spigot end of the adaptor, giving a smooth transition to twinwall	125mm	0905201MB	£427.75
	150mm	0906201MB	£457.56
 Adjustable Starter Section 1035mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905014MB	£508.43
	150mm	0906014MB	£350.27
 Adjustable Starter Section 600mm Designed for ease of use when installing and disconnecting a stove for inspection	125mm	0905999MB	£252.97
	150mm	0906999MB	£272.43

Product Description	Diameter	Part No.	Price
Lengths			
	1460mm Straight Length	125mm 0905001MB	£411.87
	Standard straight length of flue	150mm 0906001MB	£432.93
	960mm Straight Length	125mm 0905002MB	£221.31
	Standard straight length of flue	150mm 0906002MB	£250.69
	750mm Straight Length	125mm 0905004MB	£199.98
	Standard straight length of flue	150mm 0906004MB	£220.28
	460mm Straight Length	125mm 0905005MB	£167.98
	Standard straight length of flue	150mm 0906005MB	£184.53
	293mm Straight Length	125mm 0905012MB	£121.31
	Standard straight length of flue	150mm 0906012MB	£130.91
	160mm Straight Length	125mm 0905006MB	£108.00
	Standard straight length of flue	150mm 0906006MB	£117.39
	50 – 230mm Telescopic Length (1 Piece)	125mm 0905015MB	£248.30
	1 Piece section used to add length to a standard length	150mm 0906015MB	£199.98
	350 – 570mm Adjustable Length	125mm 0905016MB	£273.34
	2 Piece adjustable sliding length	150mm 0906016MB	£280.01
	215 – 310mm Adjustable Length	125mm 0905018MB	£246.63
	2 Piece adjustable sliding length	150mm 0906018MB	£253.31
	585 – 885mm Adjustable Length	125mm 0905017MB	£296.10
	2 piece adjustable sliding length	150mm 0906017MB	£315.16
	Locking Band	125mm 0905086MB	£13.32
	Standard fastening for joints, included as standard on all ICID Plus parts with a female collar / socket joint	150mm 0906086MB	£13.51
	Inspection Pipe with Test Point (Dry Applications Only)	125mm 0905013 DMB	£414.46
	Installed as a standard length the inspection hatch offers facility for flue access & cleaning and a locking plug with a lip seal gasket. 302mm installed length	150mm 0906013 DMB	£466.14

Product Description	Diameter	Part No.	Price
Elbows / Tees			
	15° Elbow	125mm 0905025MB	£181.31
	Used for changing flue direction	150mm 0906025MB	£210.65
	30° Elbow	125mm 0905023MB	£181.31
	Used for changing flue direction	150mm 0906023MB	£210.61
	45° Elbow	125mm 0905022MB	£181.31
	Used for changing flue direction	150mm 0906022MB	£210.61
	90° Elbow	150mm 0906021MB	£263.96
	Used for changing flue direction		
	90° Tee Including Cap (Cap Suitable For Tee Only)	125mm 0905043MB	£507.97
	Connect from connecting flue pipe to a chimney system or the branch may be used to locate a draft stabiliser, complete with drain cap for base	150mm 0906043MB	£554.55
	135° Tee Including Cap (Cap Suitable For Tee Only)	125mm 0905044MB	£474.63
	Used in combination with a 45° bend from connecting flue pipe to a chimney system, complete with drain cap for base	150mm 0906044MB	£554.55
	Tee Cap	150mm 0906091MB	£66.67
	Standard tee cap for tee – fits base of tee only		
	Insulated Tee Cap (Fits Wall Support Top Plate)	125mm 0905053MB	£196.67
	Tee cap designed to fit onto tee or any ICID fitting	150mm 0906053MB	£208.32
	Insulated Tee Cap & Drain (Fits Wall Support Top Plate)	125mm 0905533MB	£195.92
	Tee cap designed to fit onto tee or any ICID fitting with added drain off fitting	150mm 0906533MB	£213.51




















Do you need?








Guy Wire, Grips and Strainers or Rigid Roof Stays



See the Fixings section on page 5.10

Product Description	Diameter	Part No.	Price
Support / Penetration Components			
 Top Plate Supporting plate with socket above and spigot below. Can use with side plates or cantilever brackets for the weight bearing wall supports (includes locking band)	125mm	0905066MB	£177.81
	150mm	0906066MB	£186.63
 Wall Support Side Plates Triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905994MB	£153.32
	150mm	0906994MB	£166.68
 Standard Wall Support 60mm Stand Off Support plate with triangular side plates for standard wall support offering 60mm distance away from wall	125mm	0905998MB	£326.63
	150mm	0906998MB	£353.30
 Adj Wall Support 100mm Stand Off (Type 325 Arms) Support plate with 325mm cantilever arms allowing up to 100mm extension distance away from wall	125mm	0905325MB	£391.30
	150mm	0906325MB	£399.97
 Adj Wall Support 100 – 250mm Stand Off (Type 475 Arms) Support plate with 475mm cantilever brackets allowing up to 250mm extension distance away from wall	125mm	0905475MB	£410.73
	150mm	0906475MB	£419.96
 Adj Wall Support 100 – 350mm Stand Off (Type 570 Arms) Support plate with 570mm cantilever brackets allowing up to 350mm extension distance away from wall	125mm	0905570MB	£473.28
	150mm	0906570MB	£486.92
 Retrofit Wall Support Band with triangular side plates providing 60-200mm stand off	125mm	0905200MB	£164.97
	150mm	0906200MB	£167.16
 Wall Band 60mm Standard lateral support wall band (suitable for internal & external application)	125mm	0905088MB	£46.01
	150mm	0906088MB	£47.81

Product Description	Diameter	Part No.	Price
 Wall Band Extension 50 – 100mm Back bracket allowing extension of flue when using 09**088MB	125mm	0905064MB	£14.36
	150mm	0906064MB	£28.89
 Adjustable Wall Band 60 – 300mm (Band & Bracket) 09**088MB & 09**067MB combined as an extension band and bracket kit	125mm	0905067MB	£104.76
	150mm	0906067MB	£141.21
 Retrofit Wall Band 60mm Can be used on their own or combined with extension brackets for further adjustment	125mm	0905088 RFMB	£99.39
	150mm	0906088 RFMB	£104.45
 Structural Wall Band Extension W1 – 130mm Short brackets to offer up to 100mm extension away from wall for retrofit wall bands	One Size	0900001MB	£63.91
 Structural Wall Band Extension L1 – 300mm Extension arms to allow up to 250mm extension away from wall for retrofit wall bands	One Size	0900002MB	£187.56
 Structural Wall Band Extension L2 – 450mm Extension arms to allow up to 440mm extension away from wall for retrofit wall bands	One Size	0900003MB	£199.98
 Guy Wire Bracket Used to secure unsupported chimney sections above the roof level with wires or rigid stays	125mm	0905092MB	£54.36
	150mm	0906092MB	£50.86
 Extended / Structural Locking Band Used where the flue is freestanding above the roof and height exceeds 1.5m above the last support or roof Can support up to 3m from last support	125mm	0905086 EMB	£45.05
	150mm	0906086 EMB	£47.02
 Structural Locking Band For Bend As the extended standard locking bands but thinner to allow fitting on bends where offset is used	125mm	0905086 EBMB	£20.01
	150mm	0906086 EBMB	£20.00

Product Description	Diameter	Part No.	Price
 90° Trim Collar One Piece To cover when chimney system passes through a wall Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905111B	£70.53
	150mm	0906111B	£71.58
	180mm	0907105B	£87.19
	200mm	0908105B	£99.82
 135° Trim Collar One Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905113B	£82.64
	150mm	0906113B	£91.74
	180mm	0907106B	£126.62
	200mm	0908106B	£131.49
 135° Trim Collar Two Piece To cover when chimney system passes through the wall at 135° Covers 100mm (125 & 150mm) or 75mm (180 & 200mm) around external diameter of the flue	125mm	0905114B	£77.99
	150mm	0906114B	£85.64
	180mm	0907107B	103.57
	200mm	0908107B	£121.68
 0 – 20° Trim Collar Two Piece Elliptical collar allowing multiple angles between 0 – 20°	125mm	0905245B	£91.30
	150mm	0906245B	£83.59
	180mm	0907245B	£105.90
	200mm	0908245B	£111.48
 20 – 35° Trim Collar Two Piece Elliptical collar allowing multiple angles between 20 – 35°	125mm	0905246B	£83.59
	150mm	0906246B	£83.59
	180mm	0907246B	£105.90
	200mm	0908246B	£111.48
 35 – 45° Trim Collar Two Piece Elliptical collar allowing multiple angles between 35 – 45°	125mm	0905247B	£83.59
	150mm	0906247B	£83.59
	180mm	0907247B	£105.90
	200mm	0908247B	£110.72
 Ventilated Firestop Round One Piece Black (Combustible Floor) To be used where chimney passes through a combustible floor or ceiling	125mm	0905083B	£98.54
	150mm	0906083B	£98.54
	180mm	0907083B	£110.12
	200mm	0908083B	£121.74
 Ventilated Firestop Round Two Piece Black (Combustible Floor) To be used where chimney passes through a combustible floor or ceiling	125mm	0905084B	£98.54
	150mm	0906084B	£104.33
	180mm	0907084B	£121.74
	200mm	0908084B	£127.53












Product Description	Diameter	Part No.	Price
 Bungalow Circular Firestop One Piece Black (Unvented) Used for when chimney passes through a combustible ceiling in a bungalow into an open roof space	125mm	0905183B	£61.73
	150mm	0906183B	£66.13
	180mm	0907183B	£75.65
	200mm	0908183B	£81.14
 Magnetic Cover Ring Black Optional decorative addition to ventilated firestop plate	125mm	0905110B	£69.01
	150mm	0906110B	£69.01
	180mm	0907110B	£79.62
	200mm	0908110B	£79.62
Terminals / Flashings			
 Rain Cap No Mesh Rain Cap terminal without mesh, terminates flue and offers rain protection	125mm	0905074MB	£120.03
	150mm	0906074MB	£126.56
 Rain Cap With Mesh Rain Cap terminal with 25mm anti-bird mesh, terminates flue and offers rain protection	125mm	0905076MB	£146.65
	150mm	0906076MB	£153.31
 Anti Splash Terminal (Without Mesh) Some antidowndraught properties, terminates flue and helps reduce downdraught and rain entering the chimney system	150mm	0906075MB	£373.36
 Insulated Tapered Terminal Open tapered terminal, terminates chimney system	125mm	0905073MB	£213.31
	150mm	0906073MB	£255.13
 Round Terminal Terminal offering extra protection in excessive rain	125mm	0905079MB	£258.34
	150mm	0906079MB	£275.99
 Angled Flashing 5 – 45° (Including Storm Collar) Aluminium angled roof flashing including storm collar	150mm	0906035MB	£378.89
 Storm Collar Used to prevent water ingress where flue passes through a roof flashing	125mm	0905041MB	£79.73
	150mm	0906041MB	£79.73











Core Twin Wall

Suitable for: Woodburning, solid fuel, gas, oil

Designation Number: CE certified to EN 1856-1:2009 with designations T450 N1 W V2 L50050 G60 (Painted) T450 N1 D V3 L50050 G60 (Painted) T450 N1 W V2 L50050 G50 (Painted) T450 N1 D V3 L50050 G50 (Painted)













Condensing	Locking Bands Req.	Locking Bands Inc.	Distance to Combustibles	Material	Insulation Thickness	Manufacturer	Warranty
X	✓	✓	50mm / 60mm	316 stainless steel liner	25mm	Schiedel Chimney Systems	10 years












Product Description	Diameter	Part No.	Price
Starting Components			
	Adjustable starter section 600mm - with test point	100mm	4804999MB £142.83
		130mm	4805999MB £158.81
		150mm	4806999MB £167.29
	Adjustable starter section 1037mm - with test point	100mm	4804998MB £166.66
		130mm	4805998MB £188.81
		150mm	4806998MB £205.04
	600mm adjustable starter section with 45 deg bend - with test point	130mm	4805997MB £165.11
		150mm	4806997MB £174.63
	Insulated appliance connector - direct from appliance or Premier Vitreous	100mm	4804101MB £71.20
		130mm	4805101MB £76.04
		150mm	4806101MB £77.73
	Prima Smooth / Specvit to Core adaptor	130mm	4805093MB £65.78
		150mm	4806093MB £71.40
	Core to Prima Smooth adaptor	130mm	4805099MB £48.87
		150mm	4806099MB £55.25
	Increasing insulated appliance connector - direct from appliance or Premier Vitreous	130mm	4805098MB £95.02
		150mm	4806098MB £98.73
	Anchor plate (Screwtype) - to fit TecnoFlex only	100mm	4804089S £70.99
		130mm	4805089S £91.96
		150mm	4806089S £95.05
	Adaptor to Flex (Screwtype) - to fit TecnoFlex only. Core below, Flex above	100mm	4804090 £67.40
		130mm	4805090 £69.95
		150mm	4806090 £72.74
Pipe lengths			
	150mm length <i>installed length 113mm</i>	100mm	4804006MB £53.86
		130mm	4805006MB £59.54
		150mm	4806006MB £60.74
	250mm length <i>installed length 213mm</i>	100mm	4804012MB £63.79
		130mm	4805012MB £65.18
		150mm	4806012MB £66.95

Product Description	Diameter	Part No.	Price
	500mm length <i>installed length 463mm</i>	100mm	4804005MB £74.70
		130mm	4805005MB £75.87
		150mm	4806005MB £78.85
	750mm length <i>installed length 750mm</i>	100mm	4804004MB £77.32
		130mm	4805004MB £79.83
		150mm	4806004MB £84.52
	1000mm length <i>installed length 963mm</i>	100mm	4804002MB £87.71
		130mm	4805002MB £96.44
		150mm	4806002MB £102.30
	Inspection pipe <i>installed length 496mm</i>	100mm	4804013MB £207.00
		130mm	4805013MB £237.38
		150mm	4806013MB £241.80
	2 Piece adjustable 250-365mm	100mm	4804015MB £110.43
		130mm	4805015MB £113.92
		150mm	4806015MB £116.15
	2 Piece adjustable 360-580mm	100mm	4804016MB £115.61
		130mm	4805016MB £135.33
		150mm	4806016MB £140.13
	2 Piece adjustable 525-915mm	100mm	4804017MB £145.42
		130mm	4805017MB £150.03
		150mm	4806017MB £157.66
	1 piece adjustable 50-230mm - use with another length telescopically	100mm	4804018MB £109.01
		130mm	4805018MB £110.02
		150mm	4806018MB £111.30
	Standard locking band	100mm	4804086MB £7.39
		130mm	4805086MB £7.69
		150mm	4806086MB £7.96
	Structural locking band	100mm	
		130mm	Coming soon
		150mm	

Product Description	Diameter	Part No.	Price
Bends			
	45 degree bend	100mm 4804022MB	£80.32
		130mm 4805022MB	£91.04
		150mm 4806022MB	£95.95
	30 degree bend	100mm 4804023MB	£80.15
		130mm 4805023MB	£90.95
		150mm 4806023MB	£92.92
	15 degree bend	100mm 4804025MB	£80.15
		130mm 4805025MB	£90.95
		150mm 4806025MB	£92.92
	45/135 degree tee	100mm 4804044MB	£265.45
		130mm 4805044MB	£269.86
		150mm 4806044MB	£278.05
	90 degree tee	100mm 4804043MB	£361.20
		130mm 4805043MB	£370.55
		150mm 4806043MB	£377.32
	Drain plug - to be ordered with Tee	100mm 4804053MB	£115.83
		130mm 4805053MB	£116.95
		150mm 4806053MB	£118.66
Wall sleeves			
	Non-combustible Wall Sleeve 45 / 135 degree	100mm 4804051	£42.48
		130mm 4805051	£28.36
		150mm 4806051	£38.70
	Combustible Wall Sleeve 45 / 135 degree	100mm 4804050	£51.90
		130mm 4805050	£44.65
		150mm 4806050	£48.08
	Non-combustible Wall Sleeve 90 Degree	100mm 4804052	£19.63
		130mm 4805052	£17.74
		150mm 4806052	£18.52
	Combustible Wall Sleeve 90 Degree	100mm 4804054	£23.45
		130mm 4805054	£23.35
		150mm 4806054	£21.06
Firestop components			
	1 piece round G50 fire stop plate - ventilated	100mm 4804283MB	£59.32
		130mm 4805283MB	£63.68
		150mm 4806283MB	£66.85
	1 piece square G50 firestop plate - ventilated	100mm 4804281	£54.95
		130mm 4805281	£60.65
		150mm 4806281	£64.28
	1 piece round G60 firestop plate - ventilated	100mm 4804083MB	£54.11
		130mm 4805083MB	£58.20
		150mm 4806083MB	£60.11
	1 piece square G60 firestop plate - ventilated	100mm 4804081	£57.65
		130mm 4805081	£62.35
		150mm 4806081	£65.51
	1 piece bungalow / single story firestop - black	100mm 4804183MB	£26.21
		130mm 4805183MB	£27.60
		150mm 4806183MB	£28.77

Product Description	Diameter	Part No.	Price
	2 piece bungalow / single story firestop - black	100mm 4804184MB	£40.39
		130mm 4805184MB	£42.08
		150mm 4806184MB	£43.04
	1 piece bungalow / single story firestop - white	100mm 4804183W	£27.33
		130mm 4805183W	£28.96
		150mm 4806183W	£30.16
	2 piece bungalow / single story firestop - white	100mm 4804184W	£41.51
		130mm 4805184W	£43.45
		150mm 4806184W	£44.45
Support components			
	Roof/rafter support	100mm 4804029	£50.80
		130mm 4805029	£58.55
		150mm 4806029	£58.94
	1 piece square support plate G50	100mm 4804228	£92.62
		130mm 4805228	£98.84
		150mm 4806228	£101.10
	1 piece square support plate G60	100mm 4804028	£95.29
		130mm 4805028	£100.47
		150mm 4806028	£102.30
	Retrofit wall support	100mm 4804200MB	£51.80
		130mm 4805200MB	£53.32
		150mm 4806200MB	£59.05
	Retrofit wall support - extended	100mm 4804375MB	£69.95
		130mm 4805375MB	£70.09
		150mm 4806375MB	£71.37
	Adjustable wall band 50-90mm	100mm 4804088MB	£39.60
		130mm 4805088MB	£39.95
		150mm 4806088MB	£43.58
	Adjustable wall band 90-200mm	100mm 4804067MB	£70.42
		130mm 4805067MB	£71.02
		150mm 4806067MB	£71.56
	Adjustable wall band 190-300mm	100mm 4804068MB	£84.49
		130mm 4805068MB	£84.68
		150mm 4806068MB	£84.79
	Adjustable wall band 290-400mm	100mm 4804069MB	£101.18
		130mm 4805069MB	£101.35
		150mm 4806069MB	£101.37
	Telescopic roof stays 1.6m to 2.5m range	100mm 4804029RS	£161.02
		130mm 4805029RS	£152.78
		150mm 4806029RS	£153.69
Ridged roof stay M10 bolts - 2 to be used with Telescopic Roof Stay		HBA	£9.67
	Guywire bracket	100mm 4804092MB	£66.08
		130mm 4805092MB	£63.43
		150mm 4806092MB	£65.65

Product Description	Diameter	Part No.	Price
Trim collars			
	1 Piece 45 / 135 degree trim collar	100mm 4804106MB	£23.05
		130mm 4805106MB	£24.38
		150mm 4806106MB	£25.66
	2 Piece 45 / 135 degree trim collar	100mm 4804107MB	£23.54
		130mm 4805107MB	£24.76
		150mm 4806107MB	£24.76
	1 Piece 90 degree trim collar	100mm 4804111MB	£21.98
		130mm 4805111MB	£23.65
		150mm 4806111MB	£23.89
	2 Piece 90 degree trim collar	100mm 4804112MB	£22.55
		130mm 4805112MB	£23.05
		150mm 4806112MB	£23.78
	Adjustable 0-20 degree trim collar	100mm 4804245MB	£23.97
		130mm 4805245MB	£24.95
		150mm 4806245MB	£25.61
	Adjustable 20-35 degree trim collar	100mm 4804246MB	£24.55
		130mm 4805246MB	£25.88
		150mm 4806246MB	£26.81
	Adjustable 35-45 degree trim collar	100mm 4804247MB	£25.04
		130mm 4805247MB	£26.73
		150mm 4806247MB	£27.46
Terminals			
	Raincap with 25mm mesh	100mm 4804076MB	£95.32
		130mm 4805076MB	£96.47
		150mm 4806076MB	£99.65
	Anti-downdraught round top terminal	100mm 4804079MB	£151.15
		130mm 4805079MB	£155.10
		150mm 4806079MB	£154.91
	Anti-splash terminal with mesh - suitable for gas and oil	100mm 4804077MB	£219.85
		130mm 4805077MB	£236.40
		150mm 4806077MB	£235.64
	Tapered terminal	100mm 4804073MB	£128.45
		130mm 4805073MB	£132.74
		150mm 4806073MB	£134.21
	Adaptor to Flex (Screwtype) - to fit TecnoFlex only. Core below, Flex above	100mm 4804090	£67.40
		130mm 4805090	£82.75
		150mm 4806090	£72.74

Product Description	Diameter	Part No.	Price
Flashings			
	Storm collar	100mm 4804041MB	£31.50
		130mm 4805041MB	£17.98
		150mm 4806041MB	£19.28
	Storm collar with seal	100mm	
		130mm	Coming soon
		150mm	
	Angled aluminium flashing 5-45 degree	100mm 4804035MB	£160.49
		130mm 4805035MB	£165.93
		150mm 4806035MB	£171.44
	Flat aluminium flashing	100mm 4804038MB	£161.45
		130mm 4805038MB	£149.85
		150mm 4806038MB	£152.32
	Lead flashing 35 degree	100mm 8806035	£95.53
		130mm 8807035	£168.36
		150mm 8808035	£173.23
	Lead flashing 45 degree	100mm 8806045	£95.53
		130mm 8807045	£173.23
		150mm 8808045	£182.92
	Masterflash rubber flashing (black) EPDM	100mm 54MF106	£70.79
		130mm 54MF107	£95.06
		150mm 54MF108	£115.82
	Masterflash rubber flashing (red) Silicone	100mm 54MF206	£114.42
		130mm 54MF207	£144.40
		150mm 54MF208	£173.75
	Masterflash fixing kit 4-5 kits required	5500901	£16.05
Accessories			
	Loft guard 1000mm	0900559	£131.25
	Touch up paint 400ml	48SP	£29.58